

MANUFACTURED BY: Tara Materials, Inc.
 322 Industrial Park Drive
 Lawrenceville, GA 30045

SECTION 2. COMPOSITION INFORMATION ON HAZARDOUS INGREDIENTS

COMPONENT	%WT	CAS NO.	OSHA PEL	ACGIH TLV
Crystalline silica	< 0.5	14808-60-7	0.1 mg/m ³ Resp	0.05mg/m ³ Resp
Ground Limestone Resp	15 - 30	1317-65-3	5 mg/m ³ Resp	2 mg/m ³
Titanium Dioxide Resp	5 - 15	131463-67-7	15 mg/m ³ Resp	10 mg/m ³

SECTION 3. HAZARDS IDENTIFICATION

DESCRIPTION: Sanding of these products may release dusts containing the hazardous components described above.

POTENTIAL HEALTH EFFECTS:

Inhalation of airborne dust from sanding.

CAUTION: Dust can cause lung irritation.

SECTION 4. FIRST AID MEASURES

INHALATION: This product presents no inhalation hazard except when sanding or cutting. Perform these tasks in properly ventilated areas. Otherwise use an appropriate dust mask or respirator. If exposure occurs remove to fresh air. Consult a physician.

INGESTION: Accidental ingestion of these products would be very unlikely. Although these products are considered non-hazardous, they should NEVER be ingested. Ingestion of moderate to large quantities could be harmful. Seek medical attention at once.

SECTION 5. FIRE FIGHTING MEASURES

FLASH POINT: None

EXPLOSIVE LIMITS: None

HAZARDOUS COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide, and other typical combustion by-products. Combustion may also produce an irritating dust due to the presence of calcium carbonate, and titanium dioxide. Do NOT inhale smoke from burning material.

AUTOIGNITION TEMPERATURE: >450° F

SECTION 6. ACCIDENTAL RELEASE MEASURES

Not Applicable

SECTION 7. HANDLING AND STORING

Store in a cool, dry place. Keep away from fire or other sources of ignition

EYE PROTECTION: None needed unless sanding or cutting. We recommend safety goggles designed for use with highly dusting materials.

SKIN PROTECTION: None required unless suffering from acute dermatitis, hyper-sensitivity, or other skin ailments.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: White coated canvas. None to very mild odor.

PHYSICAL STATE: Solid **BOILING POINT:** None

pH: Neutral **MELTING POINT:** None

VAPOR PRESSURE: None **SOLUBILITY IN WATER:** Insoluble

VAPOR DENSITY: Not Applicable **SPECIFIC GRAVITY:** > 1

SECTION 10. STABILITY AND REACTIVITY

STABILITY: Stable

CONDITIONS TO AVOID: Very high temperatures, open flames

INCOMPATIBILITY, MATERIALS TO AVOID: Strong acids, caustics, strong oxidizers.

HAZARDOUS COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide, dust

HAZARDOUS POLYMERIZATION: Will Not Occur

SECTION 12. DISPOSAL CONSIDERATIONS
No special disposal methods are needed. Observe all local, state, and federal regulations.

SECTION 13. TRANSPORTATION INFORMATION

Not Applicable

SECTION 14. REGULATORY INFORMATION

This product may contain extremely small amounts of one or more materials determined by the State of California to cause cancer, birth defects, or other reproductive harm. However, exposure to these components will only occur if the material is cut, sanded, or burned.

SECTION 15. MISCELLANEOUS INFORMATION

This MSDS was prepared based on the best available information from suppliers, government documents, and/or reference manuals.

DATE PREPARED: February 27, 2004

PREPARED BY: J.R. January