

33218-XXXX

**MATERIAL SAFETY DATA SHEET****SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING****Product Name:** Sculpey III®**Product Use:** Oven hardening modeling material for hobby use**Manufacturer:**

Polyform Products Company
 1901 Estes Avenue
 Elk Grove Village, IL 60007 USA
 Phone: 1-847-427-0020
 info@polyformproducts.com
 www.sculpey.com

Emergency Telephone Number:

1-847-427-0020
 Only available during office hours
 Monday - Thursday 7 AM - 4 PM CST

Date of Preparation: 09/19/2012**SECTION 2: HAZARD IDENTIFICATION****Emergency Overview**

Do not inhale fumes during baking. Overheating oven hardening polymer clays will result in blackening and release of irritating gases including hydrogen chloride vapor.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS number	Weight %
-------------------	-------------------	-----------------

Oven hardening modeling material composed of polyvinyl chloride, plasticizer, fillers and colorants. This material contains no dangerous substances to be declared.

SECTION 4: FIRST AID MEASURES

Eye Contact:	Rinse eye thoroughly with plenty of water. If symptoms persist, seek medical attention.
Skin Contact:	Wash with soap and water.
Ingestion:	Wash out mouth with water. If symptoms persist, seek medical attention.
Inhalation:	Seek fresh air after inhalation of fumes in the case of overheating material in oven.

SECTION 5: FIRE-FIGHTING MEASURES

Flash Point:	n/a
Autoignition Temperature:	n/a
Explosion Limits in Air:	Not explosive
Extinguishing Agents:	Use water spray jet, foam, carbon dioxide, dry chemical.
Hazardous Decomposition Products:	In the case of overheating in oven, carbon monoxide, carbon dioxide and noxious hydrochloric acid vapors.
Special Protective Equipment for Fire Fighters:	Wear self-contained breathing apparatus with full face piece and protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: None. In case of overheating material, turn off oven. Ventilate area by opening nearest window. Seek fresh air, if fumes are inhaled.
Environmental Precautions: Contain spill.
Methods for Cleaning Up: Collect and reuse or dispose with domestic refuse.

SECTION 7: HANDLING AND STORAGE

Handling: Do not heat above 175°C (350°F), allow to come in contact with an open flame or use with a hot knife or wire. Use oven thermometer when hardening material in oven. Do not use microwave oven for baking. Do not overbake. Do not exceed the recommended baking temperature or time. Wash hands with soap and water after use.

Storage: Store unused material in a cool, dry place preferably in a sealed non-reactive container.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits: No threshold exposure limit values known.
Eye Protection: n/a
Skin and Body Protection: n/a
Respiratory Protection: n/a

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Color:	Various	pH:	n/a
Appearance:	Solid, malleable	Solubility in Water:	Not soluble
Odor:	Characteristic	Reactivity in Water:	Non-reactive
Boiling Point:	n/a	Specific Vapor Density (Air=1):	n/a
Melting Point:	n/a	Vapor Pressure:	n/a

SECTION 10: STABILITY AND REACTIVITY

Stability: Product is stable.
Polymerization: Not known to occur.
Hazardous Decomposition Products: Hydrochloric acid vapors
Materials to Avoid: None
Conditions to Avoid: None when used as intended.

SECTION 11: TOXICOLOGICAL INFORMATION

Effects and Symptoms of Acute Exposure: None expected.
Effects and Symptoms of Chronic Exposure: None expected.

Carcinogen Listing

NTP: No **IARC:** No **OSHA:** No

SECTION 12: ECOLOGICAL INFORMATION

No harmful effects to the environment are known if material is used as intended and disposed of in the appropriate manner.

SECTION 13: DISPOSAL CONSIDERATIONS

If recycling is not available, dispose with domestic refuse. Observe all federal, state and local regulations.

SECTION 14: TRANSPORT INFORMATION

U.S. Department of Transportation Ground (49 CFR):
Proper Shipping Name: Not Regulated

SECTION 15: REGULATORY INFORMATION

This material is not classified as hazardous.
This material has been reviewed by a toxicologist in the US and carries the AP seal from the Art & Creative Materials Institute (ACMI). The labeling conforms to US 16 CFR 1500-14 and ASTM D-4236.

SECTION 16: OTHER INFORMATION

n/a: not applicable

This MSDS applies to the following colors which are associated with non-hazardous ingredients.

Sculpey III® Products

001 WHITE	513 PURPLE	1626 MOSS
010 TRANSLUCENT	515 VIOLET	1628 STRING BEAN
033 SWEET POTATO	518 GLITTER PURPLE	1629 GRANNY SMITH
042 BLACK	521 LIME	1634 JUST ORANGE
053 CHOCOLATE	566 FRENCH BLUE	1645 ELEPHANT GRAY
063 BLUE	583 RED HOT RED	1657 HAZELNUT
072 YELLOW	1008 BLUE PEARL	
083 RED	1086 GOLD	
093 BEIGE	1101 PEARL	
301 TAN	1103 LT. BLUE PEARL	
303 DUSTY ROSE	1105 PEWTER	
322 LEAF GREEN	1107 COPPER	
323 EMERALD	1109 SUEDE BROWN	
328 GLITTER GREEN	1112 FUCHSIA PEARL	
355 GENTLE PLUM	1113 GLOW IN THE DARK	
360 CAMOUFLAGE	1130 SILVER	
370 TRANQUILITY	1132 JEWELRY GOLD	
380 BURIED TREASURE	1134 PLUM	
422 GLOW IN THE DARK GREEN	1140 DEEP RED PEARL	
433 GLOW IN THE DARK ORANGE	1142 CANDY PINK	
465 GLOW IN THE DARK BLUE	1144 SKY BLUE	
503 HOT PINK	1150 LEMONADE	
505 TURQUOISE	1209 BALLERINA	
510 GLITTER PINK	1216 SPRING LILAC	

The MSDS supersedes a previous MSDS dated: 05/11/2009
Prepared by: K. Rush 09/19/2012

The information contained herein is provided in good faith and is subject to change without notice. It is believed to be accurate and represents the best information currently available to us. However, we make no warranty, fitness for a particular purpose or of any other type, expressed or implied, with respect to products described or data or information provided. We assume no liability resulting from the use of such products, data or information. Users should determine the suitability of the information for their particular purpose. The user assumes all risk arising from their use of the material. The user is required to comply with all laws and regulations relating to the purchase, use, storage and disposal of the material and must be familiar with and follow generally accepted safe handling procedures.