SAFETY DATA SHEET

33520-1105,1109

1. Identification

EasyCast Hardener **Product identifier**

Other means of identification

7511850 SDS number

33008, 33008 MICHAELS, 33008C MICHAELS, 33010M, 33016, 33032, 33100, 33128, 33640, **Product code**

33640R, 33201, 33202, 33203, 33204, 33205, MICHAELS SKUs: 408248, 408249, 408250,

707-443-9323

408251, 408252, 408253, 408254, 408255.

Recommended use Casting Epoxy. None known. Recommended restrictions

Manufacturer/Importer/Supplier/Distributor information

Company name Environmental Technology, Inc. 300 S. Bay Depot Road

Address Fields Landing

CA 95537

Telephone Telephone number

E-mail mail@eti-usa.com Contact person **Technical Director**

800-424-9300 CHEMTREC **Emergency phone number**

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1 Sensitization, skin Category 1

Reproductive toxicity (fertility, the unborn Category 2

child)

OSHA defined hazards

Label elements

Not classified.



Signal word

Hazard statement Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin

reaction. Suspected of damaging fertility. Suspected of damaging the unborn child.

Precautionary statement

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the

workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do not induce vomiting. If on skin (or hair): Take off immediately all Response

contaminated clothing. Rinse skin with water/shower. Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If inhaled: Remove person to fish air and keep comfortable for breathing. Immediately call a poison center/doctor/. Specific treatment (see this

label)

Storage Store locked up

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

SDS US EasyCast Hardener 1/8 904006 Version #: 01 Revision date: -Issue date: 21-July-2014

Hazard(s) not otherwise classified (HNOC)

None known.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%	
Nonyl phenol	Proprietary	30-70	
Polyoxypropylenediamine	Proprietary	<40	
Aliphatic amine	Proprietary	<25	
Alkyl ether amine	Proprietary	<25	

Composition comments

The identities of the materials in this product are withheld as a trade secret (29CFR1910.1210(i)) and are available to a physician or paramedical personnel in a emergency situation. All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation

If inhaled, remove to fresh air. For breathing difficulties, oxygen may be necessary. Get medical attention if symptoms occur.

Skin contact

Wash contaminated clothing before reuse. Rinse skin thoroughly with lukewarm water for at least 15 minutes. Call a physician or poison control center immediately.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes, lifting upper and lower eyelids occasionally. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Ingestion

Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Call a physician or Poison Control Center immediately.

Most important symptoms/effects, acute and delayed

Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract. May cause an allergic skin reaction. Dermatitis. Rash. Contact can cause corrosive burns, corneal damage, and blindness. Itching, redness, swelling, burning or blistering of skin.

Indication of immediate medical attention and special treatment needed

Exposure may aggravate pre-existing skin disorders. Treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. The toxicological properties of this material have not been fully investigated.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Water. Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

During fire, gases hazardous to health may be formed.

the chemical Special protective equipment

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters Fire-fighting

Move container from fire area if it can be done without risk.

equipment/instructions Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe mist or vapor. Do not get in eyes, on skin, on clothing. Keep unnecessary personnel away. Keep out of low areas. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

EasyCast Hardener SDS US 2/8 904006 Version #: 01 Revision date: -Issue date: 21-July-2014

Page 2 of 8 Item Numbers: 33520-1105, 33520-1109

Methods and materials for containment and cleaning up

Keep unnecessary personnel away. This product is miscible in water. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Collect and dispose of spillage as indicated in section 13 of the SDS. Prevent entry into waterways, sewer, basements or confined areas.

Never return spills to original containers for re-use.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground. Contact local authorities in case of spillage to drain/aquatic environment.

7. Handling and storage

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Do not get this material in your eyes, on your skin, or on your clothing. Avoid contact during pregnancy/while nursing. Provide adequate ventilation. Use personal protective equipment as required. Wash contaminated clothing before reuse. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Avoid prolonged exposure. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Store locked up. Store in tightly closed original container in a dry, cool and well-ventilated place. Store away from incompatible materials, see Section 10 of the SDS

8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

No exposure standards allocated. Use personal protective equipment as required. Keep working

clothes separately

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection

Chemical resistant gloves.

Other

Wear appropriate chemical resistant clothing. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material. Wear appropriate chemical resistant clothing to prevent any possibility of skin contact.

Respiratory protection

If ventilation is insufficient, suitable respiratory protection must be provided. Wear appropriate thermal protective clothing, when necessary.

Thermal hazards
General hygiene

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Wash at the end of each work shift and before eating, smoking and using the toilet.

9. Physical and chemical properties

Appearance Viscous liquid.

Physical state Liquid.
Form Liquid.

Color Slightly yellow.
Odor Ammonia-like.
Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling 431.6 °F (222 °C)

range

Flash point 212.0 °F (100.0 °C) Setaflash

Evaporation rate Not available. Flammability (solid, gas) Not available.

EasyCast Hardener SDS US
904006 Version #: 01 Revision date: - Issue date: 21-July-2014 3 / 8

Item Numbers: 33520-1105, 33520-1109 Page 3 of 8

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Explosive limit - upper (%) Not available. Not available.

Vapor pressure

< 1 mm Hg @ 68 F

Vapor density

Not available.

Relative density

0.97 (69.8 °F (21 °C))

Solubility(ies)

Solubility (water) Partition coefficient (n-octanol/water)

Slightly soluble Not available.

Not available.

Auto-ignition temperature **Decomposition temperature**

Not available.

Viscosity

Not available.

Other information

Density Percent volatile VOC (Weight %) 8 lb/gal 0 %

0

10. Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Read and follow manufacturer's recommendations.

Chemical stability

Stable under normal temperature conditions and recommended use. Hazardous polymerization does not occur.

Possibility of hazardous

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Reacts violently with strong acids. This product may react with oxidizing agents. Do not mix with other chemicals. Contact with incompatible materials.

Avoid incompatible materials and intense heat.

Acids. Strong oxidizing agents. Oxidizing agents.

Incompatible materials Hazardous decomposition

products

None expected under normal conditions of use.

11. Toxicological information

Information on likely routes of exposure

Ingestion

Causes digestive tract burns. Harmful if swallowed.

Inhalation

Prolonged inhalation may be harmful. May cause irritation to the respiratory system.

Skin contact

Causes severe skin burns. May be harmful in contact with skin. May cause an allergic skin

Eye contact

Causes serious eve damage.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity

Harmful if swallowed. May cause an allergic skin reaction. May cause irritation to the respiratory

system.

Components

Species

Test Results

Aliphatic amine (CAS Proprietary)

Acute

Dermal

LD50

Rat

> 2000 mg/kg

EasyCast Hardener 904006

Version #: 01

Revision date: -

Issue date: 21-July-2014

SDS US 4/8

	Species				
Inhalation			4.05 .504		
LC50	Rat		1.07 - 5.01 mg/l, 4 Hours		
Oral	D-4		4020 4		
LD50	Rat		1030 mg/kg		
Alkyl ether amine (CAS Proprieta Acute	iry)		•		
<i>Oral</i> LD50	Rat		<= 200 mg/kg		
Skin corrosion/irritation	Causes severe skin burns.				
Serious eye damage/eye rritation	Causes serious eye damage.				
Respiratory or skin sensitization	оп				
Respiratory sensitization	Due to part	Due to partial or complete lack of data the classification is not possible.			
Skin sensitization	-	May cause an allergic skin reaction.			
Serm cell mutagenicity	_	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.			
Carcinogenicity	This produ	ct is not considered to be a carcinogen by	y IARC, ACGIH, NTP, or OSHA.		
OSHA Specifically Regulat Not listed.	ted Substance	es (29 CFR 1910.1001-1050)			
Reproductive toxicity	Suspected	Suspected of damaging the unborn child. Suspected of damaging fertility.			
Specific target organ toxicity - single exposure	Not classifi	Not classified.			
Specific target organ toxicity -	Not classifi	ed.			
epeated exposure					
· ·	Due to the	high viscosity the product is not an aspira	ation hazard.		
Aspiration hazard Chronic effects 12. Ecological informatio	The toxicol	ogical properties of this material have no	t been investigated.		
repeated exposure Aspiration hazard Chronic effects 12. Ecological informatio Ecotoxicity Components	The toxicol	ogical properties of this material have no	t been investigated.		
Aspiration hazard Chronic effects 12. Ecological informatio	The toxicol on Expected to environment	ogical properties of this material have no o be very toxic to aquatic organisms. May nt.	t been investigated. y cause long-term adverse effects in the		
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components	The toxicol on Expected to environment	ogical properties of this material have no o be very toxic to aquatic organisms. May nt.	t been investigated. y cause long-term adverse effects in the		
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components Aliphatic amine (CAS Propri	The toxicol on Expected to environment	ogical properties of this material have no o be very toxic to aquatic organisms. May nt.	t been investigated. y cause long-term adverse effects in the		
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components Aliphatic amine (CAS Propring Aquatic	The toxicol on Expected to environment etary) EC50	ogical properties of this material have no o be very toxic to aquatic organisms. May nt. Species	t been investigated. y cause long-term adverse effects in the Test Results		
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components Aliphatic amine (CAS Propriorus) Aquatic Crustacea Nonyl phenol (CAS Proprieta	The toxicol on Expected to environment etary) EC50	ogical properties of this material have no o be very toxic to aquatic organisms. May nt. Species	t been investigated. y cause long-term adverse effects in the Test Results		
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components Aliphatic amine (CAS Proprior Aquatic Crustacea Nonyl phenol (CAS Proprieta Aquatic	Expected to environment etary) EC50 ary)	ogical properties of this material have no o be very toxic to aquatic organisms. May nt. Species Water flea (Daphnia magna)	t been investigated. y cause long-term adverse effects in the Test Results 14.6 - 21.5 mg/l, 48 hours		
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components Aliphatic amine (CAS Proprior Aquatic Crustacea Nonyl phenol (CAS Proprieta Aquatic Crustacea Crustacea	Expected to environment etary) EC50 ary) EC50 LC50	ogical properties of this material have not obe very toxic to aquatic organisms. Maynt. Species Water flea (Daphnia magna) Clam (Mulinia lateralis) Winter flounder (Pleuronectes americanus)	t been investigated. y cause long-term adverse effects in the Test Results 14.6 - 21.5 mg/l, 48 hours 0.0379 mg/l, 48 hours		
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components Aliphatic amine (CAS Proprior Aquatic Crustacea Nonyl phenol (CAS Proprieta Aquatic Crustacea Fish Polyoxypropylenediamine (CAQ Aquatic Chronic	Expected to environment etary) EC50 ary) EC50 LC50	ogical properties of this material have not obe very toxic to aquatic organisms. Maynt. Species Water flea (Daphnia magna) Clam (Mulinia lateralis) Winter flounder (Pleuronectes americanus)	t been investigated. y cause long-term adverse effects in the Test Results 14.6 - 21.5 mg/l, 48 hours 0.0379 mg/l, 48 hours		
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components Aliphatic amine (CAS Proprior Aquatic Crustacea Nonyl phenol (CAS Proprieta Aquatic Crustacea Fish Polyoxypropylenediamine (CAS Aquatic Chronic Algae Persistence and degradability	Expected to environment etary) EC50 ary) EC50 LC50 CAS Proprietary NOEC No data is	ogical properties of this material have not to be very toxic to aquatic organisms. Maynt. Species Water flea (Daphnia magna) Clam (Mulinia lateralis) Winter flounder (Pleuronectes americanus) y) Algae available on the degradability of this produce.	t been investigated. y cause long-term adverse effects in the Test Results 14.6 - 21.5 mg/l, 48 hours 0.0379 mg/l, 48 hours 0.017 mg/l, 96 hours		
Chronic effects 12. Ecological information informatio	Expected to environment etary) EC50 ary) EC50 LC50 CAS Proprietary NOEC No data is No data av	ogical properties of this material have not on be very toxic to aquatic organisms. May nt. Species Water flea (Daphnia magna) Clam (Mulinia lateralis) Winter flounder (Pleuronectes americanus) y) Algae available on the degradability of this produitable on bioaccumulation.	t been investigated. y cause long-term adverse effects in the Test Results 14.6 - 21.5 mg/l, 48 hours 0.0379 mg/l, 48 hours 0.017 mg/l, 96 hours		
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components Aliphatic amine (CAS Proprior Aquatic Crustacea Nonyl phenol (CAS Proprieta Aquatic Crustacea Fish Polyoxypropylenediamine (CAS Proprieta Aquatic Crustacea) Fish Polyoxypropylenediamine (CAS Proprieta Aquatic Chronic Algae Persistence and degradability Bioaccumulative potential Mobility in soil	Expected to environment etary) EC50 ary) EC50 LC50 CAS Proprietary NOEC No data is	ogical properties of this material have not obe very toxic to aquatic organisms. Maynt. Species Water flea (Daphnia magna) Clam (Mulinia lateralis) Winter flounder (Pleuronectes americanus) y) Algae available on the degradability of this produitable on bioaccumulation.	t been investigated. y cause long-term adverse effects in the Test Results 14.6 - 21.5 mg/l, 48 hours 0.0379 mg/l, 48 hours 0.017 mg/l, 96 hours		
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components Aliphatic amine (CAS Proprior Aquatic Crustacea Nonyl phenol (CAS Proprieta Aquatic Crustacea Fish Polyoxypropylenediamine (CAQ Aquatic Chronic	Expected to environment etary) EC50 ary) EC50 LC50 CAS Proprietary NOEC No data is No data av No data av None know	ogical properties of this material have not obe very toxic to aquatic organisms. Maynt. Species Water flea (Daphnia magna) Clam (Mulinia lateralis) Winter flounder (Pleuronectes americanus) y) Algae available on the degradability of this produitable on bioaccumulation.	t been investigated. y cause long-term adverse effects in the Test Results 14.6 - 21.5 mg/l, 48 hours 0.0379 mg/l, 48 hours 0.017 mg/l, 96 hours		
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components Aliphatic amine (CAS Proprior Aquatic Crustacea Nonyl phenol (CAS Propriets Aquatic Crustacea Fish Polyoxypropylenediamine (CAS Aquatic Chronic Algae Persistence and degradability Bioaccumulative potential Mobility in soil Other adverse effects 13. Disposal consideration	The toxicol Expected to environment etary) EC50 ary) EC50 CAS Proprietary NOEC No data is No data av No data av None know	ogical properties of this material have not obe very toxic to aquatic organisms. Maynt. Species Water flea (Daphnia magna) Clam (Mulinia lateralis) Winter flounder (Pleuronectes americanus) y) Algae available on the degradability of this produitable on bioaccumulation.	t been investigated. y cause long-term adverse effects in the Test Results 14.6 - 21.5 mg/l, 48 hours 0.0379 mg/l, 48 hours 0.017 mg/l, 96 hours 0.32 mg/l, 72 hours		
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components Aliphatic amine (CAS Proprior Aquatic Crustacea Nonyl phenol (CAS Proprieta Aquatic Crustacea Fish Polyoxypropylenediamine (CA) Aquatic Chronic Algae Persistence and degradability Bioaccumulative potential Mobility in soil Other adverse effects	The toxicol Expected to environment etary) EC50 ary) EC50 CAS Proprietant NOEC No data is No data av No data av None know Dispose in	o be very toxic to aquatic organisms. Maynt. Species Water flea (Daphnia magna) Clam (Mulinia lateralis) Winter flounder (Pleuronectes americanus) y) Algae available on the degradability of this produitable on bioaccumulation. ailable.	t been investigated. y cause long-term adverse effects in the Test Results 14.6 - 21.5 mg/l, 48 hours 0.0379 mg/l, 48 hours 0.017 mg/l, 96 hours 0.32 mg/l, 72 hours luct.		

Item Numbers: 33520-1105, 33520-1109 Page 5 of 8

Hazardous waste code

disposal company. Waste from residues / unused Dispose of in accordance with local regulations. Empty containers or liners may retain some products product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Do not allow this material to drain into sewers/water supplies. Contaminated packaging Dispose in accordance with applicable federal, state, and local regulations. 14. Transport information DOT **UN** number UN1760 UN proper shipping name Corrosive liquids, n.o.s. Transport hazard class(es) Class 8 Subsidiary risk Label(s) 8 Packing group ш Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Special provisions IB3, T7, TP1, TP28 Packaging exceptions 154 Packaging non bulk 203 Packaging bulk 241 IATA **UN number** UN1760 UN proper shipping name Corrosive liquids, n.o.s Transport hazard class(es) Class 8 Subsidiary risk Label(s) R Packing group Ш Packaging exceptions: 2.7.2.1 **Environmental hazards** Yes Special precautions for user Read safety instructions, SDS and emergency procedures before handling. **IMDG** UN1760 UN number UN proper shipping name Corrosive liquids, n.o.s. Transport hazard class(es) Class 8 Subsidiary risk 8 Label(s) Packing group Ш Special provisions: 223, 274 Packaging exceptions: 2.7.2.1 **Environmental hazards** Marine pollutant Yes **EmS** F-A, S-B Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Transport in bulk according to This substance/mixture is not intended to be transported in bulk. Annex II of MARPOL 73/78 and the IBC Code 15. Regulatory information US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List. TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed CERCLA Hazardous Substance List (40 CFR 302.4) Not listed. SDS US EasyCast Hardener 6/8

The waste code should be assigned in discussion between the user, the producer and the waste

Version #: 01

Revision date: -

Issue date: 21-July-2014

904006

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA) US state regulations

This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Aliphatic amine (CAS Proprietary)

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
		•

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Revision date

21-July-2014

Issue date Version #

904006

01

EasyCast Hardener

Version #: 01

Revision date: - Issue date: 21-July-2014

SDS US 7/8 HMIS® ratings

Health: 3* Flammability: 0
Physical hazard: 0

References

Disclaimer

ACGIH

REPA: AQUIRE database
NLM: Hazardous Substances Data Base
US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank
IARC Monographs. Overall Evaluation of Carcinogenicity
National Toxicology Program (NTP) Report on Carcinogens
ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

The information in the sheet was written based on the best knowledge and experience currently available.

EasyCast Hardener 904006 Version #: 01

Revision date: -

Issue date: 21-July-2014

SDS US 8/8

Page 8 of 8