

43232-1093
-4913
-9353
-9503

Material Safety Data Sheet

Infosafe No: 3CM09 Issue Date: March 2007 ISSUED by COLORMAK

Product Name: **Permaset Aqua Metallic and Pearl Colours**
Not classified as hazardous.

Page 1 of 4

43234-1091
-1351
-4911
-9501

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY

Chemical Product And Company Identification Aqueous polymer dispersion with pigment and propriety additives

Product Name Permaset Aqua Metallic and Pearl Colours

Product Codes 0015 Bright Silver/00192 Copper/0016 Gold Lustre/0017 Pearl White

Product Use Textile printing on natural fibres & synthetic substrates.

Company Name Address Colormaker Industries
44 Orchard Road, Brookvale
NSW 2100 Australia

Telephone Number/Fax Tel: (02) 9939-7977 Fax: (02) 9939-6685

Product Type Aqueous textile printing media.

Emergency Contact Name David Stuart

Emergency Contact Address 44 Orchard Rd., Brookvale NSW 2100 Australia

24 hour Contact +61 438 317 811

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Characterization Aqueous polymer dispersion with pigments and specialty additives.

Ingredients	Name	CAS	Proportion	Haz Symbol	Risk Phrase
	Acrylic copolymer	N/A	25-40 %		
	Pearl Pigments	N/A	10-25 %		
	Water and minor ingredients	N/A	45-60 %		

3. HAZARDS IDENTIFICATION

Harmful if swallowed.

4. FIRST AID MEASURES

Inhalation Not an inhalation risk.

Ingestion Immediately rinse mouth and then drink plenty of water. Seek medical attention.

Skin Instantly wash with soap and water and rinse thoroughly. Remove contaminated clothing and wash before re-use. If irritation occurs seek medical advice.

Eye Immediately irrigate with copious quantity of water for at least 15 minutes. Eyelids to be held open. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Advice to Doctor Treat symptomatically.

Material Safety Data Sheet

Infosafe No: 3CM09 Issue Date: March 2007 ISSUED by COLORMAK

Product Name: Permaset Aqua Metallic and Pearl Colours

Not classified as hazardous.

Page 2 of 4

5. FIRE FIGHTING MEASURES

Extinguishing Media Use extinguishing media suited to the primary source of the fire.

Specific Hazards No known unusual fire or explosion hazards associated with the product.

Hazardous Combustion Products Not flammable, however after evaporation of the aqueous component residual material may decompose evolving toxic fumes and gases.

Emergency Action in Case of Fire Fire fighters to wear self contained breathing apparatus if risk of exposure to products of combustion

6. ACCIDENTAL RELEASE MEASURES

Spills/Disposal Slippery when spilt. Avoid accidents, clean up immediately. Contain using sand and earth - prevent runoff into drains and waterways. Wear protective equipment to prevent skin and eye contamination. Contain - prevent contamination of drains and waterways. Use absorbent (soil, sand, sawdust, vermiculite). Collect and seal in properly labelled drums for disposal. Wash the area with excess water.

7. HANDLING AND STORAGE

Handling Handle in accordance with good industrial hygiene and safety practice.

Storage Store in a cool, dry place (above 0°C and below 40°C) out of direct sunlight and away from sources of heat.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Other exposure Information.

A Time Weighted Average (TWA) or a Short Term Exposure Limit (STEL) has not been established by the National Occupational Health and Safety Commission for this product or any of its major ingredients.

Respiratory Protection Not generally required.

Eye Protection Safety glasses

Hand Protection PVC, neoprene or nitrile rubber gloves.

Body Protection Overalls or similar protective apparel.

Hygiene Measures Wash hands and face before smoking, eating, drinking or using the toilet.

Material Safety Data Sheet

Infosafe No: 3CM09 Issue Date: March 2007 ISSUED by COLORMAK

Product Name: **Permaset Aqua Metallic and Pearl Colours**
Not classified as hazardous.

Page 3 of 4

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Pigmented liquid.
 Odour Mild, characteristic.
 Boiling Point Approx. 100°C (water)
 Solubility in Water Miscible.
 Specific Gravity (H₂O=1) Approx. 1.15 (20°C)
 pH Value Approx. 9 (25°C)
 Viscosity Approx 70,000 cP
 Flash Point Not applicable
 Flammability Not flammable.

10. STABILITY AND REACTIVITY

Stability Stable.
 Hazardous Will not occur.
 Polymerization
 Hazardous No decomposition if used correctly.
 Decomposition
 Products

11. TOXICOLOGICAL INFORMATION

Inhalation Vapour or spray mist may irritate mucous membranes and respiratory tract
 Ingestion Ingestion may cause gastric upset, pain, diarrhea, lethargy.
 Skin Prolonged and/or repeated skin contact may result in irritation.
 Eye Eye contact may result in slight irritation.

12. ECOLOGICAL INFORMATION

Ecological Information No data.
 Envir. Protection Prevent (undiluted) product reaching ground water, water bodies or sewerage system.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Comply with local, state and federal regulations.

14. TRANSPORT INFORMATION

U.N. Number None Allocated
 Sub Risk Non hazardous material
 DG Class None Allocated
 UN Number (Sea Transport) None Allocated
 Hazchem Code None Allocated
 Packing Group None Allocated

15. REGULATORY INFORMATION

Poisons Schedule Not Scheduled
 AICS (Australia) All components listed.

Material Safety Data Sheet

Infosafe No. 3CM09 Issue Date: March 2007 ISSUED by COLORMAK

Product Name: Permaset Aqua Metallic and Pearl Colours

Not classified as hazardous.

Page 4 of 4

16. OTHER INFORMATION

Last Change

This MSDS revision to meet requirements of 'National Code of Practice for the Preparation of Material Safety Data Sheets 3rd Edition [NOHSC:2011(2005)]'

Use and Restrictions

This MSDS summarises at the date of issue our best knowledge of the health and safety information of the product, and in particular how to safely handle and use the product in the workplace. Since Colormaker Industries cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is available on request.

Technical Contact David Stuart Ph:+61 2 9939-7977 Cell: +61 438 317 811
Point

Fax:+61 2 9939 6685

...End Of MSDS...