43232-1093 -4913 -9353 -9503

# **Material Safety Data Sheet**

Issue Date: March 2007 ISSUED by COLORMAK Infosafe No: 3CM09

Product Name: Permaset Aqua Metallic and Pearl Colours

Not classified as hazardous.

43234-1091 Page 1 of 4 -1351

-4911

-9501

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY Aqueous polymer dispersion with pigment and propriety additives

Chemical Product And Company

Identification

**Product Name** 

**Product Codes** 

Permaset Aqua Metallic and Pearl Colours 0015 Bright Silver/00192 Copper/0016 Gold Lustre/0017 Pearl White

Product Use

Textile printing on natural fibres & synthetic substrates. Colormaker Industries

Company Name Address

44 Orchard Road, Brookvale

NSW 2100 Australia

Telephone Number/Fax Tel: (02) 9939-7977 Fax: (02) 9939-6685

Product Type

Aqueous textile printing media. Emergency Contact David Stuart

Address

Emergency Contact 44 Orchard Rd., Brookvale NSW 2100 Australia

24 hour Contact +61 438 317 811

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Aqueous polymer dispersion with pigments and specialty additives.

Characterization

Ingredients

CAS Proportion Haz Symbol Risk Phrase Acrylic copolymer N/A 25-40 % Pearl Pigments N/A 10-25 € Water and minor N/A 45-60 %

3. HAZARDS IDENTIFICATION

Harmful if swallowed.

# 4. FIRST AID MEASURES

Inhalation Not an inhalation risk.

ingredients

Ingestion Immediately rinse mouth and then drink plenty of water. Seek

medical attention.

Skin Instantly wash with soap and water and rinse thoroughly. Remove

contaminated clothing and wash before re-use. If irritation occurs

seek medical advice.

Eye Immediately irrigate with copious quantity of water for at least

15 minutes. Eyelids to be held open. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Advice to Doctor Treat symptomatically.

# **Material Safety Data Sheet**

ISSUED by COLORMAK Infosafe No: 3CM09 Issue Date: March 2007

Product Name: Permaset Aqua Metallic and Pearl Colours

Not classified as hazardous.

Page 2 of 4

## 5. FIRE FIGHTING MEASURES

Extinguishing Use extinguishing media suited to the primary source of the fire. Media

Specific Hazards No known unusual fire or explosion hazards associated with the

Hazardous Combustion

product.

Products

Not flammable, however after evaporation of the aqueous component residual material may decompose evolving toxic fumes and gases.

Emergency Action in Case of Fire

Fire fighters to wear self contained breathing apparatus if risk of exposure to products of combustion

### 6. ACCIDENTAL RELEASE MEASURES

Spills/Disposal Slappery when spilt. Avoid accidents, clean up immediately. Contain using sand and earth - prevent runoff into drains and waterways. Wear protective equipment to prevent skin and eye contamination. Contain - prevent contamination of drains and waterways. Use absorbent (soil, sand, sawdust, vermiculite). Collect and seal in properly labelled drums for disposal. Wash

### 7. HANDLING AND STORAGE

Handle in accordance with good industrial hygiene and safety Handling practice.

Storage Store in a cool, dry place (above 0°C and below 40°C) out of direct

Sunlight and away from sources of heat.

## 8. EXPOSURE CONTROLS, PERSONAL PROTECTION

the area with excess water.

Other exposure Information.

A Time Weighted Average(TWA) or a Short Term Exposure Limit (STEL) has notbeen established by the National Occupational Health and Safety Commission for this product or any of its major ingredients.

Respiratory Protection

Not generally required.

Eve Protection

Safety glasses

Hand Protection PVC, neoprene or nitrile rubber gloves. Body Protection Overalls or similar protective apparel.

Hygiene Measures Wash hands and face before smoking, eating, drinking or using the

# **Material Safety Data Sheet**

Infosafe No. 3CM09 Issue Date: March 2007 ISSUED by COLORMAK

Product Name: Permaset Aqua Metallic and Pearl Colours

Not classified as hazardous.

Page 3 of 4

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Pigmented liquid. Odour Mild, characteristic. Approx. 100°C (water) **Boiling Point** Solubility in Water Miscible. Specific Gravity Approx. 1.15 (20°C)

(H2O=1)pH Value

Approx. 9 (25°C) Approx 70,000 cP Viscosity Flash Point Not applicable Flammability Not flammable.

#### 10. STABILITY AND REACTIVITY

Stability Stable.

Hazardous Will not occur.

Polymerization

Hazardous No decomposition if used correctly.

Decomposition Products

# 11. TOXICOLOGICAL INFORMATION

Inhalation Vapour or spray mist may irritate mucous membranes and respiratory tract Ingestion Ingestion may cause gastric upset, pain, diarrhea, lethargy. Skin Prolonged and/or repeated skin contact may result in irritation. Eye Eye contact may result in slight irritation.

## 12. ECOLOGICAL INFORMATION

Ecological No data.

Information

Envir. Prevent (undiluted) product reaching ground water, water bodies or

Protection sewerage system.

## 13. DISPOSAL CONSIDERATIONS

Waste Disposal Comply with local, state and federal regulations.

## 14. TRANSPORT INFORMATION

U.N. Number None Allocated Sub Risk Non hazardous material DG Class None Allocated **UN Number (Sea Transport)** 

None Allocated Hazchem Code None Allocated Packing Group None Allocated

## 15. REGULATORY INFORMATION

Poisons Schedule Not Scheduled

AICS (Australia) All components listed.

# **Material Safety Data Sheet**

Infosafe No: 3CM09

Issue Date: March 2007

ISSUED by COLORMAK

Product Name: Permaset Aqua Metallic and Pearl Colours

Not classified as hazardous.

Page 4 of 4

## 16. OTHER INFORMATION

Last Change

This MSDS revision to meet requirements of 'National Code of Practice for the Preparation of Material Safety Data Sheets 3rd Edition [NOHSC:2011(2005)]'

Use and Restrictions

This MSDS summarises at the date of issue our best knowledge of the health and safety information of the product, and in particular how to safely handle and use the product in the workplace. Since Colormaker Industries cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is available on request.

Technical Contact David Stuart Ph:+61 2 9939-7977 Cell: +61 438 317 911 Point

Fax:+61 2 9939 6685

...End of MSDS...