Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200 Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072

IDENTITY (As Used on Label and List) Diazo Photo Emulsion (component of #4559, 4520, 4523, 4524 4522 & 4526; 4579)	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
Section I Manufacturer's Name Speedball Art Products, LLC	Emergency Telephone Number 704-838-1475
Address (Number, Street, City, State, and ZIP Code) 2301 Speedball Road Statesville, NC 28677 USA	Telephone Number for Information 704-838-1475
Date Prepared: January 2, 2013	Signature of Preparer (optional)

Section II – Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s)):	OSHA PEL	ACGIH TLV	Other Limits	%(optional)
Ethyl Alcohol (CAS #64-17-5)	N/A	1000ppm	Recommended N/A	4%
This product has been evaluated by a Toxicologist only as per in USE.	tended usage.	DO NOT DEVIA	ATE FROM INT	ENDED

Section III - Physical/Chemical Characteristics

Boiling Point	212°F	Specific Gravity ($H_2O = 1$)	1.1
Vapor Pressure (mm Hg.)	N/A	Melting Point	<32°F
Vapor Density (AIR = 1)	Less than 1	Evaporation Rate (Butyl Acetate = 1)	Less than 1
Solubility in Water	Dilutable	Appearance and Odor	Light Blue with faint odor

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) N/A	Flammable Limits N/A	LEL N/A	UEL N/A			
Extinguishing Media N/A						
Special Fire Fighting Procedures Wear self-contained breathing apparatus (press	ure-demand, MSHA/NIOSH approved or equiv	valent) and full prote	ective gear.			
Unusual Fire and Explosion Hazards Material can spatter above 212°F. Film can burn.						

(Reproduce locally)

OSHA 174, Sept. 1985

Section V - Reactivity Data

Diazo Photo Emulsion Page 2

Stability	Unstable Stable Conditions to Avoid ✓ Onset of decomposition is 350°F					
Incompatibility (Materi N/A	Incompatibility (Materials to Avoid) N/A					
Hazardous Decomposition or Byproducts						
Hazardous Polymerization	May Occur	Will Not Occur	Conditions to Avoid N/A			

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation? N/A	Skin? N/A	Ingestion? N/A			
Health Hazards (Acute and Chronic N/A	Health Hazards (Acute and Chronic) N/A					
Carcinogenicity: N/A						
Signs and Symptoms of Exposure N/A						
Medical Conditions Generally Aggravated by Exposure N/A						
Emergency and First Aid Procedures N/A						

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled Floor may be slippery; use care to avoid falling. Transfer to containers for recovery or disposal. Keep out of municipal sewers and open bodies of water.
Waste Disposal Method Incineration at permitted facility. Observe all Federal, State and local laws concerning health and environment.
Precautions to Be taken in Handling and Storing Keep from freezing-product may coagulate
Other Precautions N/A

Section VIII - Control Measures

Respiratory Protection (Specify Type) None required with adequate ventilation & normal usage conditions.					
Ventilation Local Exhaust Adequate Special N/A					
	Mechanical (General) N/A	Other N/A			
Protective Gloves Impervious Eye Protection Safety Glasses or goggles					
Other Protective Clothing or Equipment N/A					
Work/Hygienic Practices Use protective cream where excessive skin contact is likely.					

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200 Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational	Safety and Health Administration
(Non-Manda	tory Form)
Form Approv	ved OMB No. 1218-0072
	Note: Blank spaces are not permitte

IDENTITY (As Used on Label and List) Diazo Photo Emulsion Remover (4557)	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.	
Section I Manufacturer's Name Speedball Art Products, LLC	Emergency Telephone Number 704-838-1475	
Address (Number, Street, City, State, and ZIP Code) 2301 Speedball Road Statesville, NC 28677 USA	Telephone Number for Information 704-838-1475	
Date Prepared: January 2, 2013	Signature of Preparer (optional)	

Section II – Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s)):	OSHA PEL	ACGIH TLV	Other Limits Recommended	%(optional)
This product has been evaluated by a Toxicologist only as per in USE.	tended usage	. DO NOT DEVIA	ATE FROM INT	ENDED

Section III - Physical/Chemical Characteristics

Boiling Point	212°F	Specific Gravity ($H_2O = 1$)	1.02
Vapor Pressure (mm Hg.)	N/A	Melting Point	<32°F
Vapor Density (AIR = 1)	Less than 1	Evaporation Rate (Butyl Acetate = 1)	Less than 1
Solubility in Water	Dilutable	Appearance and Odor	Transparent liquid with slight detergent odor

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) N/A	Flammable Limits N/A	LEL N/A	UEL N/A
Extinguishing Media N/A			
Special Fire Fighting Procedures Wear self-contained breathing apparatus (pressure- gear.	demand, MSHA/NIOSH approve	ed or equivalent) a	nd full protective
Unusual Fire and Explosion Hazards Material can spatter above 212°F			

(Reproduce locally)

OSHA 174, Sept. 1985

Section V - Reactivity Data

Diazo Photo Emulsion Remover Page 2

Stability Unstable Stable Conditions to Avoid N/A			
Incompatibility (<i>Materials to Avoid</i>) Avoid contact with strong oxidizing agents			
Hazardous Decomposition or Byproducts None			
Hazardous Polymerization	May Occur	Will Not Occur 🖌	Conditions to Avoid N/A

Section VI - Health Hazard Data

Route(s) of Entry: Multiple	Inhalation? See below	Skin? Can be an irritant	Ingestion? Low order of acute oral toxicity
Health Hazards (Acute and Inhalation: Excessive i	<i>,</i>	nasal and respiratory irritation. I	Eyes & Skin: Can be an irritant
Carcinogenicity: N/A	NTP? N/A	IARC Monographs? N/A	OSHA Regulated? N/A
Signs and Symptoms of Ex N/A	posure		
	and respiratory disorders		
		–	s, see doctor. Ingestion: dilute by

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled Floor may be slippery; use care to avoid falling. Transfer to containers for recovery or disposal.	
Waste Disposal Method Observe all Federal, State and local laws concerning health and environment.	
Precautions to Be taken in Handling and Storing N/A	
Other Precautions N/A	

Section VIII - Control Measures

Ventilation Local Exhaust N/A Special N/A				
	Mechanical (General) N/A	Other N/A		
Protective Gloves Impervious Eye Protection Safety Glasses or goggles				
Other Protective (Clothing or Equipment N/A			

Speedball Art Products, LLC 2301 Speedball Rd Statesville, NC 28677 PHONE: 800-898-7224 Speedballart.com

MSDS

1.	Substance/Product Identification		
	Trade name:	Diazo Oil SS, Negative water-soluble oil.	
	Chemical name:	4-Diazodiphenylamine / formaldehyde condensate hydrogen phosphate complex (common name).	
	CAS Number:	Benzenediazonium, 4-(phenylamino)-, sulfate (1:1), polymer with formaldehyde, Phosphoric acid (chemical abstract names) 71550-45-3	
	Molecular formula:	(C12H10N3.CH2O.HO4P.)n	

2. Composition, Information on Ingredients

Assay:80-85% (ultraviolet spectrum)Moisture:8-10%

3. Hazards Identification

Risk phrases:	R 36/37/38: Irritating to eyes, respiratory system and skin.
Safety phrases:	S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	S 36/37/39: Wear suitable protective clothing, gloves and eye/face protection.
Exposure limits:	Not established. Use standard chemical manufacturing and good housekeeping procedures to control dust and expos

4. First Aid Procedures

If inhaled, move person to fresh air. If cough or other respiratory symptoms develop, consult medical personnel.

If swallowed, wash out mouth with water provided the person is conscious. If gastrointestinal symptoms develop, consult medical personnel.

In case of eye contact, immediately flush eyes with copious quantities of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with the fingers. If redness, itching or a burning sensation develops, consult medical personnel.

In case of skin contact, wash the skin with copious quantities of soap and water. If redness, itching or burning sensation develops, consult medical personnel.

5. Fire Fighting Measures

Extinguishing media: Water fog, carbon dioxide, dry chemical powder or appropriate foam.

Hazardous decomposition products / combustion products: Carbon dioxide, carbon monoxide, nitrogen oxides and sulfur oxides.

Special fire fighting protective equipment: Self-contained breathing apparatus, full-face mask and protective clothing to prevent skin and eye contact with the product and decomposition products.

6. Accidental Release Measures

If spilled wear skin and eye protection during clean up. Sweep up, place in a heavy plastic bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash the spill site with copious amounts of water after material pick-up is completed. Wash water must be disposed of in accordance with local discharge regulations. Comply with all federal, state and local spill regulations.

7. Handling and Storage

Handling: Minimize exposure in accordance with good chemical manufacturing hygiene practices. Avoid breathing dust. Avoid contact with the eyes, skin and clothing.

Storage: Keep container tightly closed. Store in a cool dry place and away from light.

8. Exposure Controls / Personal Protection

Physical and Chemical Properties

Exposure control: Adequate ventilation is required. Safety shower and eyewash station should be available in the work area.

Personal protection:

Respiratory protection: Hand protection:	Appropriate respirator is required. Chemical resistant gloves.
Eye protection:	Safety goggles.
Skin protection:	Protective clothing.
Hygiene protection:	Take off contaminated clothing, shower with plenty of soap and water and always wash contaminated clothing before re-use.

Appearance:	Yellow to greenish, free flowing
Boiling point:	No data
Vapor pressure:	No data
Vapor density:	No data
Flammable limits:	Not applicable
Flash point:	Not applicable
Solubility in water:	Soluble
Solubility in organic solvents:	Insoluble
Specific gravity:	Approximately 0.5

10. Stability and Reactivity

Stability: Stable under normal conditions. Decomposition occurs above 120 °C.

Conditions to avoid: Heat and light.

Materials to avoid: Strong oxidizing agents, strong bases.

Hazardous decomposition products: Carbon dioxide, carbon monoxide, nitrogen oxides and sulfur oxides.

9.

11. Toxicological Information

LD50 :	Not determined. SAR suggests that oral rat is probably \geq 5 g/kg.
Skin irritation:	Very slightly too slightly irritating
Eye irritation:	Irritating, harmful.
Inhalation:	Irritating.

12. Ecological Information

Observe all federal, state and local environmental regulations.

13. Disposal Considerations

Mix the material with a combustible solvent and burn in a chemical incinerator equipped with and afterburner and a scrubber.

14. Transport Information

The US Department of Transportation and IATA does not currently regulate Diazo Sensitizer

15. Regulatory Information

This compound is listed on the EPA TSCA Inventory.

16. Other Information

To the best of our knowledge the chemical, physical and toxicological properties of this material have not been thoroughly investigated. The information contained herein is based on the date believed to be reliable and is presented in good faith. It's however, furnished without warranty or guarantee of any kind and Speedball Art Products, LLC. disclaims any liability incurred from the use or reliance upon the same.