

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product number

Product name

Ink Anti-Skin No Wash-Up Spray

Effective date

02-Apr-2009 Sprayway, Inc. 484 Vista Ave.

Company information

Addison, IL 60101 United States

Company phone

General Assistance 630-543-7600

Emergency telephone US

800-424-9300

Emergency telephone outside US

703-527-3887

Version #

01

2. Hazards Identification

Emergency overview

CONTENTS UNDER PRESSURE. Aerosol. Pressurized container may explode when

exposed to heat or flame

Harmful in contact with eyes. Prolonged exposure may cause chronic effects.

Potential health effects

Routes of exposure

Ingestion. Skin contact. Eye contact.

Eyes

Contact may irritate or burn eyes. Eye contact may result in corneal injury.

Skin

Prolonged or repeated contact can result in defatting and drying of the skin which may

result in skin irritation and dermatitis (rash). Intentional misuse by concentrating and inhaling the product can be harmful or fatal.

Inhalation Ingestion

Prolonged inhalation may be harmful.

Exposure by ingestion of an aerosol is unlikely. May cause delayed lung damage. Components of the product may be absorbed into the body by ingestion.

Target organs

Central nervous system. Lungs.

Chronic effects

Conjunctiva. May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion, and blurred vision) and/or damage.

May cause delayed lung damage.

3. Composition / Information on Ingredients			
Components	CAS#	Percent	
n-Butane	106-97-8	20 - 30	
Synthetic Isoparaffinic Hydrocarbon	64742-47-8	15 - 20	
Aliphatic Petroleum Solvent	64742-89-8	10 - 15	
Isopropyl Alcohol	67-63-0	10 - 15	
Propane	74-98-6	10 - 15	
Butylated Hydroxytoluene	128-37-0	8 - 10	
Non-hazardous and other components below reportable levels		1 - 2.5	

4. First Aid Measures

First aid procedures

Eye contact Skin contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

Immediately take off all contaminated clothing. Wash off with warm water and soap. Get medical attention if irritation develops or persists.

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

trade name

MSDS US

Ingestion

If material is ingested, immediately contact a poison control center. Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device

5. Fire Fighting Measures

Flammable properties

Containers may explode when heated. Vapor or gas may spread to distant ignition sources and flash back. Runoff to sewer may cause fire or explosion hazard.

Extinguishing media

Suitable extinguishing media Protection of firefighters

Alcohol foam. Dry chemical. Carbon dioxide (CO2). Do not use water jet.

Protective equipment and precautions for firefighters

In the event of fire and/or explosion do not breathe fumes. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Containers should be cooled with water to prevent vapor pressure build up. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.

6. Accidental Release Measures

Methods for containment

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up

Should not be released into the environment. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated surface thoroughly

7. Handling and Storage

Handling

Pressurized container: Do not pierce or burn, even after use. Do not handle or store near an open flame, heat or other sources of ignition. Use only in area provided with appropriate exhaust ventilation. Do not use if spray button is missing or defective. Do not get this material in contact with eyes. Do not get this material in contact with skin. Avoid prolonged exposure.

Storage

Level 3 Aerosol. Contents under pressure. Do not puncture, incinerate or crush. The pressure in sealed containers can increase under the influence of heat. Keep away from heat, sparks, and

flame. Avoid exposure to long periods of sunlight. Store in cool place. Keep in an area equipped with sprinklers. Keep out of the reach of children. Do not store, incinerate, or heat this material above 120 degrees Fahrenheit.

8. Exposure Controls / Personal Protection

Exposure limits

ACGIH

CAS#	TWA	STEL	Ceiling
106-97-8	1000 ppm	Not established	Not established
67-63-0	200 ppm	400 ppm	Not established
74-98-6	1000 ppm	Not established	Not established
128-37-0	2 mg/m3	Not established	Not established
CAS#	TWA	STEL	Ceiling
67-63-0	400 ppm	Not established	Not established
74 - 98-6	1000 ppm	Not established	Not established
	106-97-8 67-63-0 74-98-6 128-37-0 CAS #	106-97-8 1000 ppm 67-63-0 200 ppm 74-98-6 1000 ppm 128-37-0 2 mg/m3 CAS # TWA 67-63-0 400 ppm	106-97-8 1000 ppm Not established 67-63-0 200 ppm 400 ppm 74-98-6 1000 ppm Not established 128-37-0 2 mg/m3 Not established CAS # TWA STEL 67-63-0 400 ppm Not established

Personal protective equipment

Eye / face protection

Wear chemical goggles.

trade name

MSDS US

Skin protection Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant

clothing.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. If permissible levels are exceeded use NIOSH

mechanical filter / organic vapor cartridge or an air-supplied respirator.

9. Physical & Chemical Properties

Appearance Compressed liquefied gas.

Boiling point 186.8 °F (86.1 °C) estimated

Color Clear. Colorless.

Flammability (HOC) 37.3297 kJ/g estimated

Flash back Yes

Flash point -156 °F (-104.4 °C) estimated

Form Aerosol.

Odor Characteristic.
pH Not applicable

Physical state Liquid.

Pressure 43 - 53 psig @ 70F

Solubility Partially

Specific gravity 0.6678 estimated

10. Chemical Stability & Reactivity Information

Chemical stability Risk of ignition.

Conditions to avoid Heat, flames and sparks.

Hazardous decomposition products No hazardous decomposition products are known.

11. Toxicological Information

Acute effects

Acute LD50: 6343 mg/kg estimated, Rat, Dermal
Acute LC50: 25 mg/l/4h estimated, Rat, Inhalation

12. Ecological Information

Ecotoxicity Components of this product have been identified as having potential environmental

concerns.

LC50 43.17 mg/L estimated, Fish, 96.00 Hours, EC50 3378 mg/L estimated, Daphnia, 48.00 Hours, IC50 65.4 mg/L estimated, Algae, 72.00 Hours,

13. Disposal Considerations

Waste codes D001: Waste Flammable material with a flash point <140 F

Disposal instructions

Contents under pressure. Dispose of this material and its container at hazardous or special waste collection point. Do not incinerate sealed containers. Do not allow this product to drain into sowers waster supplies. If disparded, this product is considered.

material to drain into sewers/water supplies. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose in accordance with all applicable regulations.

14. Transport Information

Department of Transportation (DOT) Requirements

Basic shipping requirements:

Proper shipping name Consumer commodity

Hazard class ORM-D Subsidiary hazard class None

Additional information:

Packaging exceptions 156, 306
Packaging non bulk 156, 306
Packaging bulk None

trade_name

IMDG

Basic shipping requirements:

AEROSOLS Proper shipping name

Hazard class 2 1 1950 **UN** number

Additional information:

LTD QTY Packaging exceptions None Labels required

IATA


Basic shipping requirements:


Aerosols, flammable Proper shipping name

Hazard class 1950 **UN** number

Additional information:

LTD QTY Packaging exceptions Labels required 2.1





15. Regulatory Information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

 $1.0\,\%$ de minimis concentration (only if manufactured by the strong acid process, no supplier notification) 67-63-0

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous

chemical

CERCLA (Superfund) reportable quantity

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes Hazard categories

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous chemical Yes

Inventory status

On inventory (yes/no)* Country(s) or region Inventory name Inventory of Existing Chemical Substances in China (IECSC) Yes China European Inventory of New and Existing Chemicals (EINECS) No Europe European List of Notified Chemical Substances (ELINCS) No Europe Inventory of Existing and New Chemical Substances (ENCS) Japan No Yes Existing Chemicals List (ECL) Korea Toxic Substances Control Act (TSCA) Inventory Yes United States & Puerto Rico

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations

U.S. - Pennsylvania - RTK (Right to Know) List

Aliphatic Petroleum Solvent 64742-89-8 Present **Butylated Hydroxytoluene** 128-37-0 Present

Environmental hazard 67-63-0 Isopropyl Alcohol

106-97-8 Present n-Butane Propane 74-98-6 Synthetic Isoparaffinic 64742-47-8 Present Hydrocarbon

trade_name

16. Other Information

Further information HMIS® ratings

HMIS® is a registered trade and service mark of the NPCA.

Health: 1* Flammability: 4 Physical hazard: 0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MSDS US

trade_name