449ldo-1009



Material Safety Data Sheet

Section I

Product: Medea Super Lube

Distributor: Iwata - Medea

79 SE Taylor

Portland, OR 97214 Tel. (503) 253-7308

Section II Hazardous Ingredients

None. This product is not a carcinogen or potential carcinogen as defined by OSHA, the NTP, or LARC Monographs.

Section III Physical Data

Boiling Range: N/A Vapor: Heavier than air Density: 8.1-8.6 LBS/GAL Specific Gravity: 0.963

Evaporation Rate: Slower than ether (ignition temperature 840 degrees)

Solubility in Water: Negligable

Appearance and Odor: Liquid- Mild Odor

Percent Volatile by Volume: Nil

Section IV Fire and Explosion Hazards

Flashpoint: 445 F-520 F

Flammable Limits: Ignition 840 F

Extinguishing Media: 1 Dry Chemical, 2 Foam, 3 CO2

Special Firefighting Procedures: Standard Firemans Precautions Protection and self contained breathing apparatus are recommended.

Item Numbers: 44966-1009 Page 1 of 7

Section V Reactivity Data

Stability: Stable

Conditions to Avoid: Keep from contact with oxidizing materials

Hazardous Decomposition Products: Products of incomplete combustion can include;

CO, CO2, and dense smoke.

Section VI Health Hazard Data

Effect of Overexposure: Prolonged exposure may cause skin and eye irritation.

Emergency and First Aid Procedures:

-Eyes: Flush with plenty of water.
-Skin: Wash with soap and water.

Section VII Spill or Leak Procedures

Spill Clean-Up Procedure: Take up spill with sand, earth, sawdust, or other absorbent.

Flush spill area with detergent and water.

Waste Disposal Method: dispose of in accordance with state, local, and federal

regulations.

Section VIII Special Protection Information

Respiratory Protection: No special respiratory protection is required under normal

conditions.

Ventilation: No special ventilation is required.

Protective Gloves: Chemical resistant gloves should be worn.

Eye Protection: Safety goggles should be worn.

Other Protective Equipment: Safety shower and eye wash station should be provided.

Section IX Special Precautions

Precautions to Be Taken in Handling and Shipping: Store in closed containers. Protect

from contamination with foreign materials.

Other Precautions: Do not transfer into unmarked drums.

Item Numbers: 44966-1009 Page 2 of 7



1336 N Mason * Portland, OR 97217 * Ph.503.253.7308 * Fx.503.253.0721 e-mail: info@iwata-medea.com * website: www.iwata-medea.com

Material Safety Data Sheet

06/11

Distributor: Iwata-Medea, Inc

1336 N Mason Portland, OR 97217 Ph: (503) 253-7308

Manufacturer: Custom Chemical Formulators, Inc.

> 8707 Millersgrove Drive Santa Fe Springs, CA 90670

Ph: (800) 424-9300

Section I - Product Identification

CCFI 01473 Product name or number Trade name or chemical name Super Flow SF -55

Sold as Medea Airbrush Cleaner

Formula **Proprietary** Chemical family Cleaner Molecular weight N/A

NFPA See Section 8 **HMIS Rating** See Section 8

Section II Hazardous Ingredients

Chemical Name (s) CAS Number NONE TLV-ACGIH PEL-OSHA SEC.313 TARC PROP .65

Section III Regulatory Data

National Toxicology Program NTP

LARC International Agency for Research on Cancer

Proposition 65 This product does not contain ingredients on the list of

proposition 65.

State of California Safe Drinking Water and Toxic

Enforcement act of 1986.

Section 313 Sara Title III The chemical (s) marked with a "yes" on section 313 is

subject to the reporting requirements of this section.

Section IV - Physical Data

Boiling / Melting Point @ 760 mm Hg >212° F PH <9.0 Percent Volatile be Weight . N/A Specific Gravity or Bulk Density N/A

Page 3 of 7 Item Numbers: 44966-1009

Solubility in Water Complete
Appearance N/A

Odor Clear Liquid

Section V Fire and Explosion Hazards

Flash point °F (test method) N/A
Auto ignition Temperature N/A

Flammability Limits in air (% V) Not determined

Extinguishing Media Water, Carbon Dioxides, Foam, Dry Chemical.

Special Fire Fighting Procedures Wear self contain breathing apparatus & full protective

equipment.

Unusual Fire & Explosion Hazards Extinguish all nearby sources of ignition

Section VI Health Hazard Data * Effects of Overexposure

Threshold Limit Value: See Section 2

Signs and Symptoms of Exposure

Eyes Direct contact with concentrated product may cause moderate

irritation and tearing.

Skin Repeated or prolonged contact may cause irritation or drying.

Inhalation Breathing dust or mist may irritate the nose and throat.

Ingestion Swallowing large quantities may cause nausea, vomiting, diarrhea

and abdominal pain.

Chronic Overexposure None know

Section VII - Emergency and First Aid Procedures

Inhalation Move subject to fresh air. If breathing is difficult, obtain medical help.

Eyes Flush eyes with a large amount of water for at least 15 minutes.

Consult a Physician of irritation persists.

Skin Wash affected skin area with water. Consult a physician if irritation

persists.

Ingestion Never give anything by mouth to an unconscious person. Do not induce

vomiting. Give large quantities of water. Get medical attention

immediately.

Section VIII - HMIS Rating System

HMIS Rating:

Health Hazard 1
Fire Hazard 0
Reactivity 0

Personal Protection See Section 10

Section VIIII - Reactivity Data

Product Stability Stable

Conditions to avoid Extreme heat, spark, open flame

Chemical Incompatibility Strong acid, avid vapor. May produce carbon

Dioxide, carbon monoxide.

Hazardous Decomposition N/D

Item Numbers: 44966-1009 Page 4 of 7

Hazardous Polymerization Will not occur

Conditions to avoid Extreme heat, spark, open flame.

Corrosive to metal No Oxidize No

Section X - Special Protection Information

Respiratory Protection

Not needed

Ventilation:

Local exhaust Needed

Protective clothing Safety glasses, neoprene or rubber gloves.

Section XI - Environmental Data

Environmental Toxicity Data None

Spill or Leak Procedures Contain, collect and dispose of

Waste Disposal Method Per Local, State and Federal Regulations. Container Disposal Per Local, State and Federal Regulations.

Section XII - Shipping Data

D.O.T Proper Shipping Name None Hazardous Substance 49 CFR CERCLA None

D.O.T Hazard Class Not Regulated

D.O.T Labels Required No
D.O.T. Placards Required No
Poison Constituent No

Bill of Lading Description Super Flow SF - 55

Packing group None

UN/NA Code Non Hazardous

XIII - Supplier Information

While Custom Chemical Formulators believes the statements set forth herein are accurate as of the date hereof, Custom Chemical Formulators makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data are offered solely for your consideration, investigation, and verification.

Item Numbers: 44966-1009 Page 5 of 7

Sep. 17; 2013 4:34PM

No. 6315 P. 1/2

MATERIAL SAFETY DATA SHEET

CREATEX COLORS

14 Airport Park Road P.O. Box 120 East Granby, CT, 06026 (860) 653-5505 (860) 653-0643 fay

PRODUCT IDENTIFICATION REVISON DATE: 8/01/12 IDENTITY: (As used on label) Wicked Colors Item # We01 - W015 W030 - W032 Chemical family: Formula HAZARDOUS INGREDIENTS COMPONENT CAS # % OSHA Proprietary Ingredient Not specified 75-95 Not establish PHYSICAL/CHEMICAL CHARACTERISTICS Boiling /meiting point: 408°F (209° C) Solubility in water: Appreciable (>20%) Vapor density: (Air=1) 6.6 Specific Gravity (H ₂ O-1): (Water=1) 0.972 Evaporation Rate: (BuAct=1): .07 Flash Point: 102 ° C / 215° F Volatile Organic Compound VOC - 0.48 *Paint can be sprayed without reduction FIRE AND EXPLOSION HAZARD DATA Extinguisher Media: Water, CO ₂ foam, water fog, dry chemical, chemical foam	
DENTITY: (As used on label) Synonyms:	
Wicked Colors Item # wight - word - w	
Item # woll - Wolf	
HAZARDOUS INGREDIENTS COMPONENT CAS # % OSHA Proprietary Ingredient Not specified 75-95 Not establish PHYSICAL/CHEMICAL CHARACTERISTICS Boiling /melting point: 408°F (209° C) Solubility in water: Appreciable (>20%) Vapor pressure (mm Hg): <0.2 mm Hg @ 20° C Vapor density: (Air=1) 6.6 Specific Gravity (H ₂ O-1): (Water=1) 0.972 Evaporation Rate: (BuAct=1): .07 Flash Point: 102 ° C / 215° F Volatile Organic Compound VOC - 0.48 *Paint can be sprayed without reduction FIRE AND EXPLOSION HAZARD DATA	
HAZARDOUS INGREDIENTS COMPONENT CAS # % OSHA Proprietary Ingredient Not specified 75-95 Not establish PHYSICAL/CHEMICAL CHARACTERISTICS Boiling /melting point: 408°F (209° C) Solubility in water: Appreciable (>20%) Vapor pressure (mm Hg): <0.2 mm Hg @ 20° C Vapor density: (Alr=1) 6.6 Specific Gravity (H ₂ O-1): (Water=1) 0.972 Evaporation Rate: (BuAct=1): .07 Flash Point: 102 ° C / 215° F Volatile Organic Compound VOC - 0.48 *Paint can be sprayed without reduction FIRE AND EXPLOSION HAZARD DATA	
HAZARDOUS INGREDIENTS COMPONENT CAS # % OSHA Proprietary Ingredient Not specified 75-95 Not establish PHYSICAL/CHEMICAL CHARACTERISTICS Boiling /melting point: 408°F (209° C) Solubility in water: Appreciable (>20%) Vapor pressure (mm Hg): <0.2 mm Hg @ 20° C Vapor density: (Alr=1) 6.6 Specific Gravity (H ₂ O-1): (Water=1) 0.972 Evaporation Rate: (BuAct=1): .07 Flash Point: 102 ° C / 215° F Volatile Organic Compound VOC - 0.48 *Paint can be sprayed without reduction FIRE AND EXPLOSION HAZARD DATA	
COMPONENT CAS # % OSHAProprietary Ingredient Not specified 75-95 Not establish PHYSICAL/CHEMICAL CHARACTERISTICS Boiling /melting point: 408°F (209° C) Solubility in water: Appreciable (>20%) Vapor pressure (mm Hg): <0.2 mm Hg @ 20° C Vapor density: (Air=1) 6.6 Specific Gravity (H ₂ O-1): (Water=1) 0.972 Evaporation Rate: (BuAct=1): .07 Flash Point: 102 ° C / 215° F Volatile Organic Compound VOC - 0.48 *Paint can be sprayed without reduction FIRE AND EXPLOSION HAZARD DATA	
Proprietary Ingredient Not specified 75-95 Not establish PHYSICAL/CHEMICAL CHARACTERISTICS Boiling /melting point: 408°F (209° C) Solubility in water: Appreciable (>20%) Vapor pressure (mm Hg): <0.2 mm Hg @ 20° C Vapor density: (Alr=1) 6.6 Specific Gravity (H ₂ O-1): (Water=1) 0.972 Evaporation Rate: (BuAct=1): .07 Flash Point: 102 ° C / 215° F Volatile Organic Compound VOC - 0.48 *Paint can be sprayed without reduction FIRE AND EXPLOSION HAZARD DATA	
PHYSICAL/CHEMICAL CHARACTERISTICS Boiling /melting point: 408°F (209° C) Solubility in water: Appreciable (>20%) Vapor pressure (mm Hg): <0.2 mm Hg @ 20° C Vapor density: (Alr=1) 6.6 Specific Gravity (H ₂ O-1): (Water=1) 0.972 Evaporation Rate: (BuAct=1): .07 Flash Point: 102 ° C / 215° F Volatile Organic Compound VOC - 0.48 *Paint can be sprayed without reduction FIRE AND EXPLOSION HAZARD DATA	
Boiling /melting point: 408°F (209° C) Solubility in water: Appreciable (>20%) Vapor pressure (mm Hg): <0.2 mm Hg @ 20° C Vapor density: (Alr=1) 6.6 Specific Gravity (H ₂ O-1): (Water=1) 0.972 Evaporation Rate: (BuAct=1): .07 Flash Point: 102°C/215°F Volatile Organic Compound VOC - 0.48 *Paint can be sprayed without reduction FIRE AND EXPLOSION HAZARD DATA	ed
Solubility in water: Appreciable (>20%) Vapor pressure (mm Hg): <0.2 mm Hg @ 20° C Vapor density: (Alr=1) 6.6 Specific Gravity (H ₂ O-1): (Water=1) 0.972 Evaporation Rate: (BuAct=1): .07 Flash Point: 102 ° C / 215° F Volatile Organic Compound VOC - 0.48 *Paint can be sprayed without reduction FIRE AND EXPLOSION HAZARD DATA	<u> </u>
Vapor pressure (mm Hg): <0.2 mm Hg @ 20° C Vapor censity: (Air=1) 6.6 Specific Gravity (H ₂ O-1): (Water=1) 0.972 Evaporation Rate: (BuAct=1): .07 Flash Point: 102 ° C / 215° F Volatile Organic Compound VOC - 0.48 *Paint can be sprayed without reduction FIRE AND EXPLOSION HAZARD DATA	
Vapor density: (Alr=1) 6.6 Specific Gravity (H ₂ O-1): (Water=1) 0.972 Evaporation Rate: (BuAct=1): .07 Flash Point: 102 ° C / 215 ° F Volatile Organic Compound VOC - 0.48 *Paint can be sprayed without reduction FIRE AND EXPLOSION HAZARD DATA	
Specific Gravity (H ₂ O-1): (Water=1) 0.972 Evaporation Rate: (BuAct=1): .07 Flash Point: 102 ° C / 215 ° F Volatile Organic Compound VOC - 0.48 *Paint can be sprayed without reduction FIRE AND EXPLOSION HAZARD DATA	
Evaporation Rate: (BuAct=1): .07 Flash Point: 102 ° C / 215° F Volatile Organic Compound VOC - 0.48 *Paint can be sprayed without reduction FIRE AND EXPLOSION HAZARD DATA	
Volatile Organic Compound VOC - 0.48 *Paint can be sprayed without reduction FIRE AND EXPLOSION HAZARD DATA	
Volatile Organic Compound VOC - 0.48 *Paint can be sprayed without reduction FIRE AND EXPLOSION HAZARD DATA	
VOC - 0.48 *Paint can be sprayed without reduction FIRE AND EXPLOSION HAZARD DATA	_
VOC - 0.48 *Paint can be sprayed without reduction FIRE AND EXPLOSION HAZARD DATA	
FIRE AND EXPLOSION HAZARD DATA	
Extinguisher Media: Water, CO ₂ foam, water fog, dry chemical, chemical foam	
	- · ·
REACTIVITY DATA	
Stability: (X) Stable () Unstable Conditions to avoid: N/A	
Incompatibility (materials to avoid) : N/A	
	· · · · · · · · · · · · · · · · · · ·
Hazardous Decomposition or Byproducts: N/A	
Hazardous Polymerization:	
() may occur (X) will not occur Conditions to avoid: None	

Sep. 17 2013 4:34PM

No. 6315 P. 2/2

HEALTH INFORMATIC	TOP	T	RMA	NFO	IN	_TH	۱L	EA	H
-------------------	------------	---	-----	------------	----	-----	----	----	---

Primary F Inhalation	Route of Exposure: n: Skin:	X ing	jestion:	Eyes:
Carcinog	en: IARC: no	NTP: no	OSHA: no	
Signs and	Symptome of Exp	osure:		
Medical 0 none four	onditions Generall	y Aggravated by Exposu	ire:	
Emergen	cy and First Aid Pro	cedures:		
Eve Conta	ict, remove contact le	enses. Flush with water fo	r 15 mln. and consult physic	ian if irritation
persists.			•	
Ingestion,	If victim is conscious	give water, do not induce	e vomiting. Call physician.	

SPECIAL PROTECTION DATA

Respiratory Protection:

Respiratory protection equipment is required under normal conditions of anticipated use with adequate ventilation., wear a NIOSH/MSHA approved respirator.

Ventilation:

The use of local exhaust ventilation is recommended to control emissions near the source. Provide mechanical ventilation of confined spaces. Use explosion proof ventilation equipment.

Protective Gloves:

Neoprene or rubber gloves with cuffs

Other Protective Clothing:

Coveralls, apron, or other equipment should be worn to minimize skin contact. Where use can result in skin contact, wash thoroughly before eating, drinking, or smoking.

SPILL AND LEAK PROCEDURES

Storing/Handling:

Store in tightly closed containers in a cool, well-ventilated area.

Waste Disposal Method:

Sanitary landfill in accordance with local, state, and federal regulations.

Other Precautions:

None

Page 7 of 7