

## MSDS for #21157 - CLRBOX PIGMENT REFL

File No.: CLR BX

Creation date: March 19, 2014

**MATERIAL SAFETY DATA SHEET****1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

**PRODUCT NAME** : COLORBOX ALL COLORS  
**COMPANY** : Clearsnap Holding, Inc.  
**ADDRESS** : 15218 Josh Wilson Rd Burlington, WA 98223 U.S.A.  
**TELEPHONE NO.** : (360)293-6634

**2. COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Ingredients	CAS No.	Wt%
Solvents	Registered	50-60
Resin	Registered	1.0-3.0
Additives	Registered	0.5-1.0
Pigment	Registered	20-30
Water	Registered	20-30

**3. HAZARDS IDENTIFICATION**

**Most important hazards** : Not available  
**Specific hazards** : Not available

**4. FIRST-AID MEASURES****Skin contact:**

Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. If necessary seek medical attention.

**Eye contact:**

Immediately hold eyelids open and rinse with a stream of water for at least 15 minutes and seek medical attention.

**Ingestion:**

Seek medical attention. Never make an unconscious person vomit or drink fluids. When vomiting occurs, keep head lower than hips to help prevent aspiration. If person is unconscious, turn head to side. Get medical attention immediately, and show the MSDS to the physician.

**Inhalation:**

Remove person to fresh air. If necessary seek medical attention.

**5. FIRE FIGHTING MEASURES**

**Extinguishing media:** Not applicable  
**Special firefighting procedures:** Not applicable  
**Unusual fire and explosion hazards:** Not applicable

1

## MSDS for #21157 - CLR BOX PIGMENT REFL

File No.: CLR BX

Creation date: March 19, 2014

**6. ACCIDENTAL RELEASE MEASURES**

Personal precautions: Not available

Environmental precautions: Do not wash away into shower or water way.

Methods for cleaning up: Soak up with absorbent materials or wash with water and dispose in accordance with national, state and local regulations.

**7. HANDLING AND STORAGE**

Handling : Handle in well-ventilated areas.  
 : Avoid contact with eyes and skin.  
 : Do not inhale fume and mist.  
 : Keep out of the reach of children.

Storage : Keep away from heat sources.  
 : Keep container tightly closed.  
 : Store in a dark and well-ventilated place.

**8. EXPOSURE CONTROL/PERSONAL PROTECTION**

ACGIH : Not established  
 OSHA : Not established  
 Ventilation : Use local exhaust ventilation.  
 Protective Measures : Safety goggles and rubber gloves

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance and odor : Colored liquid ,mild odor  
 Boiling point : 100°C  
 Melting point : Not available  
 Vapor density : Not available  
 Vapor pressure : Not available  
 Solubility in water : Soluble  
 pH : 7.5-8.5  
 Specific gravity : 1.0-1.5 (20°C)  
 Flash point : Not available  
 Autoignition point : Not available

**10. STABILITY AND REACTIVITY**

Stability : Stable  
 Hazardous reaction : Will not occur  
 Conditions to avoid : Avoid heat, flames, sparks and other sources of ignition.

**11. TOXICOLOGICAL INFORMATION**

2

## MSDS for #21157 - CLR BOX PIGMENT REFL

File No.: CLR BX

Creation date: March 19, 2014

## Acute toxicity

Ingestion LD50 : Not available

Skin LD50 : Not available

Chronic effects : Not available

Carcinogenicity : Not available

Other information : None

---

12. ECOLOGICAL INFORMATION

---

Not available

---

13. DISPOSAL CONSIDERATIONS

---

Dispose of waste in accordance with national, state and local regulations.

---

14. TRANSPORT INFORMATION

---

Follow all regulations in your country or region.

Precautions : Pack, label and transport according to regulation.

: Ensure containers without breakage or leakage.

: Ensure containers tightly fixed.

Proper shipping name : Non hazardous

Hazard class : Not applicable

UN No. : Not applicable

Packing group : Not applicable

Hazard labels : Not applicable

---

15. REGULATORY INFORMATION

---

Follow all regulations in your country or region.

---

16. OTHER INFORMATION

---

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Tsukineko Co., Ltd. It relates only to the specific material designated herein, and does not relate to use in combination with any other material or in any process. Tsukineko Co., Ltd. assumes no legal responsibility for use of or reliance upon this information.