# Page 1 of 4

1-4

23/15/1933 17:24	4104314350			
ACTS TESTING LABS		60702 - X X X X 60706 X X X X 60708 - X X X 60709 - X X X 60711 - X X X 60711 - X X X 60712 - X X X	AC ,	CTS TESTING LABS, INC. 25 Anderson Road Bullalo, NY 14225-4928 Tel (716) 897-3300 Fax (716) 897-0876
<del>.</del>	HEAVY	METALS ANALYSIS	S REPORT	i n
DATE: TO:	NOVEMBER 8, STANLEY SIOU		REPORT #:	68-15416
COMPANY: SAMPLE ID:	STANISLAUS IN WOODEN BEAL	MPORTS, INC. DS, COLORED, ASSORTED	DATE RCV'D:	10/29/1996
VENDOR:	1		STYLE #:	J3108/110-112
MANUFACTURER			ORIGIN:	CHINA
PRODUCT #:	N/A		BATCH #:	N/A
PART #:	N/A		LOT #:	N/A
CLIENT REF:	N/A			

### Sample ID: A) Red Surface Costing

.

Element	Total	Result
Lead (Pb)	0.023 4	PASS

### LT = Less Than

Results are reported as percent <mark>by weight of</mark> the lotal nonvolatile content. To convert percentages to milligrams par kllogram mg/kg (ppm), multiply the result by 10,000.

#### Conclusion:

For the above listed element the sample MEETS the applicable requirement of: CPSA, Title 16, CFR, Part 1303 of no greater than 0.05% Lead.

Sample ID: B) Green Surface Coaling

Element	Total	Result
Lead (Pb)	LT 0.0007	PASS

LT = Less Than

Results are reported as percent by weight of the lotal nonvolatile content. To convert percentages to milligrams per kilogram mg/kg (ppm), multiply the result by 10,000.

## Conclusion:

. .

For the above listed element the sample MEETS the applicable requirement of: CPSA, Tille 16, CFR, Part 1303 of no greater than 0.06% Lead.

The reson is more the very state over the resonance of the report to the register of the resonance of the resonacce of the resonance of the resonance of the re

 <b>~</b> ' .	HILL KODO	Singapora	Indonesia	France	Onied Kindler

4154314365

. .



ė3/19/1999 17:24

HEAVY METALS ANALYSIS REPORT

..

DATE: TO:	NOVEMBER 8, 1996 STANLEY SIOU	• •	REPORT #: PAGE: DATE RCV'D:	6B-15416 3 OF 4 10/29/1995	
COMPANY: SAMPLE ID:	STANISLAUS IMPORTS, INC. WOODEN BEADS, COLORED, .			10/20/10/00	

Sample ID: F) Blue Surface Coating

-		
Element	Total	Result
Lead (Pb)	0.0012	-PASS
and the second se		

.

LT = Less Than

Results are reported as percent by weight of the lotel nonvclatile content. To convert percentages to milligrams per kilogram mg/kg (ppm), multiply the result by 10,000.

Conclusion:

For the above listed element the sample MEETS the applicable requirement of: CPSA, Title 16, CFR, Part 1303 of no greater than 0.06% Lead.

Sample ID: G) Varnish Surface Coating

• •		
Element	Total	Result
Lead (Pb)	0.0008	PASS

LT = Less Than

Results are reported as percent by wolght of the lotal nonvolatile content. To convert percentages to milligrams per kilogram mg/kg (ppm), multiply the result by 10,000.

### Conclusion:

For the above listed element the sample MEETS the applicable requirement of: CPSA, Tille 16, CFR, Part 1303 of no greater than 0.05% Lead.

Sample ID: C) White Surface Coating

	Tolal	Result
Element	0.0009	PASS

Results are reported as percent by weight of the total nonvolatile content. To convert percentages to milligrams per kilogram mg/kg (ppm), multiply the result by 10,000.

Conclusion:

For the above listed element the sample MEETS the applicable requirement of: CPSA, Title 16, CFR, Part 1303 of no greater than 0.06% Lead.

03/19		17.24	4154314355		STAN	NISLAUS .		гно	
		R					ACTS TI	ESTING LA	BS, It
			• •• • • • •					25 And	
TEST	ING L	DB.S	•					Buffalo, NY	
		HDU						Tel (716 Fax (716	
			HEAL	Y MET	ALS ANAL	YSIS REPOF	RT	•	
•	DATE: TO:		NOVEMBER STANLEY SI			REPORT # PAGE:			
	COMPA		STANISLAUS ORANGE BE	SIMPORT	S		1 OF 1 /`D: 11/08/1		
	VENDOR		NA S			STYLE #:	N/A		
	MANUFA					ORIGIN:	N/A		
	PRODUC		N/A N/A			BATCH #: LOT #:	N/A N/A		
	CLIENT		N/A			201 #.			
	Sample II	D: Orang	e Surface Coati	ng					-
		-	Element		Total	Result	-		••••
			Lead (Pt	b)(	LT 0.0005	PASS			
	LT = Loss	<b>*</b> h							
C F	Conclusic For the ab	on: ove listed	l element the sa	mole MEE	TS the applicabl	tliply the result by 10			
C F	Conclusic For the ab	on: ove listed	:	mole MEE	TS the applicabl	le requirement of:		```	
C F C	Conclusic For the ab	on: ove listed le 16, CFI	f element the sa R, Part 1303 of i	mole MEE	TS the applicabl	le requirement of: d. ACTS TESTING	G LABS, INC	、 	
C F C	Conclusic For the ab CPSA, Till	on: ove listed le 16, CFI	f element the sa R, Part 1303 of i	mole MEE	TS the applicabl	le requirement of: d. ACTS TESTING	G LABS, INC	The Car	·
F C A	Conclusio For the ab CPSA, Till CTS TES	on: eve listed te 18, CFI	f element the sa R, Part 1303 of i	mole MEE	TS the applicabl	ACTS TESTING	SLABS, INC U. Geo	ixler	
F C A	Conclusic For the ab CPSA, Till	on: e 18, CFI TING LA	f element the sa R, Part 1303 of i	mole MEE	TS the applicabl	le requirement of: d. ACTS TESTING	SLABS, INC U. Geo	inter	·
F C A Ja S	Conclusio For the ab CPSA, Till CTS TES LOTS TES	on: e 16, CFI TING LA	BS, INC.	mole MEE	TS the applicabl	ACTS TESTING	GLABS, INC U. Geo	ix ler	
G F C A J J S I H	Conclusion For the ab CPSA, Till CTS TES Lower ames M. H upervisor	on: e 16, CFI TING LA	BS, INC.	mole MEE	TS the applicabl	ACTS TESTING	GLABS, INC U. Geo	in ler	
G F C A J J S I H	Conclusion For the ab CPSA, Till ACTS TES Journes Ames MF H upervisor eavy Meta	on: e 16, CFI TING LA	BS, INC.	mole MEE	TS the applicabl	ACTS TESTING	GLABS, INC U. Geo	inter	
G F C A J J S I H	Conclusion For the ab CPSA, Till ACTS TES Journes Ames MF H upervisor eavy Meta	on: e 16, CFI TING LA	BS, INC.	mole MEE	TS the applicabl	ACTS TESTING	GLABS, INC U. Geo	ixler	
G F C A J J S I H	Conclusion For the ab CPSA, Till ACTS TES Journes Ames MF H upervisor eavy Meta	on: e 16, CFI TING LA	BS, INC.	mole MEE	TS the applicabl	ACTS TESTING	GLABS, INC U. Geo	inder	
G F C A J J S I H	Conclusion For the ab CPSA, Till ACTS TES Journes Ames MF H upervisor eavy Meta	on: e 16, CFI TING LA	BS, INC.	mole MEE	TS the applicabl	ACTS TESTING	GLABS, INC U. Geo	inter	
G F C A J J S I H	Conclusion For the ab CPSA, Till ACTS TES Journes Ames MF H upervisor eavy Meta	on: e 16, CFI TING LA	BS, INC.	mole MEE	TS the applicabl	ACTS TESTING	GLABS, INC U. Geo	in ler	
G F C A J J S I H	Conclusion For the ab CPSA, Till ACTS TES Journes Ames MF H upervisor eavy Meta	on: e 16, CFI TING LA	BS, INC.	mole MEE	TS the applicabl	ACTS TESTING	GLABS, INC U. Geo	inter	
G F C A J J S I H	Conclusion For the ab CPSA, Till ACTS TES Journes Ames MF H upervisor eavy Meta	on: e 16, CFI TING LA	BS, INC.	mole MEE	TS the applicabl	ACTS TESTING	GLABS, INC U. Geo	in ler 3.4	
A Ja Si Hi /m	Conclusion For the ab CPSA, Till ACTS TES Journal ames M.F. H upervisor eavy Meta hak	on: ove listed is 16, CFI	t element the sa R, Part 1303 of r BS, INC.	mple MEE no greater t	TS the applicabilitian 0.06% Lea	ACTS TESTING ACTS TESTING Heidi M. Belmie Analyst Heavy Metals D	S LABS, INC U - Geo epartment	3-4	*****
A Ja Si Hi /m	Conclusion For the ab CPSA, Till CTS TES Journal ames M. H upervisor eavy Meta hak	on: ove listed e 16, CFI	I element the sa R, Part 1303 of r BS, JNC. Minet Iment	mple MEE no greater t	TS the applicabilitian 0.06% Lear	ACTS TESTING ACTS TESTING Heidi M. Belmie Analyst Heavy Metals D	S LABS, INC 2. Geo epartment epartment ankni was sample bally uch our within part bally uch our	3-4	*****

03/	19/1999 17:24	4154314365			CHU3	÷.2		
_						·		-
						ACTS 1	ESTING LA 25 And	-
TES	TING LABS						Buffalo, NY 1 Tel (716	4225- ) 897-:
•	······································	HEAV	Y METALS	ANALYS	IS REPO	RT	Fax (716	9 897-0
	DATE:	NOVEMBER			REPORT	·	3182	
	TO: COMPANY:	STANLEY SIC	DU		PAGE: DATE RC	1 OF	1	
	SAMPLE ID: VENDOR:	YELLOW BE	ADS		STYLE #:			
	MANUFACTUR PRODUCT #:	ER: N/A	••		ORIGIN:	N/A		
	PART #:	N/A N/A			BATCH #: LOT #:	N/A N/A		
	CLIENT REF:	N/A						
	Sample ID: Yello	ow Surface Coaling	g <u>·</u> ·		<b>~</b>			
		Element Lead (Pb		Total 0.0007	Result PASS			
		Loau (FU	<u>,                                     </u>	0.0007	PASS			
	LT = Less Than Results are reporte To convert percent	ed as percent by well lages to milligrams p	ght of the total no. er klipgram mc/kg	nvolatile conter (ppm), multiply	nt. / the result by t	10.000.		
		logoo to mingramo p						
	Conclusion: For the above list	ted element the sa	mple MEETS th	e spplicable r				
	Conclusion: For the above list	ted element the sa CFR, Part 1303 of r	mple MEETS th	е врріісаbie r D.06% Lead.		1: 		
(	Conclusion: For the above list CPSA. Title 16, C ACTS TESTING	ted element the sa CFR, Part 1303 of r	mple MEETS th	e applicable r 0.06% Lead.	equirement o ACTS TESTIN	I: NGLABS, IN M BE	NC. Una le D	
	Conclusion: For the above list CPSA, Title 16, C ACTS TESTING ACTS TESTING	ted element the sa CFR, Part 1303 of r	mple MEETS th	е врріісаble r 0.06% Lead. / / /	equirement o ACTS TESTIN Vicidi Heidi M. Beim	I: NGLABS, IN M BE		
	Conclusion: For the above list CPSA. Title 16, C ACTS TESTING	LABS, INC.	mple MEETS th	e applicable r 0.06% Lead. / / / /	equirement o ACTS TESTIN	f: NG LABS, IN NU - Bu Ier	inled	
	Conclusion: For the above list CPSA, Title 16, C ACTS TESTING ACTS TESTING James M. Kinney Supervisor	LABS, INC.	mple MEETS th	e applicable r 0.06% Lead. / / / /	equirement o	f: NG LABS, IN NU - Bu Ier	inled	
	Conclusion: For the above list CPSA, Title 16, C ACTS TESTING James M. Kinney Supervisor Heavy Metals Dep	LABS, INC.	mple MEETS th	e applicable r 0.06% Lead. / / / /	equirement o	f: NG LABS, IN NU - Bu Ier	inled	
	Conclusion: For the above list CPSA, Title 16, C ACTS TESTING James M. Kinney Supervisor Heavy Metals Dep	LABS, INC.	mple MEETS th	e applicable r 0.06% Lead. / / / /	equirement o	f: NG LABS, IN NU - Bu Ier	inled	
	Conclusion: For the above list CPSA, Title 16, C ACTS TESTING James M. Kinney Supervisor Heavy Metals Dep	LABS, INC.	mple MEETS th	e applicable r 0.06% Lead. / / / /	equirement o	f: NG LABS, IN NU - Bu Ier	inled	
	Conclusion: For the above list CPSA, Title 16, C ACTS TESTING James M. Kinney Supervisor Heavy Metals Dep	LABS, INC.	mple MEETS th	e applicable r 0.06% Lead. / / / /	equirement o	f: NG LABS, IN NU - Bu Ier	inled	
	Conclusion: For the above list CPSA, Title 16, C ACTS TESTING James M. Kinney Supervisor Heavy Metals Dep	LABS, INC.	mple MEETS th	e applicable r 0.06% Lead. / / / /	equirement o	f: NG LABS, IN NU - Bu Ier	inled	
	Conclusion: For the above list CPSA, Title 16, C ACTS TESTING James M. Kinney Supervisor Heavy Metals Dep	LABS, INC.	mple MEETS th	e applicable r 0.06% Lead. / / / /	equirement o	f: NG LABS, IN NU - Bu Ier	inled	
	Conclusion: For the above list CPSA, Title 16, C ACTS TESTING James M. Kinney Supervisor Heavy Metals Dep /mak	LABS, INC.	mple MEETS the	e applicable r 0.06% Lead. / / / / /	equirement o ACTS TESTIM Veidi Heidi M. Beim Analyst Heavy-Metals	f: NG LABS, IN NG	in led	Y
eport a mis- ampus ton ct unies sp	Conclusion: For the above list CPSA, Title 16, C ACTS TESTING James M. Kinney Supervisor Heavy Metals Dep	And element the sa CFR, Part 1303 of r LABS, INC. Multiple Dartment	mple MEETS thin no greater than (	e spplicable r 0.06% Lead.	equirement o	f: NG LABS, IN Mu - Build ler Department	LAR (CD)	Arrive la In-
report a miri- ampus don ct uniers sp	Conclusion: For the above list CPSA, Title 16, C ACTS TESTING James M, Kinney Supervisor Heavy Metals Dep /mak	And element the sa CFR, Part 1303 of r LABS, INC. Multiple Dartment	mple MEETS thin no greater than (	e applicable r D.06% Lead.	equirement o	f: NG LABS, IN Mu - Build ler Department	LAR (CD)	4 of 4