

**MATERIAL SAFETY DATA SHEET
CRYSTAL CLEAR OPS**

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER / SUPPLIER

GLITTEREX Corporation
7 Commerce Drive
Cranford, NJ 07016

Telephone: (908) 272-9121

PRODUCT NAME: CRYSTAL CLEAR OPS
CHEMICAL NAME: ORIENTED POLYSTYRENE
CAS REGISTRY NO: N/A
DEPARTMENT OF TRANSPORTATION HAZARD CLASS: NOT REGULATED
SHIPPING NAME: N/A

2. COMPOSITION / INFORMATION ON INGREDIENTS

COMPOSITION	APPROX. WT. %	CAS REG. NO.
POLYSTYRENE	100%	009003-53-6

3. HAZARDS IDENTIFICATION

Emergency Overview

Color: Clear. Appearance: Film. Odor: None.
Toxic fumes are released in fire situation.

Potential Health Effects

Eye: Solid or dusts may cause irritation or corneal injury due to mechanical action.
Skin: Essentially non-irritating to skin. Skin absorption is unlikely due to physical properties.
Ingestion: No hazards anticipated from ingestion incidental to industrial exposure.
Inhalation: Vapors are unlikely due to physical properties. Dust may cause irritation to upper respiratory tract.

Systemic (Other Target Organ) Effects: No specific data available, however, repeated exposures are not anticipated to cause any significant adverse effects.

4. FIRST AID

Eye: Flush eyes with plenty of water; mechanical effects only.

4/12

CRYSTAL CLEAR OPS

Page 1 of 4

Skin: No adverse effects anticipated by this route of exposure incidental to proper industrial handling.
Ingestion: No adverse effects anticipated by this route of exposure incidental to proper industrial handling.
Inhalation: No adverse effects anticipated by this route of exposure incidental to proper industrial handling.

5. FIRE FIGHTING MEASURES

Flammable Properties

FLASH POINT: Not applicable
METHOD USED: Not applicable
AUTOIGNITION TEMPERATURES: Not applicable

Flammability Limits

LFL: Not applicable
UFL: Not applicable

Hazardous Combustion Products: Under fire conditions polymers decompose. This smoke may contain polymer fragments of varying compositions in addition to unidentified toxic and/or irritating compounds.

Other Flammability Information: Dense smoke is emitted when burned without sufficient oxygen.

Extinguishing Media: Water, carbon dioxide, dry chemical.

Fire Fighting Instructions: Keep people away. Isolate fire area and deny unnecessary entry. Cool surroundings with water to localize fire zone. Soak thoroughly with water to cool and prevent reignition.

Protective Equipment for Fire Fighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, pants, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

6. ACCIDENTAL RELEASE MEASURES

Cleanup: Sweep up.

7. HANDLING AND STORAGE

Handling: Mechanical handling equipment can cause formation of dusts. Maintain good housekeeping. Layers of flammable dusts should not be permitted to form.

Storage: Recommend storing in a cool, dry place away from high temperatures, hot pipes, and direct sun.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Good general ventilation sufficient for most conditions.

Personal Protective Equipment

Eye/Face Protection: Use safety glasses.

Skin Protection: No precautions other than clean body-covering clothing should be needed.

Respiratory Protection: No respiratory protection should be needed.

Exposure Guideline(s): None established.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/PHYSICAL STATE: Plastic film; clear.
ODOR: Odorless.
VAPOR PRESSURE: Not applicable
VAPOR DENSITY: Not applicable
BOILING POINT: Not applicable
SOLUBILITY IN WATER/MISCIBILITY: Not applicable
SPECIFIC GRAVITY OR DENSITY: 1.05

10. STABILITY AND REACTIVITY

Chemical Stability: Thermally stable at typical use temperatures.
Conditions to Avoid: Avoid temperatures above 300C. Product can decompose at elevated temperatures. Avoid direct sunlight.
Incompatibility with Other Materials: None known.
Hazardous Decomposition Products: Processing may release fumes which may include polymer fragments and other decomposition products. Fumes can be irritating. At temperatures exceeding melt temperatures, polymer fragments can occur. Hazardous decomposition products depend upon temperature, air supply and the presence of other materials. Hazardous decomposition products may include and are not limited to: hydrocarbons, carbon monoxide, noxious fumes.
Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Skin: Dermal LD50 has not been determined.
Ingestion: Oral LD50 has not been determined.

12. ECOLOGICAL INFORMATION

Ecotoxicity: Not expected to be acutely toxic.

13. DISPOSAL CONSIDERATION

Disposal: DO NOT DUMP INTO ANY SEWERS, ON THE GROUND OR INTO ANY BODY OR WATER. All disposal methods must be in compliance with all Federal, State/provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

14. TRANSPORTATION INFORMATION

US DOT HAZARD CLASSIFICATION: Not Regulated.

15. REGULATORY INFORMATION

OSHA hazardous chemical(s) according to 29 CFR 1910.1200: None.
WHMIS (Canada) Status: Not a controlled product.
WHMIS (Canada) Ingredients Disclosure List: None.
Chemical(s) subject to the reporting requirements of Section 313 or Title III of SARA of 1986 and 40CFR 372: None.
SARA Sections 311 and 312 hazard classification(s): N/A.
US Toxic Substances Control Act (TSCA): All Components of this product are listed or are excluded from listing on the TSCA Chemical Substance Inventory.
Material(s) known to the State of California to cause cancer: None
Material(s) known to the State of California to cause adverse reproductive effects: None
Massachusetts Substance List: None
New Jersey Workplace Hazardous Substance List: None
Pennsylvania Hazardous Substance List: None

16. OTHER INFORMATION

The above information and recommendations are believed accurate and reliable. The GLITTEREX Corporation makes no warranty of any kind, either express or implied, including merchantability and fitness. Users should consider these data only as a supplement to other information available from all sources, and should incorporate these into programs for the proper use and disposal of these materials and the safety and health of employees and customers.

**MATERIAL SAFETY DATA SHEET
DISCO HT SERIES**

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER / SUPPLIER

GLITTEREX Corporation
7 Commerce Drive
Cranford, NJ 07016

Telephone: (908) 272-9121

PRODUCT NAME: DISCO HT (ALL COLORS including GHT, VHT, ZHT, BHT AND HT MIX)
PRODUCT DESCRIPTION: IRIDESCENT GLITTER
PRODUCT USE: DECORATIVE APPLICATIONS

2. COMPOSITION / INFORMATION ON INGREDIENTS

COMPOSITION	APPROX. WT. %	CAS REG. NO.	EINECS #
Polyesters/copolyesters	Proprietary	Proprietary	
Acrylic Copolymer	Proprietary	Proprietary	
Methyl Methacrylate	<0.0125	80-62-6	201-297-1
Amorphous Silica	0 - 0.07	7631-86-9	231-545-4

Methyl Methacrylate – F; R11 - Xi; R37/38 - R43 (see section 16 for definition of ratings)

3. HAZARDS IDENTIFICATION

HMIS Hazard Ratings: Health – 0, Flammability – 1, Chemical Reactivity – 0.
NFPA Hazard Ratings: Health – 0, Flammability – 1, Chemical Reactivity – 0.

NOTE: HMIS and NFPA ratings are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this MSDS must be considered.

F; R11 - Xi; R37/38 - R43 (see section 16 for definition of ratings)

4. FIRST AID MEASURES

INHALATION: Not likely to be inhaled due to physical form.

EYES: Any material that contacts the eye should be washed out with water. Get medical attention if symptoms persist.

SKIN: Wash with soap and water. Seek medical attention if symptoms occur.

INGESTION: Not probable. If large amount is swallowed, seek medical attention. Material is not expected to be absorbed from the gastrointestinal tract, so that induction of vomiting should not be necessary.

5. FIRE FIGHTING MEASURES

FIRE FIGHTING: Approved self-contained breathing apparatus and protective clothing should be used for all fires.

EXTINGUISHING MEDIA: Water spray, dry chemical and foam. Water is the best extinguishing media because of its cooling capacity.

HAZARDOUS COMBUSTION PRODUCTS: Hazardous combustion products may include carbon dioxide, carbon monoxide, hydrocarbon fragments and acrylic monomers.

FLASH POINT: NOT APPLICABLE
 LOWER FLAMMABLE LIMIT: NOT ESTABLISHED
 UPPER FLAMMABLE LIMIT: NOT ESTABLISHED
 AUTO IGNITION TEMPERATURE: NOT AVAILABLE
 EXPLOSION DATA:
 IMPACT SENSITIVITY: NOT SENSITIVE TO MECHANICAL IMPACT
 STATIC DISCHARGE: NOT SENSITIVE TO STATIC DISCHARGE

6. ACCIDENTAL RELEASE MEASURES

Sweep or gather up material and place in proper container for disposal or recovery.

7. HANDLING AND STORAGE

HANDLING: No special precautionary measures should be needed under anticipated conditions of use. Minimize dust generation and accumulation. Refer to NFPA Pamphlet No. 654, "Prevention of fire and dust Explosions in the Chemical, Dye, Pharmaceutical, and Plastics Industries."

STORAGE: Store away from excessive heat and sources of ignition. No other precautionary measures should be needed under anticipated conditions of use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMIT INFORMATION:

<u>COMPONENT</u>	<u>UNITS</u>	<u>OSHA TWA</u>	<u>ACGIH TWA</u>
Methyl Methacrylate	ppm	100	100
Amorphous Silica, gel	mg/m ³	6	10*

*-Total dust

VENTILATION: Good general ventilation should be used.

EYE PROTECTION: Use safety glasses.

SKIN PROTECTION: Wear cotton, canvas or leather gloves.

RESPIRATORY: When dust or powder from secondary operations is not adequately controlled, use respirator approved for protection from dust.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: GLITTER
 COLOR: VARIOUS COLORS
 ODOR: MILD ODOR

4/12

DISCO HT SERIES

Page 2 of 4

BOILING POINT:	NOT APPLICABLE
MELTING POINT:	THIS PRODUCT DOES NOT EXHIBIT A SHARP MELTING POINT, BUT SOFTENS GRADUALLY OVER A WIDE TEMPERATURE RANGE.
VAPOR PRESSURE:	NEGLIGIBLE
VAPOR DENSITY (AIR = 1):	NOT APPLICABLE
SPECIFIC GRAVITY (WATER = 1):	>1
WATER SOLUBILITY:	INSOLUBLE
% VOLATILES:	NEGLIGIBLE
pH:	NOT APPLICABLE
EVAPORATION RATE:	NOT APPLICABLE

10. STABILITY AND REACTIVITY

STABILITY: Stable under recommended conditions of storage and handling.

MINIMUM IGNITION ENERGY: >500mJ

REACTIVITY: Avoid contact with acids, alkalis and strong oxidizing agents.

11. TOXICOLOGICAL INFORMATION

EYES: Product not considered primary eye irritant, and expected to be a low hazard for usual industrial or commercial handling by trained personnel.

SKIN: Product not considered to be primary skin irritant.

INGESTION: Expected to be a low ingestion hazard.

INHALATION: Product not considered a hazard for usual handling by trained personnel.

GENERAL: Inconsistent data in workers show some evidence that chronic overexposure to amorphous silica dust may cause pneumoconiosis (adverse lung effects). However, generation of sufficient silica dust levels from this material to produce such adverse effects seems unlikely since this component is present at relatively low concentration, and is tightly bound or encapsulated within the polymer matrix.

12. ECOLOGICAL INFORMATION

Not expected to present any adverse environmental effects.

13. DISPOSAL INFORMATION

Product is not a RCRA hazardous waste. Landfill or incinerate in accordance with federal, state or local requirements.

14. TRANSPORTATION INFORMATION

US DOT HAZARD CLASSIFICATION: Not Regulated.

15. REGULATORY INFORMATION

OSHA hazardous chemical(s) according to 29 CFR 1910.1200: Amorphous silica.

WHMIS (Canada) Status: Not a controlled product.

WHMIS (Canada) Ingredients Disclosure List: None.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of SARA of 1986 and 40CFR 372: None.

SARA Sections 311 and 312 hazard classification(s): Immediate (acute) health hazard.

US Toxic Substances Control Act (TSCA): All Components of this product are listed or are excluded from listing on the TSCA Chemical Substance Inventory.

Material(s) known to the State of California to cause cancer: None

Material(s) known to the State of California to cause adverse reproductive effects: None

Massachusetts Substance List: None

New Jersey Workplace Hazardous Substance List: None

Pennsylvania Hazardous Substance List: None

EU Information for Product:

EC Labeling & Classification: This product does not meet the definition of any hazard class.

EC Classification: Not Applicable

EC Risk Phrases: Not applicable

EC Safety Phrases: Keep out of reach of children. In case of fire, use water spray, dry chemical or foam. [S:

2-43]

EU Information for Component:

Methyl Methacrylate:

EC EINECS/ELINCS Number: 201-297-1

EC Classification: F; R11 – Xi; R37/38 – R43

EC Risk Phrases: R11 – Highly Flammable; R37/38 – Irritating to respiratory system and skin; R43 – may cause sensitization by skin contact.

EC Safety Phrases: S2 – Keep out of reach of children; S24 – avoid contact with skin; S37 – wear suitable gloves; S46 – If swallowed seek medical advice immediately and show this container or label.

16. OTHER INFORMATION

The above information and recommendations are believed accurate and reliable. For residual methyl Methacrylate the EU Risk Phrases are as follows: R11 – Highly Flammable; R37/38 – Irritating to respiratory system and skin; R43 – may cause sensitization by skin contact. The GLITTEREX Corporation makes no warranty of any kind, either express or implied, including merchantability and fitness. Users should consider these data only as a supplement to other information available from all sources, and should incorporate these into programs for the proper use and disposal of these materials and the safety and health of employees and customers.

**MATERIAL SAFETY DATA SHEET
DISCO PASTEL**

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**MANUFACTURER / SUPPLIER**

GLITTEREX Corporation
7 Commerce Drive
Cranford, NJ 07016

Telephone: (908) 272-9121

PRODUCT NAME: DISCO PASTEL
PRODUCT DESCRIPTION: COLORED IRIDESCENT GLITTER
PRODUCT USE: DECORATIVE APPLICATIONS

2. COMPOSITION / INFORMATION ON INGREDIENTS

COMPOSITION	APPROX. WT. %	CAS REG. NO.
Polyesters/copolyesters	Proprietary	Proprietary
Acrylic Copolymer	Proprietary	Proprietary
Methyl Methacrylate	<0.125	80-62-6
Colorants	<0.25	Varied
Amorphous Silica	0 – 0.07	63231-67-4

3. HAZARDS IDENTIFICATION

HMIS Hazard Ratings: Health – 0, Flammability – 1, Chemical Reactivity – 0.
NFPA Hazard Ratings: Health – 0, Flammability – 1, Chemical Reactivity – 0.

4. FIRST AID MEASURES

INHALATION: Not likely to be inhaled due to physical form.

EYES: Any material that contacts the eye should be washed out with water. Get medical attention if symptoms persist.

SKIN: Wash with soap and water. Seek medical attention if symptoms occur.

INGESTION: Not probable. If large amount is swallowed, seek medical attention. Material is not expected to be absorbed from the gastrointestinal tract, so that induction of vomiting should not be necessary.

5. FIRE FIGHTING MEASURES

FIRE FIGHTING: Approved self-contained breathing apparatus and protective clothing should be used for all fires.

EXTINGUISHING MEDIA: Water spray, dry chemical and foam. Water is the best extinguishing media because of its cooling capacity.

HAZARDOUS COMBUSTION PRODUCTS: Hazardous combustion products may include carbon dioxide, carbon monoxide, hydrocarbon fragments and acrylic monomers.

FLASH POINT: NOT APPLICABLE

4/12

PASTEL DISCO

Page 1 of 4

LOWER FLAMMABLE LIMIT: NOT ESTABLISHED
 UPPER FLAMMABLE LIMIT: NOT ESTABLISHED
 AUTO IGNITION TEMPERATURE: NOT AVAILABLE
 EXPLOSION DATA:
 IMPACT SENSITIVITY: NOT SENSITIVE TO MECHANICAL IMPACT
 STATIC DISCHARGE: NOT SENSITIVE TO STATIC DISCHARGE

6. ACCIDENTAL RELEASE MEASURES

Sweep or gather up material and place in proper container for disposal or recovery.

7. HANDLING AND STORAGE

HANDLING: No special precautionary measures should be needed under anticipated conditions of use. Minimize dust generation and accumulation. Refer to NFPA Pamphlet No. 654, "Prevention of fire and dust Explosions in the Chemical, Dye, Pharmaceutical, and Plastics Industries."

STORAGE: Store away from excessive heat and sources of ignition. No other precautionary measures should be needed under anticipated conditions of use.

8: EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMIT INFORMATION:

<u>COMPONENT</u>	<u>UNITS</u>	<u>OSHA TWA</u>	<u>ACGIH TWA</u>
Methyl Methacrylate	ppm	100	100
Solvent Violet 13		N/A	N/A
Solvent Blue 101		N/A	N/A
Amorphous Silica, gel	mg/m3	6	10*

*-Total dust

VENTILATION: Good general ventilation should be used.

EYE PROTECTION: Use safety glasses.

SKIN PROTECTION: Wear cotton, canvas or leather gloves.

RESPIRATORY: When dust or powder from secondary operations are not adequately controlled, use respirator approved for protection from dust.

9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: GLITTER
 COLOR: VARIOUS COLORS
 ODOR: MILD ODOR
 BOILING POINT: NOT APPLICABLE
 MELTING POINT: THIS PRODUCT DOES NOT EXHIBIT A SHARP MELTING POINT, BUT SOFTENS GRADUALLY OVER A WIDE TEMPERATURE RANGE.
 VAPOR PRESSURE: NEGLIGIBLE
 VAPOR DENSITY (AIR = 1): NOT APPLICABLE
 SPECIFIC GRAVITY (WATER = 1): >1
 WATER SOLUBILITY: INSOLUBLE
 % VOLATILES: NEGLIGIBLE
 pH: NOT APPLICABLE

4/12

PASTEL DISCO

Page 2 of 4

EVAPORATION RATE: NOT APPLICABLE

10. STABILITY AND REACTIVITY

STABILITY: Stable under recommended conditions of storage and handling.

REACTIVITY: Avoid contact with acids, alkalis and strong oxidizing agents.

11. TOXICOLOGICAL INFORMATION

EYES: Product not considered primary eye irritant, and expected to be a low hazard for usual industrial or commercial handling by trained personnel.

SKIN: Product not considered to be primary skin irritant.

INGESTION: Expected to be a low ingestion hazard.

INHALATION: Product not considered a hazard for usual handling by trained personnel.

GENERAL: Inconsistent data in workers show some evidence that chronic overexposure to amorphous silica dust may cause pneumoconiosis (adverse lung effects). However, generation of sufficient silica dust levels from this material to produce such adverse effects seems unlikely since this component is present at relatively low concentration, and is tightly bound or encapsulated within the polymer matrix.

12. ECOLOGICAL INFORMATION

Not expected to present any adverse environmental effects.

13. DISPOSAL INFORMATION

Product is not a RCRA hazardous waste. Landfill or incinerate in accordance with federal, state or local requirements.

14. TRANSPORTATION INFORMATION

US DOT HAZARD CLASSIFICATION: Not Regulated.

15. REGULATORY INFORMATION

OSHA hazardous chemical(s) according to 29 CFR 1910.1200: Amorphous silica.

WHMIS (Canada) Status: Not a controlled product.

WHMIS (Canada) Ingredients Disclosure List: None.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of SARA of 1986 and 40CFR 372: None.

SARA Sections 311 and 312 hazard classification(s): Immediate (acute) health hazard.

US Toxic Substances Control Act (TSCA): All Components of this product are listed or are excluded from listing on the TSCA Chemical Substance Inventory.

Material(s) known to the State of California to cause cancer: None

Material(s) known to the State of California to cause adverse reproductive effects: None

Massachusetts Substance List: None

New Jersey Workplace Hazardous Substance List: None

Pennsylvania Hazardous Substance List: None

16. OTHER INFORMATION

The above information and recommendations are believed accurate and reliable. The GLITTEREX Corporation makes no warranty of any kind, either express or implied, including merchantability and fitness. Users should consider these data only as a supplement to other information available from all sources, and should incorporate these into programs for the proper use and disposal of these materials and the safety and health of employees and customers.

**MATERIAL SAFETY DATA SHEET
GLITTER PLASTIC**

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**MANUFACTURER / SUPPLIER**

GLITTEREX Corporation
7 Commerce Drive
Cranford, NJ 07016

Telephone: (908) 272-9121

PRODUCT NAME: ARTS AND CRAFTS GLITTER
PRODUCT DESCRIPTION: PVC GLITTER
PRODUCT USE: DECORATIVE APPLICATIONS

2. COMPOSITION / INFORMATION ON INGREDIENTS

COMPOSITION	APPROX. WT. %	CAS REG. NO.
Metallized polyvinyl chloride film Rigid film – contains no Phthalates	(Proprietary)	25085-82-9

3. HAZARDS

FLAMMABILITY -FLASH POINT ABOVE 200 DEGREES F
HEALTH – NON TOXIC ACM:AP CERTIFIED
CHEMICAL REACTIVITY – SEE SECTION 10

4. FIRST AID MEASURES

INHALATION: Not usual route of entry.

EYES: Any material that contacts the eye should be washed out with water. Get medical attention if symptoms persist.

SKIN: Wash with soap and water.

INGESTION: Material is not expected to be absorbed from the gastrointestinal tract, so that induction of vomiting should not be necessary.

5. FIRE FIGHTING MEASURES

FIRE FIGHTING: Approved self-contained breathing apparatus and protective clothing should be used for all fires.

EXTINGUISHING MEDIA: Water, fog, carbon dioxide, dry chemical.

HAZARDOUS COMBUSTION PRODUCTS: Heated to decomposition, normal products of combustion will be formed.

FLASH POINT:	ABOVE 200 DEGREES F
LOWER FLAMMABLE LIMIT:	NOT ESTABLISHED
UPPER FLAMMABLE LIMIT:	NOT ESTABLISHED
AUTO IGNITION TEMPERATURE:	NOT AVAILABLE

4/12

GLITTER PLASTIC

Page 1 of 3

EXPLOSION DATA:
 IMPACT SENSITIVITY: NOT SENSITIVE TO MECHANICAL IMPACT
 STATIC DISCHARGE: NOT SENSITIVE TO STATIC DISCHARGE

6. ACCIDENTAL RELEASE MEASURES

Sweep or gather up material and place in proper container.

7. HANDLING AND STORAGE

HANDLING: No special precautionary measures should be needed under anticipated conditions of use. Minimize dust generation and accumulation. Refer to NFPA Pamphlet No. 654, "Prevention of fire and dust Explosions in the Chemical, Dye, Pharmaceutical, and Plastics Industries."

STORAGE: Store away from excessive heat and sources of ignition. No other precautionary measures should be needed under anticipated conditions of use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMIT INFORMATION:

VENTILATION: Good general ventilation should be used.

EYE PROTECTION: Use safety glasses.

SKIN PROTECTION: Wear cotton, canvas or leather gloves.

RESPIRATORY: When dust or powder from secondary operations are not adequately controlled, use respirator approved for protection from dust.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	GLITTER
COLOR:	VARIOUS COLORS
ODOR:	MILD
MELTING POINT:	ABOVE 180 DEGREES F
VAPOR PRESSURE:	NEGLIGIBLE
VAPOR DENSITY (AIR=1):	NOT APPLICABLE
SPECIFIC GRAVITY (WATER=1):	1.35 TO 1.45
WATER SOLUBILITY:	INSOLUBLE
% VOLATILES:	NEGLIGIBLE
pH:	NOT APPLICABLE
EVAPORATION RATE:	NOT APPLICABLE

10. STABILITY AND REACTIVITY

STABILITY: Stable under recommended conditions of storage and handling.

REACTIVITY: Avoid contact with acids, alkalis and strong oxidizing agents.

11. TOXICOLOGICAL INFORMATION

EYES: Product not considered primary eye irritant, and expected to be a low hazard for usual industrial or commercial handling by trained personnel.

SKIN: Product not considered to be primary skin irritant.

INGESTION: Expected to be a low ingestion hazard.

INHALATION: Product not considered a hazard for usual handling by trained personnel.

12. ECOLOGICAL INFORMATION

Not expected to present any adverse environmental effects.

13. DISPOSAL INFORMATION

Product is not a RCRA hazardous waste. Landfill or incinerate in accordance with federal, state or local requirements.

14. TRANSPORTATION INFORMATION

US DOT HAZARD CLASSIFICATION: Not Regulated.

15. REGULATORY INFORMATION

OSHA hazardous chemical(s) according to 29 CFR 1910.1200: None.

WHMIS (Canada) Status: Not a controlled product.

WHMIS (Canada) Ingredients Disclosure List: None.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of SARA of 1986 and 40CFR 372: None.

SARA Sections 311 and 312 hazard classification(s): N/A.

US Toxic Substances Control Act (TSCA): All Components of this product are listed or are excluded from listing on the TSCA Chemical Substance Inventory.

Material(s) known to the State of California to cause cancer: None

Material(s) known to the State of California to cause adverse reproductive effects: None

New Jersey Workplace Hazardous Substance List: None

Pennsylvania Hazardous Substance List: None

16. OTHER INFORMATION

The above information and recommendations are believed accurate and reliable. The GLITTEREX Corporation makes no warranty of any kind, either express or implied, including merchantability and fitness. Users should consider these data only as a supplement to other information available from all sources, and should incorporate these into programs for the proper use and disposal of these materials and the safety and health of employees and customers.