

61778-XXXX

*Pauperpol USA***Material Safety Data Sheet****PAVERPOL****1. Identification of the product and of the company**

Identification of the preparation  
 Type of product  
 Name of Undertaking

Aqueous dispersion of vinylacetate homopolymer  
 Josefine Hobbyproducts v.o.f  
 PO Box 45  
 Burgh Haamstede, NL  
 Phone: 0111-652791 Fax: 0111-650101

USA Importer

Pauperpol USA, Inc.  
 35 Elmont Avenue  
 Baltimore, MD 21206  
 Phone: 877-661-1559 Fax: 410-668-3357

**2. Composition/Information on Ingredients**

Substances presenting health hazard      NONE

**3. Hazards Identification**

Dangerous substances      NONE

**4. First Aid Measures**

Route of Exposure  
 Inhalation  
 Skin Contact  
 Eye Contact  
 Ingestion

Remove to a well-ventilated area  
 Wash skin with soap and water  
 Flush thoroughly with water, holding eyelids open  
 Do not induce vomiting to avoid aspiration into  
 respiratory tract. Give nothing to drink.

**5. Fire-Fighting Measures**

Extinguishing Media

Not Applicable.  
 As a water emulsion, fire is highly improbable.  
 Use media appropriate for surrounding fire.

**6. Accidental Release/Spillage**

Refer to points 8 and 13  
 After Spillage/Leakage  
 On Soil

Evacuate non-essential personnel.  
 Contain and recover by physical means

Page 1 of 4

## Material Safety Data Sheet

### PAVERPOL

#### 6. Spillage (cont'd)

Refer to Point 8.  
Absorb product with an adequate material such as sawdust, paper or rags  
To recover the spilled material, put into containers.  
Clean area with water.  
Dispose of in accordance with local regulations.  
This product is water emulsifiable.

#### 7. Handling and Storage

##### Handling

Use only containers, joints, pipes, etc. made of a material suitable for use with water.  
Thoroughly ventilate works space.

##### Storage

Do not store near food products.  
Use only containers, joints, pipes, etc. made of a material suitable for use with water.  
Do not store at temperatures above 60 degrees C  
Do not store below 1 degree C  
Suitable containers: stainless steel, polyethylene  
Containers must be closed/tightly covered.

#### 8. Exposure Controls/Personal Protection

Exposure Controls  
Personal Protection  
Respiratory Protection  
Skin and Body (other than hands)  
Eye Protection  
Other

Not applicable.

Respiratory apparatus in case of thick fumes  
Gloves if desired  
Goggles/glasses

Where exposure is likely, protective clothing and gloves

##### Industrial Health Measures

Safety, non-slip shoes in areas where spills occur  
Avoid splashes (use suitable protective aprons, etc.)  
Do not wipe hands on rags which have been used for cleaning.

#### 9. Physical and Chemical Properties

Physical State at 20 ° C  
Color  
Odor  
Initial Boiling Point  
Flash Point (ASTM D 93) (C°)  
Thermal Decomposition (C°)

Liquid  
White  
Faint  
100 ° C  
nihil  
>177

Page 2 of 4

## Material Safety Data Sheet

### PAVERPOL

#### 9. Physical and Chemical (cont'd)

Relative Vapor Density (air=1)	>1
Density, mass at 20 ° C (kg/m <sup>3</sup> )	+/- 1080
Behavior with Water at 20 ° C	Emulsifiable
pH Value (concentrated product)	4 to 5
Viscosity (dPa.s)	20 to 30 at 23 ° C

#### 10. Stability and Reactivity

Hazardous Reactions	None
Decomposition Products	Complete combustion, with an excess of oxygen forms: carbon dioxide and water vapor.
Hazardous Properties	Partial combustion, forms also: carbon monoxide, soot and cracked products, aldehydes, ketones. Do not store at temperatures above 100 ° C Stable under normal conditions of storage, handling and use.

#### 11. Toxicological Information

##### Symptoms Related to Use

##### Inhalation

Rat Inhalation LD50/4h (ml/m<sup>3</sup>)  
Rat, Oral LD50

Headache, nausea, sore throat: in small quantities, no important effect observed.  
Non-established  
>5000

##### Skin Contact

Rabbit Dermal LD50 (mg/kg)  
Dermal Irritation (Rabbit)

Prolong or frequent contact may cause skin irritation especially in the case of cuts, scratches or abrasions or if contact with contaminated clothes.  
Elementary hygienic precautions will avoid these risks  
>5000  
Maximum 2 72 h: mildly irritant (mean irritation score)

##### Eye Contact

Mildly irritant

##### Other

The components of this product may be considered not to be essentially toxic during normal handling.

#### 12. Ecological Information

Biodegradation	No Information available
----------------	--------------------------

## Material Safety Data Sheet

<b>PAVERPOL</b>	
<b>13. Disposal Considerations</b>	Authorized disposal Incineration Do not dispose of this product into the environment before physico-chemical pretreatment
<b>14. Transportation Information</b>	Unregulated
UN Number	Not applicable
Road (ADR)/Rail (RID)	Not applicable
Marine (IMO-IMDG)	Not applicable
Air Transport (ICAO/IATA)	Not applicable
<b>15. Regulatory Information</b>	
Labelling and Classification EC	Not classified according to EEC directives 67/548/EEC (dangerous substances) and 1999/45/EC (dangerous preparations)
Symbol (s) EC	
<b>16. Other Information</b>	No information available.

Revised: 07/03/2001

Supersedes: 01/01/1990

This data sheet conforms to standards defined by directives 91/55 and 93/112/EEC  
Data sheet required pursuant to Art. 14 of directive 1999/45/EC

**IMPORTANT:** The information in this Data Sheet applies only to the products designated herein and produced or supplied by us. It is based on our experience and on the data available to us at the time of its issue and is accurate to the best of our knowledge. The customer is strongly advised to observe and ensure that its employees and customers observe all directions contained herein. However, no warranty is made or implied that the information is accurate or complete and no liability will be accepted whatsoever arising out of the use of the information or the products designated herein. Where third party products are used in conjunction with or instead of products produced or supplied, customers should themselves obtain all necessary technical, health and safety information about such products from a third party.

Page 4 of 4