00609-1025

colart

LIQUITEX PROFESSIONAL ACRYLIC MEDIUM GLASS BEADS

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only. Issue date: 10/26/2022 Revision date: 10/26/2022 Supersedes: 07/23/2015 Version: 5.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Mixture		
Trade name	: LIQUITEX PROFESSIONAL ACRYLIC MEDIUM GLASS BEADS		
1.2. Recommended use and restrictions of	on use		
Use of the substance/mixture	: Artists', craft and hobby paints		
Recommended use	: Consumer uses: Private households (= general public = consumers), Artists', craft and hobby paints		
1.3. Supplier			
Distributor ColArt Americas Inc. 2 Corporate Place South, Piscataway New Jersey, USA NJ 08854 T +1 888 422 7954 r.enquiries@colart.co.uk	Manufacturer Colart France SAS 5, rue René Panhard, CS 82120 Z.I. Nord, 72021 Le Mans Cedex 2 T: +33 2 43 83 83 00 F: +33 2 43 83 83 09 r.enquiries@colart.co.uk		
1.4. Emergency telephone number			
Emergency number	: +1 888 422 7954		
SECTION 2: Hazard(s) identification			

2.1. Hazard warning in accordance with US Labeling of Hazardous Art Materials Act / Federal Hazardous Substances Act.

Art materials are labelled according to Labelling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA). Appropriate labelling is listed in section 15. Please note that the label may also contain other regional/national labelling text.

SECTION 3: Composition/Information on ingredients

3.2. Mixtures

Art materials are labelled according to Labeling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA). Appropriate labelling is listed in section 15. Hazardous ingredients are identified in section 15.

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth out with water. In all cases of doubt, or when symptoms persist, seek medical attention.
	Please see section 15 labelling requirements for additonal information

Most important symptoms and effects (acute and delayed)

Art materials are labelled according to Labeling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA). Please refer to section 15 for information on potential symptoms.

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

10/26/2022

4.2.

EN (English US)

Page 1

Item Numbers: 00609-1025

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

special treatment, if necessary
25
Jishing media
: Foam. Dry powder. Carbon dioxide. Sand.
: Do not use a heavy water stream.
e chemical
: No fire hazard.
: The product is non-reactive under normal conditions of use, storage and transport.
d precautions for fire-fighters
: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
: Do not enter fire area without proper protective equipment, including respiratory protection.
easures
equipment and emergency procedures
: Evacuate unnecessary personnel.
: Equip cleanup crew with proper protection.
: Ventilate area.
otify authorities if liquid enters sewers or public waters.
ment and cleaning up
: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
nal protection.
9
 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation
 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. uding any incompatibilities Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use.
 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. uding any incompatibilities Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use. Strong bases. Strong acids.
 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. uding any incompatibilities Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use.
 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. uding any incompatibilities Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use. Strong bases. Strong acids. Sources of ignition. Direct sunlight.
 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. uding any incompatibilities Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use. Strong bases. Strong acids.
 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. uding any incompatibilities Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use. Strong bases. Strong acids. Sources of ignition. Direct sunlight.
 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. uding any incompatibilities Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use. Strong bases. Strong acids. Sources of ignition. Direct sunlight.
 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. uding any incompatibilities Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use. Strong bases. Strong acids. Sources of ignition. Direct sunlight. ersonal protection There exist no exposure limits for this material
 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. uding any incompatibilities Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use. Strong bases. Strong acids. Sources of ignition. Direct sunlight. ersonal protection There exist no exposure limits for this material
 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. uding any incompatibilities Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use. Strong bases. Strong acids. Sources of ignition. Direct sunlight. ersonal protection There exist no exposure limits for this material

Item Numbers: 00609-1025

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

Hand protection:

Avoid contact with skin

Eye protection:

Avoid contact with eyes

Respiratory protection:

No respiratory protection needed under normal use conditions

Other information:

Do not eat, drink or smoke during use. Ensure there is adequate ventilation.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
	: White	
	: Paste. Granules.	
Odor	: characteristic	
Odor threshold	: No data available	
рН	: 9-10	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: > 100 °C	
Flash point	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: Non flammable.	
Vapor pressure	: No data available	
Relative vapor density at 20 °C	: >1	
Relative density	: ≈ 1.1	
Solubility	: No data available	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
9.2. Other information		
SECTION 10: Stability and reactivity		
10.1 Reactivity		

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

None under normal use.

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

10/26/2022

EN (English US)

Item Numbers: 00609-1025

3/5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

	Conditions to avoid light. Extremely high or low temperature	S.	
10.5. Incompatible materials			
	ids. Strong bases.		
10.6.	Hazardous decomposition products		
Carbon m	onoxide. Carbon dioxide.		
SECTIC	N 11: Toxicological information	on	
11.1.	11.1. Information on toxicological effects		
Art materials are labelled according to Labelling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA).Please refer to section 15 for information on toxicological effects.			
SECTIC	N 12: Ecological information		
12.1.	Toxicity		
No additic	onal information available		
12.2.	Persistence and degradability		
	EX PROFESSIONAL ACRYLIC MEDIUM		
Persiste	nce and degradability	Not established.	
	Bioaccumulative potential		
	EX PROFESSIONAL ACRYLIC MEDIUM		
	mulative potential	Not established.	
	Mobility in soil		
No additio	onal information available		
12.5.	Other adverse effects		
Other info	rmation	: Avoid release to the environment.	
SECTIC	N 13: Disposal consideration	S	
13.1.	Disposal methods		
Product/P	ackaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.	
Ecology -	waste materials	: Avoid release to the environment.	
SECTIC	N 14: Transport information		
	ent of Transportation (DOT) ance with DOT		
Not applic			
	tation of Dangerous Goods		
Not applic	able		
Transpor	t by sea		
Not applic	able		
Air transp	port		
Not applic	able		

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

10/26/2022

EN (English US)

Item Numbers: 00609-1025

4/5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.


SECTION 15: Regulatory information 15.1. US Federal regulations

US FEDERAL HAZARD CLASSIFICATION AND LABELLING FOR ART MATERIALS:

This product has been evaluated by a toxicologist and labelled for acute and chronic health hazards in accordance with the Labelling of Hazardous Art Materials Regulation and Federal Regulation 16 CFR 1500.14 of the Federal Hazardous Substances Act.

This product conforms to ASTM D-4236 Standard Practice for Labelling Art Materials for Chronic Adverse health effects. This product has been certified by ACMI (Artists Craft Materials Institute, Inc.) to carry the AP

(Approved Product) Seal, meaning this bears no chronic or acute human health hazards.



15.2. International regulations CANADA

No additional information available

15.3. US State regulations No additional information available

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

 Revision date
 : 10/26/2022

 Data sources
 : Art materials are labelled according to Labelling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA).

 Other information
 : None.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

10/26/2022

EN (English US)

5/5

Item Numbers: 00609-1025