

Safety data sheet
according to 1907/2006/EC, Article 31

01425-XXXX

Printing date 03/24/2015

Version number 4

Revision: 03/24/2015

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** MONTANA GOLD Spray Paint all colors, fluo and shock
- **Article number:**
283604 - 285844, 285899, 285905, 285929, 364945, 419331, 419348, 419355, 419362, 419379, 419386, 419393, 419409, 419416, 419423, 419430, 419447, 419454, 419461, 419478
- **Relevant identified uses of the substance or mixture and uses advised against --**
- **Application of the substance / the mixture Lacquer**
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
MONTANA CANS
Häusserstr. 36
D-69115 Heidelberg
Tel. +49-6221-36333-30
Fax +49-6221-36333-33
info@montana-cans.de
www.montana-cans.com
- **Further information obtainable from:** Department Product Safety
- **Emergency telephone number:**
Tel.: +49 6266-75-310
Fax +49 6266-75-362
(Mo - Th 08:00 am - 04:00 pm, Fr 08:00 am - 00:30 pm)

2 Hazards identification

- **Classification of the substance or mixture**



GHS02 flame

Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



GHS08 health hazard


Carc. 2 H351 Suspected of causing cancer.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.
STOT SE 3 H336 May cause drowsiness or dizziness.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Irritant

Irritating to eyes.



Extremely flammable

Extremely flammable.

Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.

Warning! Pressurised container.

Has a narcotising effect.

(Contd. on page 2)

CDN

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03/24/2015

Version number 4

Revision: 03/24/2015

Trade name: MONTANA GOLD Spray Paint all colors, fluo and shock

(Contd. of page 1)

· **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· **Label elements**

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



· **Signal word Danger**

· **Hazard-determining components of labelling:**

ethyl acetate
titanium dioxide

· **Hazard statements**

Extremely flammable aerosol. Pressurised container: May burst if heated.
Causes serious eye irritation.
Suspected of causing cancer.
May cause drowsiness or dizziness.

· **Precautionary statements**

If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Do not spray on an open flame or other ignition source.
Do not pierce or burn, even after use.
Do not breathe spray.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Dispose of contents / container in accordance with regional regulations.

· **Hazard description:**

· **Canadian Hazard Symbols**

A - Compressed gas
B5 - Flammable aerosol
D2B - Toxic material causing other toxic effects



· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.
· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterisation: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

CDN

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03/24/2015

Version number 4

Revision: 03/24/2015

Trade name: MONTANA GOLD Spray Paint all colors, fluo and shock

(Contd. of page 2)

· Dangerous components:		
115-10-6	dimethyl ether F+ R12 Flam. Gas 1, H220; Press. Gas C, H280	19.753%
141-78-6	ethyl acetate Xi R36; F R11 R66-67 Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	17.364%
67-64-1	acetone Xi R36; F R11 R66-67 Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	9.464%
74-98-6	propane F+ R12 Flam. Gas 1, H220; Press. Gas C, H280	7.852%
106-97-8	butane F+ R12 Flam. Gas 1, H220; Press. Gas C, H280	6.216%
13463-67-7	titanium dioxide Carc. 2, H351	3.925%
64742-94-5	Solvent naphtha (petroleum), heavy arom. Xn R65 Asp. Tox. 1, H304	3.619%
108-65-6	2-methoxy-1-methylethyl acetate R10 Flam. Liq. 3, H226	3.547%
9004-70-0	cellulose nitrate E R3 Expl. 1.1, H201	3.037%
1330-20-7	xylene, mixture of isomers Xn R20/21; Xi R38 R10 Flam. Liq. 3, H226; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	3.019%
75-28-5	isobutane F+ R12 Flam. Gas 1, H220; Press. Gas C, H280	2.29%
67-63-0	propan-2-ol Xi R36; F R11 R67 Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	1.302%
	Hydrocarbons Xn R65; Xi R37; N R51/53 R10-66-67 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; STOT SE 3, H335-H336; H401	0.513%
100-41-4	ethylbenzene Xn R20-48/20-65; F R11 Flam. Liq. 2, H225; Carc. 2, H351; Acute Tox. 4, H332	0.296%

· **Additional information:**

The content of Benzene (EINECS-Nr. 200-753-7) in the ingredients is less than 0,1% (Note P Annex 1 67/548 EU), so the classification as carcinogen need not to apply.

(Contd. on page 4)

CDN

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03/24/2015

Version number 4

Revision: 03/24/2015

Trade name: MONTANA GOLD Spray Paint all colors, fluo and shock

For the wording of the listed risk phrases refer to section 16.

(Contd. of page 3)

4 First aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, bluspoeder of waterstraal. Grotere brand met waterstraal of met schuim.
Vaten met water afkoelen.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters** -

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **Methods and material for containment and cleaning up:** Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
- **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store in a cool location.
Observe official regulations on storing packagings with pressurised containers.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Store in cool, dry conditions in well sealed receptacles.
Protect from heat and direct sunlight.

(Contd. on page 5)

CDN

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03/24/2015

Version number 4

Revision: 03/24/2015

Trade name: MONTANA GOLD Spray Paint all colors, fluo and shock

(Contd. of page 4)

- **Storage class:** 2B
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:****115-10-6 dimethyl ether**

EL Long-term value: 1000 ppm

141-78-6 ethyl acetate

EL Long-term value: 150 ppm

EV Long-term value: 1.440 mg/m³, 400 ppm**67-64-1 acetone**

EL Short-term value: 500 ppm

Long-term value: 250 ppm

EV Short-term value: 750 ppm

Long-term value: 500 ppm

74-98-6 propane

EL Long-term value: 1000 ppm

EV Long-term value: 1.000 ppm

106-97-8 butane

EL Short-term value: 750 ppm

Long-term value: 600 ppm

EV Long-term value: 800 ppm

108-65-6 2-methoxy-1-methylethyl acetate

EL Short-term value: 75 ppm

Long-term value: 50 ppm

EV Long-term value: 270 mg/m³, 50 ppm**1330-20-7 xylene, mixture of isomers**

EL Short-term value: 150 ppm

Long-term value: 100 ppm

EV Short-term value: 650 mg/m³, 150 ppmLong-term value: 435 mg/m³, 100 ppm**75-28-5 isobutane**

EV Long-term value: 800 ppm

67-63-0 propan-2-ol

EL Short-term value: 400 ppm

Long-term value: 200 ppm

EV Short-term value: 400 ppm

Long-term value: 200 ppm

· **Additional information:** The lists valid during the making were used as basis.

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes and skin.

(Contd. on page 6)

CDN

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03/24/2015

Version number 4

Revision: 03/24/2015

Trade name: MONTANA GOLD Spray Paint all colors, fluo and shock

(Contd. of page 5)

- **Respiratory protection:**
Not necessary if room is well-ventilated.
Otherwise, filter class A / P2 or self contained.
- **Protection of hands:**



Protective gloves

Solvent resistant gloves

In case of contact with spray dust protective gloves made of butyl should be used (min. 0.4 mm thick), e.g. KCL Camatril, article no. 898 or similar products

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves** Butyl rubber, BR
- **Penetration time of glove material**
Butyl rubber gloves with a thickness of 0.4 mm are resistant to:
 - Acetone: 480 min
 - Butyl acetate: 60 min
 - Ethyl acetate: 170 min
 - Xylene: 42 min
- **Eye protection:** Safety glasses

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
 - Form:** Aerosol
 - Colour:** According to product specification
- **Odour:** Characteristic
- **Odour threshold:** Not determined.
- **pH-value:** Not determined.
- **Change in condition**
 - Melting point/Melting range:** Undetermined.
 - Boiling point/Boiling range:** Not applicable, as aerosol.
- **Flash point:** Not applicable, as aerosol.
- **Flammability (solid, gaseous):** Not applicable.
- **Ignition temperature:** 235 °C
- **Decomposition temperature:** Not determined.
- **Self-igniting:** Product is not selfigniting.
- **Danger of explosion:** In use, may form flammable/explosive vapour-air mixture.
- **Explosion limits:**
 - Lower:** 2.1 Vol %
 - Upper:** 18.6 Vol %
- **Vapour pressure at 20 °C:** 5200 hPa
- **Density at 20 °C:** 0.96 g/cm³
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not applicable.

(Contd. on page 7)

CDN

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03/24/2015

Version number 4

Revision: 03/24/2015

Trade name: MONTANA GOLD Spray Paint all colors, fluo and shock

(Contd. of page 6)

- | | |
|---|--|
| · Solubility in / Miscibility with water: | Not miscible or difficult to mix. |
| · Partition coefficient (n-octanol/water): | Not determined. |
| · Viscosity: | |
| · Dynamic: | Not determined. |
| · Kinematic: | Not determined. |
| · Solvent content: | |
| · VOC-(EU) | --- |
| · VOC-EU% | 692.1 g/l
71.78 % |
| · Solids content: | 36.2 % |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values relevant for classification:****141-78-6 ethyl acetate**

Oral	LD50	5620 mg/kg (rabbit)
Inhalative	LC50/4 h	1600 mg/l (rat)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Irritating effect.
- **Sensitisation:** No sensitising effects known.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Irritant
Vapours have narcotic effect.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
Carc. 2

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.

(Contd. on page 8)

CDN

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03/24/2015

Version number 4

Revision: 03/24/2015

Trade name: MONTANA GOLD Spray Paint all colors, fluo and shock

(Contd. of page 7)

- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

08 01 11*	waste paint and varnish containing organic solvents or other dangerous substances
15 01 04	metallic packaging
15 01 11*	metallic packaging containing a dangerous solid porous matrix (for example asbestos), including empty pressure containers

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**
- **TDG, IMDG, IATA** UN1950
- **UN proper shipping name** UN1950 AEROSOLS
- **TDG** AEROSOLS
- **IMDG** AEROSOLS
- **IATA** AEROSOLS, flammable

- **Transport hazard class(es)**
- **TDG (Transport dangerous goods):**



- **Class** 2 5F Gases.
- **Label** 2.1

· **IMDG, IATA**

- **Class** 2.1
- **Label** 2.1

- **Packing group**
- **TDG, IMDG, IATA** Void

(Contd. on page 9)

CDN

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03/24/2015

Version number 4

Revision: 03/24/2015

Trade name: MONTANA GOLD Spray Paint all colors, fluo and shock

(Contd. of page 8)

· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Gases.
· Danger code (Kemler):	-
· EMS Number:	F-D,S-U
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· TDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· Transport category	2
· Tunnel restriction code	D
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· UN "Model Regulation":	UN1950, AEROSOLS, 2.1

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture .
- **GHS label elements**
The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**



GHS02 GHS07 GHS08

- **Signal word** Danger
- **Hazard-determining components of labelling:**
ethyl acetate
titanium dioxide
- **Hazard statements**
Extremely flammable aerosol. Pressurised container: May burst if heated.
Causes serious eye irritation.
Suspected of causing cancer.
May cause drowsiness or dizziness.
- **Precautionary statements**
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Do not spray on an open flame or other ignition source.
Do not pierce or burn, even after use.
Do not breathe spray.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Dispose of contents / container in accordance with regional regulations.

(Contd. on page 10)

CDN

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03/24/2015

Version number 4

Revision: 03/24/2015

Trade name: MONTANA GOLD Spray Paint all colors, fluo and shock

(Contd. of page 9)

- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H201 Explosive; mass explosion hazard.
- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H351 Suspected of causing cancer.
- H401 Toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- R10 Flammable.
- R11 Highly flammable.
- R12 Extremely flammable.
- R20 Harmful by inhalation.
- R20/21 Harmful by inhalation and in contact with skin.
- R3 Extreme risk of explosion by shock, friction, fire or other sources of ignition.
- R36 Irritating to eyes.
- R37 Irritating to respiratory system.
- R38 Irritating to skin.
- R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R65 Harmful: may cause lung damage if swallowed
- R66 Repeated exposure may cause skin dryness or cracking.
- R67 Vapours may cause drowsiness and dizziness.

· **Contact:** Anwendungstechnik

· **Abbreviations and acronyms:**

- ICAO: International Civil Aviation Organisation
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- WHMIS: Workplace Hazardous Materials Information System (Canada)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- Expl. 1.1: Explosives, Division 1.1
- Flam. Gas 1: Flammable gases, Hazard Category 1
- Flam. Aerosol 1: Flammable aerosols, Hazard Category 1
- Press. Gas C: Gases under pressure: Compressed gas
- Flam. Liq. 2: Flammable liquids, Hazard Category 2
- Flam. Liq. 3: Flammable liquids, Hazard Category 3
- Acute Tox. 4: Acute toxicity, Hazard Category 4
- Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
- Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A
- Carc. 2: Carcinogenicity, Hazard Category 2
- STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

(Contd. on page 11)

CDN

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03/24/2015

Version number 4

Revision: 03/24/2015

Trade name: MONTANA GOLD Spray Paint all colors, fluo and shock

Asp. Tox. 1: Aspiration hazard, Hazard Category 1
: Hazardous to the aquatic environment - Acute Hazard, Category 2
Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

(Contd. of page 10)

CDN

Item Numbers: 01425-1000, 01425-1010, 01425-1020, 01425-1030, 01425-1040, 01425-1050, 01425-1060, 01425-1070, 01425-1080, 01425-1090, 01425-1100, 01425-1110, 01425-1120, 01425-1130, 01425-1140, 01425-1150, 01425-1160, 01425-1180, 01425-1190, 01425-1240, 01425-1250, 01425-1260, 01425-1310, 01425-1390, 01425-1410, 01425-1500, 01425-1550, 01425-1690, 01425-1810, 01425-1880, 01425-1890, 01425-1900, 01425-1970, 01425-2010, 01425-2020, 01425-2030, 01425-2040, 01425-2050, 01425-2060, 01425-2070, 01425-2090, 01425-2100, 01425-2170, 01425-2180, 01425-2190, 01425-2200, 01425-2210, 01425-2220, 01425-2230, 01425-2240, 01425-2250, 01425-2260, 01425-2500, 01425-2510, 01425-2550, 01425-2560, 01425-2790, 01425-2880, 01425-2900, 01425-3010, 01425-3040, 01425-3050, 01425-3060, 01425-3080, 01425-3090, 01425-3100, 01425-3110, 01425-3120, 01425-3130, 01425-3360, 01425-3370, 01425-3380, 01425-3440, 01425-3450, 01425-3490, 01425-3510, 01425-3540, 01425-3550, 01425-3700, 01425-3710, 01425-3720, 01425-3730, 01425-3740, 01425-3750, 01425-3800, 01425-3810, 01425-3900, 01425-3960, 01425-3970, 01425-3980, 01425-4010, 01425-4020, 01425-4080, 01425-4090, 01425-4110, 01425-4230, 01425-4320, 01425-4330, 01425-4440, 01425-4510, 01425-4520, 01425-4540, 01425-4550, 01425-4560, 01425-4570, 01425-4580, 01425-4590, 01425-4600, 01425-4610, 01425-4660, 01425-4680, 01425-4690, 01425-4730, 01425-4750, 01425-4910, 01425-4930, 01425-4950, 01425-5000, 01425-5010, 01425-5020, 01425-5030, 01425-5040, 01425-5060, 01425-5070, 01425-5160, 01425-5230, 01425-5350, 01425-5390, 01425-5590, 01425-5730, 01425-5810, 01425-5880, 01425-5900, 01425-5910, 01425-5920, 01425-5930, 01425-5980, 01425-6020, 01425-6030, 01425-6040, 01425-6050, 01425-6060, 01425-6070, 01425-6080, 01425-6120, 01425-6410, 01425-7000, 01425-7010, 01425-7020, 01425-7030, 01425-7040, 01425-7050, 01425-7060, 01425-7070, 01425-7080, 01425-7100, 01425-7110, 01425-7130, 01425-7140, 01425-7150, 01425-7160, 01425-7170, 01425-7180, 01425-7190, 01425-7220, 01425-7230, 01425-7260, 01425-7270, 01425-7350, 01425-7390, 01425-7750, 01425-7840, 01425-7910, 01425-7940, 01425-8000, 01425-8010, 01425-8020, 01425-8030, 01425-8100, 01425-8110, 01425-8140, 01425-8170, 01425-8280, 01425-8290, 01425-8320, 01425-8350, 01425-8450, 01425-8480, 01425-8540, 01425-8600, 01425-8610, 01425-8700, 01425-8800, 01425-8810, 01425-8900, 01425-9010, 01425-9011, 01425-9330, 01425-9340, 01425-9500