	00250 Transparent Mars Red	Dated 10/6/2014 Printed on 10/6/2014 Page n. 1 / 6	
	Safety data sheet		
ECTION 1. Identification of t	the substance/mixture and of the compan	ny/undertaking	
. Product identifier			
Code: Product name	00250 MAIMERI PURO 00250 Transparent	Mars Red	
. Relevant identified uses of the subs	tance or mixture and uses advised against		
Intended use	Oil colour.		
. Details of the supplier of the safety	data sheet		
Name Full address	INDUSTRIA MAIMERI S.P.A. Via Gianni Maimeri, 1		
District and Country	20060 Mediglia	(MI)	
	Italia Tel. +39 02 906981		
e-mail address of the competent person			
responsible for the Safety Data Sheet Product distribution by	INDUSTRIA MAIMERI S.P.A. VIA G.MAIMERI 1	schedesicurezza@maimeri.it INDUSTRIA MAIMERI S.P.A. VIA G.MAIMERI 1 20060 BETTOLINO DI MEDIGLIA	
	(MI) ITALY		
 Emergency telephone number 			
For urgent inquiries refer to	Australia : 131126 USA: 1 800 222 1222 Regno Unito NHS Direct (UK): +44 (0) 845 46 4	47	
ECTION 2. Hazards identific	ation.		
I. Classification of the substance or m	nixture.		
amendments and supplements). Howev	hus pursuant to the provisions set forth in EC Regulation 1272 rer, since the product contains hazardous substances in conc heet with appropriate information, compliant to EC Regulation	centrations such as to be declared in	
amendments.			
amendments.	bllowing amendments and adjustments.		
amendments.	ollowing amendments and adjustments. 		
amendments. 1.1. Regulation 1272/2008 (CLP) and fo Hazard classification and indication:	bllowing amendments and adjustments. 		
amendments. 1.1. Regulation 1272/2008 (CLP) and fo Hazard classification and indication:	bllowing amendments and adjustments. 		
amendments. 1.1. Regulation 1272/2008 (CLP) and for Hazard classification and indication: 2. Label elements.	bllowing amendments and adjustments. 		
amendments. 1.1. Regulation 1272/2008 (CLP) and fo Hazard classification and indication: 2. Label elements. Hazard pictograms:	bllowing amendments and adjustments. 		
amendments. 1.1. Regulation 1272/2008 (CLP) and for Hazard classification and indication: 2. Label elements. Hazard pictograms: Signal words: Hazard statements:	-		
amendments. 1.1. Regulation 1272/2008 (CLP) and for Hazard classification and indication: 2. Label elements. Hazard pictograms: Signal words: Hazard statements: Precautionary statements: Safety data sheet available for profession	-		
amendments. 1.1. Regulation 1272/2008 (CLP) and for Hazard classification and indication: 2. Label elements. Hazard pictograms: Signal words: Hazard statements: Precautionary statements: Safety data sheet available for profession	-		
amendments. 1.1. Regulation 1272/2008 (CLP) and for Hazard classification and indication: 2. Label elements. Hazard pictograms: Signal words: Hazard statements: Precautionary statements: Safety data sheet available for profession 3. Other hazards.	-		
amendments. 1.1. Regulation 1272/2008 (CLP) and for Hazard classification and indication: 2. Label elements. Hazard pictograms: Signal words: Hazard statements: Precautionary statements: Safety data sheet available for profession 3. Other hazards.	-		
amendments. 1.1. Regulation 1272/2008 (CLP) and for Hazard classification and indication: 2. Label elements. Hazard pictograms: Signal words: Hazard statements: Precautionary statements: Safety data sheet available for profession 3. Other hazards.	-		

1 of 6 ge

			Pay	
		IA MAIMERI S.P.A.		Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014
MAIMERI PUI	RO	00250 Transparent M	ars Red	Page n. 2/6
	osition/ir	nformation on ingredients.		
1. Substances.	Joshion/II	normation on ingredients.		
Information not relevan	t.			
.2. Mixtures.				
Contains:				
Identification.	Conc. %.	Classification 67/548/EEC.	Classifica	tion 1272/2008 (CLP).
ETHYLENE GLYCOL I CAS. 112-34-5 EC. 203-961-6	MONOBUTYL 0 - 0,05	. ETHER Xi R36	Eye Irrit. 2 H3	19
INDEX. 603-096-00-	8			
Note: Upper limit is not The full wording of the		the range. aazard (H) phrases is given in section 16 of the	e sheet.	
T+ = Very Toxic(T+), T = Toxic N = Dangerous for the Environ		Xn), C = Corrosive(C), Xi = Irritant(Xi), O = Oxidizing(O), E = E	Explosive(E), F+ = Extre	emely Flammable(F+), F = Highly Flammable(F),
SECTION 4. First	aid moası	IFAS		
.1. Description of first a				
		ce of good industrial hygiene is recommended	l.	
		fects, both acute and delayed. ribable to the product have been reported.		
I.3. Indication of any imit Information not available		cal attention and special treatment needed		
SECTION 5. Firefig	ghting me	easures.		
.1. Extinguishing media SUITABLE EXTINGUIS The extinguishing equip UNSUITABLE EXTING None in particular.	HING EQUIP	be of the conventional kind: carbon dioxide, fo	am, powder and v	water spray.
.2. Special hazards aris HAZARDS CAUSED B Do not breathe combus	Y EXPOSURE	IN THE EVENT OF FIRE		
health. Always wear f contaminated water use SPECIAL PROTECTIV Normal fire fighting cl	ION cool the cont full fire preve ed for extinction E EQUIPMEN othing i.e. fire	ainers to prevent product decomposition and ntion gear. Collect extinguishing water to p on and the remains of the fire according to app IT FOR FIRE-FIGHTERS e kit (BS EN 469), gloves (BS EN 659) and b ressure compressed air breathing apparatus (B	revent it from dra licable regulation	aining into the sewer system. Dispose of s.
SECTION 6. Accid	lental rele	ase measures.		
6.1. Personal precaution	s, protective lent if fumes	equipment and emergency procedures. or powders are released into the air. The	se indications ap	oply for both processing staff and those
5.2. Environmental preca The product must not p		he sewer system or come into contact with su	rface water or gro	und water.

Page 2 of 6

EPY 8.1.21

MAIMERI PURO 00250 Transparent Mars Red

SECTION 6. Accidental release measures. .../>>

6.3. Methods and material for containment and cleaning up.

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

7.2. Conditions for safe storage, including any incompatibilities.

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters. Information not available

information not available

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protection equipment, make sure that the workplace is well aired through effective local aspiration. Personal protection equipment must comply with the rules in force indicated below. HAND PROTECTION

Protect hands with category I (ref. Directive 89/686/EEC and standard EN 374) work gloves, such as those in latex, PVC or equivalent. The following should be considered when choosing work glove material: degradation, breakage times and permeation. Work glove resistance to preparations should be checked before use, as it can be unpredictable. Gloves' limit depends on the duration of exposure. EYE PROTECTION

Use of protective airtight goggles (ref. standard EN 166) recommended. SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (ref. Directive 89/686/CEE and standard EN 344). Wash body with soap and water after removing overalls.

RESPIRATORY PROTECTION

If the threshold value (if available) for one or more of the substances present in the preparation for daily exposure in the workplace or to a fraction established by the company's prevention and protection service is exceeded, wear a mask with an A or universal filter, the class (1, 2 or 3) of which must be chosen according to the limit concentration of use (ref. standard EN 141).

The use of respiratory tract protection equipment, such as masks like that indicated above, is necessary to reduce worker exposure in the absence of technical measures. The protection provided by masks is in any case limited.

If the substance in question is odourless or its olfactory threshold is higher than the relative exposure limit and in the event of an emergency, or when exposure levels are unknown or the concentration of oxygen in the workplace is less than 17% volume, wear self-contained, open-circuit compressed air breathing apparatus (ref. standard EN 137) or fresh air hose breathing apparatus for use with full face mask, half mask or mouthpiece (ref. standard EN 138).

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance Colour Odour Odour threshold. pH.		paste LIGHT BROWN OIL Not available.
Melting point / freezing point. Initial boiling point. Boiling range. Flash point. Evaporation Rate Flammability of solids and gases Lower inflammability limit. Upper inflammability limit. Lower explosive limit.	>	Not available. Not available. 60 °C. Not available. Not available. Not available. Not available. Not available. Not available. Not available.

Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014 Page n. 3 / 6

MAIMERI PURO 00250 Transparent Mars Red

SECTION 9. Physical and chemical properties. .../>>

Vapour pressure.	Not available.		
Vapour density	Not available.		
Relative density.	0,2 Kg/l		
Solubility	INSOLUBLE, DILUTE WITH WHITE SPIRIT		
Partition coefficient: n-octanol/water	Not available.		
Auto-ignition temperature.	Not available.		
Decomposition temperature.	Not available.		
Viscosity	3.500.000/5.000.000 cps		
Explosive properties	Not available.		
Oxidising properties	Not available.		
9.2. Other information.			
Solid content.	43,30 %		
VOC (Directive 1999/13/EC) :	0,27 % - 3,61 g/litre.		
VOC (volatile carbon) :	0,23 % - 3,06 g/litre.		

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled carefully according to good industrial practices. This product may have slight health effects on sensitive people, by inhalation and/or cutaneous absorption and/or contact with eyes and/or ingestion.

11.1. Information on toxicological effects.

Information not available.

SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

12.1. Toxicity.

Information not available.

- **12.2. Persistence and degradability.** Information not available.
- **12.3. Bioaccumulative potential.** Information not available.

12.4. Mobility in soil. Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014

Page n. 4/6

MAIMERI PURO 00250 Transparent Mars Red

SECTION 12. Ecological information. ... / >>

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Avoid littering. Do not contaminate soil, sewers and waterways.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso category. None.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

Substances in Candidate List (Art. 59 REACH).

None.

None.

Substances subject to authorisarion (Annex XIV REACH). None.

Substances subject to exportation reporting pursuant to (EC) Reg. 689/2008:

None.

None

Substances subject to the Rotterdam Convention: None.

Substances subject to the Stockholm Convention:

Healthcare controls.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

H319

Causes serious eye irritation.

Text of risk (R) phrases mentioned in section 2-3 of the sheet:

R36 IRRITATING TO EYES.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road

- CAS NUMBER: Chemical Abstract Service Number

- CE50: Effective concentration (required to induce a 50% effect)

- CE NUMBER: Identifier in ESIS (European archive of existing substances)

- CLP: EC Regulation 1272/2008

Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014 Page n. 5 / 6

Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014 Page n. 6 / 6

MAIMERI PURO

SECTION 16. Other information. .../>>

- DNEL: Derived No Effect Level

- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation.

GENERAL BIBLIOGRAPHY

- 1. Directive 1999/45/EC and following amendments
- 2. Directive 67/548/EEC and following amendments and adjustments
- 3. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 4. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 5. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 6. Regulation (EC) 453/2010 of the European Parliament
- 7. Regulation (EC) 286/2011 (II Atp. CLP) of the European Parliament
- 8. The Merck Index. 10th Edition
- 9. Handling Chemical Safety
- 10. Niosh Registry of Toxic Effects of Chemical Substances
- 11. INRS Fiche Toxicologique (toxicological sheet)
- 12. Patty Industrial Hygiene and Toxicology
- 13. N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- 14. ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

00250 Transparent Mars Red

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review: The following sections were modified: 02 / 03 / 04 / 05 / 06 / 07 / 08 / 09 / 10 / 11 / 12 / 13 / 14 / 15 / 16.

Item Numbers: 01541-3770