SAFETY DATA SHEET

LEFRANC & BOURGEOIS HUILE FINE BLANC DE TITANE / FINE OIL TITANIUM WHITE

According to Regulation (EC) No 1907/2006

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name LEFRANC & BOURGEOIS HUILE FINE BLANC DE TITANE / FINE OIL TITANIUM WHITE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Fine Art Painting

1.3. Details of the supplier of the safety data sheet		
Supplier	ColArt International SA	
	5 Rue Rene Panhard	
	Z.I .Nord	
	72021 Le Mans Cedex 2	
	+33 2 43 83 83 00	
	Lefranc-Bourgeois@colart.fr	
Contact Person	Jon Lloyd Group Regulatory Affairs Manager +44 (0)20842434224; j.lloyd@colart.co.uk	

1.4. Emergency telephone number

33 (0)2 43 83 83 00 This number is only available during office hours.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (1999/45/EEC) N;R51/53.

2.2. Label elements

Labelling

Risk Phrases

Safety Phrases



Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS			
<u>3.2. Mixtures</u>			
Naphtha (petroleum),hydrodesu	ulphurised heavy.		< 1%
CAS-No.: 64742-82-1	EC No.: 265-185-4		
Classification (EC 1272/2008) Flam. Lig. 3 - H226		Classification (67/548/EEC) Xn:R65.	
EUH066		N;R51/53.	
Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411		R10,R66.	

SDS No. MSDS for HEFT BANG BE BANG BE BANG BE FINE BLANC DE TITANE / FINE OIL TITANIUM WHITE age 2 of 6

CAS-No.: 1314-13-2 EC No.: 215-222-5
Classification (EC 1272/2008) Classification (67/548/EEC)
Aquatic Acute 1 - H400 N; R50/53
Aquatic Chronic 1 - H410
he Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort continues.

Skin contact

Remove affected person from source of contamination. Get medical attention if irritation persists after washing.

Eye contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues. 4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Fire can be extinguished using: Foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Unusual Fire & Explosion Hazards May ignite other combustible materials. Specific hazards Fire creates: Oxides of: Carbon.

5.3. Advice for firefighters

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up

Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

6.4. Reference to other sections

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid spilling, skin and eve contact,

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container. Store at moderate temperatures in dry, well ventilated area.

7.3. Specific end use(s)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Item Numbers: 01544-1020

12375

SDS No. 12375 MSDS fole FRANCE FRANCE FRANCE FRANCE FINE BLANC DE TITANE / FINE OIL TITANIUM WHITE age 3 of 6

8.1. Control parameters

Name	STD	TWA	- 8 Hrs	STEL	- 15 Min	Notes
Naphtha (petroleum),hydrodesulphurised heavy.	OES	100		ppm		

Ingredient Comments

No exposure limits noted for ingredient(s).

8.2. Exposure controls

Engineering measures No particular ventilation requirements. Respiratory equipment No specific recommendations. Hand protection Use suitable protective gloves if risk of skin contact. Eye protection Not relevant Hygiene measures No specific bygiene procedures noted, but good personal

No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Paste		
Colour	White.		
Odour	Characteristic.		
Solubility	Immiscible with water		
Initial boiling point and boiling range	>300 760 mm Hg		
Relative density	>1.00 20 C		
Flash point	>230. CC (Closed cup).		
Auto Ignition Temperature (°C)	>300		
9.2. Other information			

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Stable under normal temperature conditions. **10.3. Possibility of hazardous reactions**

10.4. Conditions to avoid

Keep away from combustible material. Possible spontaneous combustion on drying.

10.5. Incompatible materials

10.6. Hazardous decomposition products

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicological information No data recorded.

General information

This product has low toxicity. Only large volumes may have adverse impact on human health.

Item Numbers: 01544-1020

Inhalation May cause irritation to the respiratory system.

Ingestion May cause discomfort if swallowed.

Skin contact Slightly irritating.

Eye contact Irritating to eyes.

Health Warnings No specific health warnings noted. Route of entry Inhalation. Skin and/or eye contact.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Dangerous for the environment: May cause long-term adverse effects in the aquatic environment.

12.1. Toxicity

12.2. Persistence and degradability

12.3. Bioaccumulative potential

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORT INFORMATION		
<u>14.1. UN number</u>		
UN No. (ADR/RID/ADN)	3082	
UN No. (IMDG)	3082	
UN No. (ICAO)	3082	
14.2. UN proper shipping na	me	
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (zinc oxide)	
14.3. Transport hazard class	s <u>(es)</u>	
ADR/RID/ADN Class	9	
ADR/RID/ADN Class	Class 9: Other dangerous substances.	
ADR Label No.	9	
IMDG Class	9	
ICAO Subsidiary risk	9	
em Numbers: 01544-1020		Page 4 of 6



14.4. Packing group

ADR/RID/ADN Packing group	ш
IMDG Packing group	ш
ICAO Packing group	ш

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant



14.6. Special precautions for user

Hazard No. (ADR)

Tunnel Restriction Code

90 Environmentally hazardous substance; miscellaneous dangerous substances.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

(E)

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Legislation

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. System of specific information relating to Dangerous Preparations. 2001/58/EC.

15.2. Chemical Safety Assessment

SECTION 16: OTHER INFORMATION		
Revision Date	21/05/2012	
Revision	1	
Date	19/08/2010	
Risk Phrases In Full		
R10	Flammable.	
R65	Harmful: may cause lung damage if swallowed.	
R66	Repeated exposure may cause skin dryness or cracking.	
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	
Hazard Statements In Full		
H226	Flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
EUH066	Repeated exposure may cause skin dryness or cracking.	
H411	Toxic to aquatic life with long lasting effects.	
H410	Very toxic to aquatic life with long lasting effects.	
H400	Very toxic to aquatic life.	

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in ϵ process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

6/6