

Section 4 - First Aid

Inhalation: Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

Eye: Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

Skin: Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

Ingestion: If swallowed, dilute by giving 2 or more glasses of water to drink **ONLY IF CONSCIOUS!** Do not induce vomiting. Seek medical attention **IMMEDIATELY.**

Section 5 - Fire Fighting

Flash Point: > 99 C (> 210 F)

LEL: N/A

UEL: N/A

Extinguishing Media: Water, Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray, as this may spread the fire.

Unusual Fire and Explosion Hazards: Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/ or fumes may generate during combustion or decomposition.

Hazardous Byproducts: Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume.

Fire Fighting Procedures: Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

Special Precautions: Wear self-contained breathing apparatus and full protective gear.

Section 6 - Release

Personal precautions, protective equipment and emergency procedures: Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

Environmental precautions: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

Methods and materials for containment and clean-up: Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor.

Section 7 - Handling

Precautions and safe handling: Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. Read label before use.

Conditions for safe storage: Store in a cool, well-ventilated place. Keep out of the reach of children.

Section 8 - Exposure Control

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
	Not Established	Not Established	Not Established

Engineering Controls: Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

General Hygiene Considerations: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

Personal Protective Equipment: None required under normal use. For techniques requiring continual hand exposure, gloves are recommended.

Section 9 - Properties

Properties listed are typical and not to be used as a specification.

<p>Appearance: Liquid</p> <p>Vapor Pressure: Not available</p> <p>Vapor Density: Not available</p> <p>Density: 1.00 – 2.80</p> <p>Freezing point: Not available</p> <p>Boiling range: Not available</p> <p>Evaporation rate: Not available</p> <p>Explosive Limits: Not available</p> <p>Auto ignition temperature: Not available</p> <p>Viscosity: 10,000 – 20,000 cP</p>	<p>Odor: Linseed oil</p> <p>Odor threshold: Not available</p> <p>pH: Not applicable</p> <p>Melting point: Not applicable</p> <p>Solubility: Not soluble</p> <p>Flash point: > 99°C, > 210°F</p> <p>Flammability: Not applicable</p> <p>Partition coefficient (n-octanol/water): Not available</p> <p>Decomposition temperature: Not available</p>
--	--

Section 10 - Reactivity

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Acids, high temperatures (see below)

Risk of hazardous decomposition:

Ultramarine Blue, Ultramarine Blue French, Ultramarine Violet, Payne’s Gray and Payne’s Gray (Violet) – Contact with acids liberates Hydrogen Sulphide (H₂S) gas, at temperatures above 400 C in the presence of air an exothermic reaction can occur with the liberation of Sulphur Dioxide (SO₂) gas.

Cadmiums – May react with strong acids yielding toxic/flammable Hydrogen Sulphide (H₂S) gas, fire/thermal decomposition can produce hazardous fumes (Cadmium Oxide, Selenium Dioxide) and gases (Sulfur Dioxide).

Hazardous polymerization will not occur.

Section 11 - Toxicology

Mixture Toxicity: The mixture as a whole has not been tested to determine its toxicity.

Possible routes of entry or exposure:

Not Applicable

Possible target organs of exposure to this mixture:

Not Applicable

Effects of Overexposure

Not Available

Carcinogenicity: This mixture as a whole has not been tested to determine its carcinogenic properties.

Section 12 - Ecological Toxicity

Ecotoxicity: This mixture as a whole has not been tested to determine its ecological toxicity.

Section 13 - Disposal

Disposal Instructions: Dispose of in compliance with the laws and regulations pertaining to this product in your jurisdiction. Empty containers should be decontaminated and taken for local recycling, recovery or waste disposal. Cadmium pigmented paints should be treated as hazardous waste.

Section 14 - Transport

Agency	Proper Shipping Name	UN Number	Packing Group	Hazard Class
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

Section 15 - Regulatory

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

CAS#	Description	Hazard
Various	Cadmium Compound ¹	Carcinogen
Various	Nickel Compound ²	Carcinogen

Country	Regulation	All Components Listed
AUSTRALIA	AICS – Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL), Non-Domestic Substances List (NDSL)	Yes
EUROPE	European Inventory of Notified Existing Commercial Chemical (EINECS)	Yes
EUROPE	European List of Notified Chemical Substances (ELINCS)	No
JAPAN	Inventory of Existing and New Chemical Substances (ENCS)	No
CHINA	Inventory of Existing Chemical Substances in China (IECSC)	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
USA	Active – Toxic Substances Control Acts (TSCA) Inventory	Yes

Section 16 - Other Information

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2024-10-16

Reviewer Revision 2

Date Prepared: 10/16/2024

Item Numbers: 01571-1003, 01571-1004, 01571-1019, 01571-1020, 01571-1021, 01571-1022, 01571-1023, 01571-1024, 01571-1025, 01571-1026, 01571-1028, 01571-1029, 01571-1033, 01571-1034, 01571-1069, 01571-1079, 01571-1099, 01571-1109, 01571-1110, 01571-1111, 01571-1112, 01571-1118, 01571-1119, 01571-1129, 01571-1133, 01571-1134, 01571-1139, 01571-1143, 01571-1144, 01571-1173, 01571-1174, 01571-1330, 01571-1331, 01571-1332, 01571-1333, 01571-1334, 01571-1335, 01571-1336, 01571-1338, 01571-1393, 01571-1394, 01571-1430, 01571-1431, 01571-1432, 01571-1438, 01571-1670, 01571-1671, 01571-1672, 01571-1678, 01571-1763, 01571-1764, 01571-1773, 01571-1774, 01571-2013, 01571-2014, 01571-2015, 01571-2016, 01571-2023, 01571-2024, 01571-2043, 01571-2044, 01571-2173, 01571-2174, 01571-2223, 01571-2224, 01571-2510, 01571-2511, 01571-2512, 01571-2513, 01571-2514, 01571-2515, 01571-2516, 01571-2518, 01571-2524, 01571-2534, 01571-2544, 01571-2563, 01571-2564, 01571-2573, 01571-2574, 01571-2584, 01571-2613, 01571-2614, 01571-2633, 01571-2634, 01571-2853, 01571-2854, 01571-3063, 01571-3064, 01571-3093, 01571-3094, 01571-3103, 01571-3104, 01571-3203, 01571-3204, 01571-3253, 01571-3254, 01571-3263, 01571-3264, 01571-3273, 01571-3274, 01571-3283, 01571-3284, 01571-3423, 01571-3424, 01571-3433, 01571-3434, 01571-3493, 01571-3494, 01571-3613, 01571-3614, 01571-3623, 01571-3624, 01571-3643, 01571-3644, 01571-3673, 01571-3674, 01571-3683, 01571-3684, 01571-3685, 01571-3686, 01571-3703, 01571-3704, 01571-3711, 01571-3713, 01571-3714, 01571-3733, 01571-3734, 01571-3743, 01571-3744, 01571-3753, 01571-3754, 01571-3761, 01571-3762, 01571-3773, 01571-3774, 01571-3780, 01571-3781, 01571-3782, 01571-3783, 01571-3784, 01571-3788, 01571-3793, 01571-3794, 01571-3813, 01571-3814, 01571-3823, 01571-3883, 01571-3884, 01571-3903, 01571-3904, 01571-4003, 01571-4004, 01571-4033, 01571-4034, 01571-4043, 01571-4044, 01571-4093, 01571-4094, 01571-4103, 01571-4104, 01571-4113, 01571-4114, 01571-4123, 01571-4124, 01571-4133, 01571-4134, 01571-4143, 01571-4144, 01571-4163, 01571-4164, 01571-4183, 01571-4184, 01571-4373, 01571-4374, 01571-4383, 01571-4384, 01571-4393, 01571-4394, 01571-4403, 01571-4503, 01571-4513, 01571-4514, 01571-4533, 01571-4534, 01571-4553, 01571-4554, 01571-4603, 01571-4604, 01571-4613, 01571-4614, 01571-4653, 01571-4654, 01571-4663, 01571-4664, 01571-4673, 01571-4674, 01571-4683, 01571-4684, 01571-4703, 01571-4704, 01571-4713, 01571-4714, 01571-4823, 01571-4824, 01571-4825, 01571-4826, 01571-4833, 01571-4834, 01571-4843, 01571-4844, 01571-4853, 01571-4854, 01571-4863, 01571-4864, 01571-4865, 01571-4866, 01571-4873, 01571-4874, 01571-4883, 01571-4884, 01571-4913, 01571-4914, 01571-4923, 01571-4924, 01571-4931, 01571-4932, 01571-4943, 01571-4944, 01571-4951, 01571-4952, 01571-4963, 01571-4964, 01571-4993, 01571-4994, 01571-5113, 01571-5114, 01571-5163, 01571-5164, 01571-5173, 01571-5174, 01571-5183, 01571-5184, 01571-5203, 01571-5204, 01571-5213, 01571-5214, 01571-5223, 01571-5224, 01571-5230, 01571-5231, 01571-5232, 01571-5233, 01571-5234, 01571-5238, 01571-5270, 01571-5271, 01571-5272, 01571-5273, 01571-5274, 01571-5278, 01571-5283, 01571-5284, 01571-5343, 01571-5344, 01571-5345, 01571-5346, 01571-5373, 01571-5374, 01571-5383, 01571-5384, 01571-5570, 01571-5571, 01571-5572, 01571-5573, 01571-5574, 01571-5578, 01571-5673, 01571-5674, 01571-5913, 01571-5914, 01571-5933, 01571-5934, 01571-6193, 01571-6194, 01571-6195, 01571-6196, 01571-6513, 01571-6514, 01571-6563, 01571-6564, 01571-6580, 01571-6581, 01571-6582, 01571-6583, 01571-6584, 01571-6588, 01571-6603, 01571-6604, 01571-6623, 01571-6624, 01571-6633, 01571-6634, 01571-6653, 01571-6654, 01571-6663, 01571-6664, 01571-6723, 01571-6724, 01571-6730, 01571-6731, 01571-6732, 01571-6733, 01571-6734, 01571-6738, 01571-6813, 01571-6814, 01571-7071, 01571-7072, 01571-7091, 01571-7092, 01571-7123, 01571-7124, 01571-7125, 01571-7126, 01571-7130, 01571-7131, 01571-7132, 01571-7133, 01571-7134, 01571-7138, 01571-7163, 01571-7164, 01571-7165, 01571-7166, 01571-7193, 01571-7194, 01571-7203, 01571-7204, 01571-7213, 01571-7214, 01571-7313, 01571-7314, 01571-7343, 01571-7344, 01571-