

01773-XXXX

Safety Data Sheet**Section 1 - Identification****GOLDEN**

Ardoise Gray / 7000525 ¹
 Aureolin Modern / 7000135 ²
 Benzimidazolone Burnt Orange / 7000605
 Benzimidazolone Yellow / 7000126
 Bismuth Vanadate Yellow / 7000115
 Bohemian Green Earth / 7000415 ³
 Brown Umber / 7000570 ¹
 Burnt Sienna (Natural) / 700470 ¹
 Burnt Umber (Natural) / 7000480 ¹
 Cadmium Orange / 7000180 ⁴
 Cadmium Purple / 7000580 ⁴
 Cadmium Red Deep / 7000220 ⁴
 Cadmium Red Light / 7000195 ⁴
 Cadmium Red Medium / 7000215 ⁴
 Cadmium Yellow Deep / 7000170 ⁴
 Cadmium Yellow Light / 7000120 ⁴
 Cadmium Yellow Medium / 7000130 ⁴
 Cadmium Yellow Primrose / 7000105 ⁴
 Carbon Black / 7000500 ³
 Cerulean Blue Chromium / 7000330
 Chinese White / 7000530
 Chromium Oxide Green / 7000410
 Cobalt Blue / 7000320
 Cobalt Green / 7000390
 Cobalt Teal / 7000360

Cobalt Turquoise / 7000370
 Diarylide Yellow / 7000175
 Dioxazine Purple / 7000295
 Disazo Scarlet / 7000640
 French Cerulean Blue / 7000350
 Green Gold / 7000425
 Hansa Yellow Light / 7000110
 Hookers Green / 7000395 ²
 Indanthrone Blue / 7000335
 India Yellow / 7000146 ²
 Indigo / 7000305 ³
 Interference Blue / 7000555
 Interference Green / 7000560
 Interference Red / 7000610
 Interference Violet / 7000565
 Iridescent Copper / 7000615
 Iridescent Gold (Fine) / 7000540
 Iridescent Pearl (Fine) / 7000545
 Iridescent Silver (Fine) / 7000550
 Isoindolinone Yellow / 7000600
 Ivory Black / 7000505 ³
 Manganese Blue / 7000355
 Naples Yellow / 7000435
 Naples Yellow Deep / 7000595
 Neutral Tint / 7000520

Nickel Azo Yellow / 7000140 ²
 Nickel Yellow / 7000100 ²
 Olive Green / 7000420
 Payne's Gray / 7000510 ³
 Payne's Gray (Violet) / 7000575 ³
 Permanent Alizarin Crimson / 7000240
 Permanent Gamboge / 7000150 ²
 Permanent Green Light / 7000385
 Permanent Scarlet / 7000230
 Perylene Violet / 7000635
 Phthalo Blue (Green Shade) / 7000345
 Phthalo Blue (Red Shade) / 7000585
 Phthalo Green (Blue Shade) / 7000375
 Phthalo Turquoise / 7000365
 Prussian Blue / 7000340
 Pyrrole Orange / 7000590
 Pyrrole Red Deep / 7000225
 Pyrrole Red Light / 7000200
 Pyrrole Red Medium / 7000210
 Quinacridone Burnt Orange / 7000165
 Quinacridone Crimson / 7000260
 Quinacridone Gold / 7000155 ²
 Quinacridone Gold Deep / 7000160
 Quinacridone Magenta / 7000265
 Quinacridone Red / 7000235

Quinacridone Red Light / 7000205
 Quinacridone Violet / 7000280
 Raw Sienna (Natural) / 7000450 ¹
 Raw Umber (Natural) / 7000485 ¹
 Sap Green / 7000400 ²
 Sepia / 7000490 ^{2,3}
 C.T. Interference Green-Blue / 7000630
 C.T. Interference Green-Orange / 7000625
 C.T. Interference Violet-Green / 7000620
 Terre Verte / 7000405 ¹
 Titan Buff / 7000430
 Titanium White / 7000535
 Transparent Brown Oxide / 7000475
 Transparent Pyrrole Orange / 7000185
 Transparent Red Oxide / 7000455
 Transparent Yellow Oxide / 7000445
 Ultramarine Blue / 7000310
 Ultramarine Blue Violet / 7000316
 Ultramarine Pink Dark / 7000655
 Ultramarine Violet / 7000290
 Van Dyke Brown / 7000495
 Venetian Red / 7000465
 Viridian Green / 7000380 ⁵
 Yellow Ochre (Natural) / 7000440 ¹

^{1, 2, 3, 4, 5} Denotes Additional Information Found in Section 15

GOLDEN ARTIST COLORS, INC.
 188 BELL ROAD
 NEW BERLIN, NY 13411

Phone: (607)847-6154
 In US and Canada only: (800)959-6543

Prepared by: Regulatory Department

Product Use: Artist's Paint

Not recommended for: Use by children

Section 2 - Hazards Identification**GHS Ratings:**

There are no GHS ratings that apply to this product at this time

GHS Hazards

There are no GHS hazards that apply to this product at this time

GHS Precautions

There are no GHS precautions that apply to this product at this time

Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %
Not Applicable		

Section 4 - First Aid**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

SDS for: Qor Watercolors - Colors

Item Numbers: 01773-1009, 01773-1011, 01773-1013, 01773-1019, 01773-1021, 01773-1029, 01773-1039, 01773-1049, 01773-1051, 01773-1061, 01773-1069, 01773-1071, 01773-1129, 01773-1169, 01773-1249, 01773-1269, 01773-1369, 01773-2121, 01773-2251, 01773-2561, 01773-2991, 01773-3091, 01773-3101, 01773-3131, 01773-3201, 01773-3271, 01773-3741, 01773-3791, 01773-3871, 01773-3881, 01773-3891, 01773-3901, 01773-3911, 01773-3921, 01773-3931, 01773-3941, 01773-4041, 01773-4091, 01773-4121, 01773-4131, 01773-4141, 01773-4161, 01773-4311, 01773-4321, 01773-4331, 01773-4341, 01773-4491, 01773-4521, 01773-4531, 01773-4541, 01773-4671, 01773-4701, 01773-4721, 01773-4751, 01773-4991, 01773-5081, 01773-5121, 01773-5131, 01773-5161, 01773-5181, 01773-5221, 01773-5231, 01773-5341, 01773-5391, 01773-5811, 01773-5921, 01773-5991, 01773-6021, 01773-6511, 01773-6581, 01773-6731, 01773-7071, 01773-7091, 01773-7111, 01773-7121, 01773-7131, 01773-7161, 01773-7381, 01773-7481, 01773-7531, 01773-7541, 01773-7551, 01773-7981, 01773-7991, 01773-8041, 01773-8051, 01773-8061, 01773-8071, 01773-8081, 01773-8311, 01773-8911, 01773-8991, 01773-9011, 01773-9311, 01773-9881, 01773-9991, 01773-2531, 01773-3141, 01773-3331, 01773-3541, 01773-3751, 01773-4171, 01773-4511, 01773-4841, 01773-4891, 01773-5201, 01773-5931, 01773-6081, 01773-6341, 01773-6631, 01773-6641, 01773-7921, 01773-7931, 01773-7941, 01773-8531, 01773-9531

Page 1 of 4

Printed: 9/12/2023 at 9:34:01 AM

Section 5 - Fire Fighting

Flash Point: > 104 C (> 219 F)

LEL: N/A

UEL: N/A

Extinguishing Media: Water, Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray, as this may spread the fire.

Unusual Fire and Explosion Hazards: Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/ or fumes may generate during combustion or decomposition.

Hazardous Byproducts: Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume. See Section 10 for additional information.

Fire Fighting Procedures: Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

Special Precautions: Wear self-contained breathing apparatus and full protective gear.

Section 6 - Release

Personal precautions, protective equipment and emergency procedures: Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

Environmental precautions: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

Methods and materials for containment and clean-up: Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor.

Section 7 - Handling

Precautions and safe handling: Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. Read label before use.

Conditions for safe storage: Store in a cool, well-ventilated place. Keep out of the reach of children.

Section 8 - Exposure Control

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits

Engineering Controls: Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

General Hygiene Considerations: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

Personal Protective Equipment: None required under normal use. For techniques requiring continual hand exposure, gloves are recommended. Safety glasses or goggles recommended when spraying.

Section 9 - Properties

Properties listed are typical and not to be used as a specification.

Appearance: Liquid	Odor: Slight
Vapor Pressure: Not available	Odor threshold: Not available

<p>Vapor Density: Not available</p> <p>Density: 1.10 – 2.00</p> <p>Freezing point: Not available</p> <p>Boiling range: Not available</p> <p>Evaporation rate: Not available</p> <p>Explosive Limits: Not available</p> <p>Auto ignition temperature: Not available</p> <p>Viscosity: Not available</p>	<p>pH: 7.0 – 9.0</p> <p>Melting point: Not applicable</p> <p>Solubility: Miscible</p> <p>Flash point: > 104°C, > 219°F</p> <p>Flammability: Not applicable</p> <p>Partition coefficient (n-octanol/water): Not available</p> <p>Decomposition temperature: Not available</p>
--	---

Section 10 - Reactivity

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Acids, high temperatures (see below)

Risk of hazardous decomposition:

Ultramarine colors, Payne's Gray and Payne's Gray (Violet) – Contact with acids liberates Hydrogen Sulphide (H₂S) gas, at temperatures above 400 C in the presence of air an exothermic reaction can occur with the liberation of Sulphur Dioxide (SO₂) gas.

Cadmiums – May react with strong acids yielding toxic/flammable Hydrogen Sulphide (H₂S) gas, fire/thermal decomposition can produce hazardous fumes (Cadmium Oxide, Selenium Dioxide) and gases (Sulfur Dioxide).

Hazardous polymerization will not occur.

Section 11 - Toxicology

Mixture Toxicity: This mixture as a whole has not been tested to determine its toxicity.

Possible routes of entry or exposure:

Not Applicable

Possible target organs of exposure to this mixture:

Not Available

Effects of Overexposure

Not Available

Carcinogenicity: This mixture as a whole has not been tested to determine its carcinogenic properties.

Section 12 - Ecological Toxicity

Ecotoxicity: This mixture as a whole has not been tested to determine its ecological toxicity.

Section 13 - Disposal

Disposal Instructions: Dispose as per local regulations. It is best to use all material, rather than dispose of it. If necessary, dispose of as latex paint. Cadmium pigmented paints should be treated as hazardous waste.

Section 14 - Transport

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing</u>	<u>Hazard Class</u>
DOT	Not Regulated			
IATA	Not Regulated			
IMDG	Not Regulated			

Section 15 - Regulatory

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

<u>CAS#</u>	<u>Description</u>	<u>Hazard</u>
14808-60-7	Quartz (Crystalline Silica) ¹	Carcinogen
Various	Nickel Compound ²	Carcinogen
1333-86-4	Carbon Black ³	Carcinogen
Various	Cadmium Compound ⁴	Carcinogen
Various	Chromium (hexavalent compounds) ⁵	Carcinogen/Reproductive Toxin

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	No
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical	Yes
USA	Active-Toxic Substances Control Act (TSCA) Inventory	Yes

Section 16 - Other Information

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2023-09-12

Reviewer Revision 2

Date Prepared: 9/12/2023