		RI S.P.A. 00022 Ceruse	Dated 10/6/2014 Printed on 10/6/2014 Page n. 1 / 6
	S	afety data sheet	
SECTION 1. Identification o	f the substance	e/mixture and of the compar	y/undertaking
I.1. Product identifier			
Code: Product name	00022 COLOR	I DEL RINASCIMENTO 00022	2 Ceruse
I.2. Relevant identified uses of the su			
Intended use	Oil colo	-	
.3. Details of the supplier of the safet			
Name Full address District and Country	INDUST	TRIA MAIMERI S.P.A. nni Maimeri, 1 Mediglia Italia +39 02 906981	(MI)
e-mail address of the competent pers responsible for the Safety Data Sheet		+39 02 90698999 sicurezza@maimeri.it	
Product distribution by	INDUST (MI) ITA	TRIA MAIMERI S.P.A. VIA G.MAIMERI 1	20060 BETTOLINO DI MEDIGLIA
I.4. Emergency telephone number			
For urgent inquiries refer to	USA: 1	ia : 131126 800 222 1222 Unito NHS Direct (UK): +44 (0) 845 46 4	47
SECTION 2. Hazards identif	ication.		
2.1. Classification of the substance or	<sup>-</sup> mixture.		
amendments and supplements). How	ever, since the produc	provisions set forth in EC Regulation 1272 t contains hazardous substances in conc e information, compliant to EC Regulation	centrations such as to be declared in
2.1.1. Regulation 1272/2008 (CLP) and	following amendme	nts and adjustments.	
Hazard classification and indication:			
Hazard classification and indication:			
Hazard classification and indication:			
Hazard classification and indication:			
Hazard classification and indication: 2.2. Label elements. Hazard pictograms:			
Hazard classification and indication: 2.2. Label elements. Hazard pictograms: Signal words: Hazard statements:	sional users on reques	st.	
Hazard classification and indication:     2.2. Label elements.     Hazard pictograms:      Signal words:      Hazard statements:      Precautionary statements:      Safety data sheet available for profes	sional users on reque	st.	
Hazard classification and indication:     2.2. Label elements.     Hazard pictograms:      Signal words:      Hazard statements:      Precautionary statements:      Safety data sheet available for profes	sional users on reques	st.	
Hazard classification and indication: 2.2. Label elements. Hazard pictograms: Signal words: Hazard statements: Precautionary statements: Safety data sheet available for profes 2.3. Other hazards.	sional users on reque	st.	
Hazard classification and indication: 2.2. Label elements. Hazard pictograms: Signal words: Hazard statements: Precautionary statements: Safety data sheet available for profes 2.3. Other hazards.	sional users on reque	st.	
Hazard classification and indication:     2.2. Label elements.     Hazard pictograms:      Signal words:      Hazard statements:      Precautionary statements:      Safety data sheet available for profes     2.3. Other hazards.	sional users on reque:	st.	

		SANCE OIL CLRS	-	Fay
INDUSTRIA MAIMERI S.P.A.			Revision nr.2 Dated 10/6/2014	
COLORI DEL	RINAS	CIMENTO	00022 Ceruse	Printed on 10/6/2014 Page n. 2 / 6
ECTION 3. Comp	osition/in	formation on ingredi	ents.	
.1. Substances.				
Information not relevant				
.2. Mixtures.				
Contains:				
Identification.	Conc. %.	Classification 67/548/EEC.	Classif	ication 1272/2008 (CLP).
ETHYLENE GLYCOL N CAS. 112-34-5 EC. 203-961-6	0 - 0,05	ETHER Xi R36	Eye Irrit. 2	: H319
INDEX. 603-096-00-8	3			
Note: Upper limit is not The full wording of the F		he range. azard (H) phrases is given in se	ection 16 of the sheet.	
T+ = Very Toxic(T+), T = Toxic( N = Dangerous for the Environr		<pre>Kn), C = Corrosive(C), Xi = Irritant(Xi), O =</pre>	Oxidizing(O), E = Explosive(E), F+ =	Extremely Flammable(F+), F = Highly Flammable(F),
SECTION 4. First a	aid measi	ires.		
I.1. Description of first a Not specifically necessa		ce of good industrial hygiene is	recommended.	
		fects, both acute and delayed		
No episodes of damage	to health asc	ribable to the product have bee	n reported.	
I.3. Indication of any imm Information not availabl		cal attention and special trea	tment needed.	
SECTION 5. Firefig	ghting me	asures.		
5.1. Extinguishing media SUITABLE EXTINGUIS The extinguishing equip UNSUITABLE EXTING None in particular.	HING EQUIP	be of the conventional kind: car	bon dioxide, foam, powder ar	nd water spray.
5.2. Special hazards arisi HAZARDS CAUSED B <sup>\</sup> Do not breathe combus	Y EXPOSURE	substance or mixture. IN THE EVENT OF FIRE		
health. Always wear fr contaminated water use SPECIAL PROTECTIVI Normal fire fighting clo	ION cool the cont ull fire prever ed for extinctic E EQUIPMEN othing i.e. fire	ntion gear. Collect extinguishi n and the remains of the fire ac T FOR FIRE-FIGHTERS	ng water to prevent it from cording to applicable regulat EN 659) and boots (HO spec	ent of substances potentially hazardous for draining into the sewer system. Dispose of ions. cification A29 and A30) in combination with
SECTION 6. Accid	ental rele	ase measures.		
6.1. Personal precautions, protective equipment and emergency procedures. Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.				
6.2. Environmental precautions. The product must not penetrate into the sewer system or come into contact with surface water or ground water.				

C EF

**COLORI DEL RINASCIMENTO** 

... / >>

00022 Ceruse

Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014 Page n. 3/6

# SECTION 6. Accidental release measures.

6.3. Methods and material for containment and cleaning up.

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

## **SECTION 7. Handling and storage.**

#### 7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

#### 7.2. Conditions for safe storage, including any incompatibilities.

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s).

Information not available

## **SECTION 8. Exposure controls/personal protection.**

#### 8.1. Control parameters Information not available

### 8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protection equipment, make sure that the workplace is well aired through effective local aspiration. Personal protection equipment must comply with the rules in force indicated below. HAND PROTECTION

Protect hands with category I (ref. Directive 89/686/EEC and standard EN 374) work gloves, such as those in latex, PVC or equivalent. The following should be considered when choosing work glove material: degradation, breakage times and permeation. Work glove resistance to preparations should be checked before use, as it can be unpredictable. Gloves' limit depends on the duration of exposure. EYE PROTECTION

Use of protective airtight goggles (ref. standard EN 166) recommended. SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (ref. Directive 89/686/CEE and standard EN 344). Wash body with soap and water after removing overalls.

RESPIRATORY PROTECTION

If the threshold value (if available) for one or more of the substances present in the preparation for daily exposure in the workplace or to a fraction established by the company's prevention and protection service is exceeded, wear a mask with an A or universal filter, the class (1, 2 or 3) of which must be chosen according to the limit concentration of use (ref. standard EN 141).

The use of respiratory tract protection equipment, such as masks like that indicated above, is necessary to reduce worker exposure in the absence of technical measures. The protection provided by masks is in any case limited.

If the substance in question is odourless or its olfactory threshold is higher than the relative exposure limit and in the event of an emergency, or when exposure levels are unknown or the concentration of oxygen in the workplace is less than 17% volume, wear self-contained, open-circuit compressed air breathing apparatus (ref. standard EN 137) or fresh air hose breathing apparatus for use with full face mask, half mask or mouthpiece (ref. standard EN 138).

## **SECTION 9.** Physical and chemical properties.

#### 9.1. Information on basic physical and chemical properties.

Appearance Colour		paste white
Odour		ODOUR TYPICAL
Odour threshold.		Not available.
pH.		
Melting point / freezing point.		Not available.
Initial boiling point.		Not available.
Boiling range.		Not available.
Flash point.	>	60 °C.
Evaporation Rate		Not available.
Flammability of solids and gases		Not available.
Lower inflammability limit.		Not available.
Upper inflammability limit.		Not available.
Lower explosive limit.		Not available.
Upper explosive limit.		Not available.

## COLORI DEL RINASCIMENTO

### SECTION 9. Physical and chemical properties. .../>>

Vapour pressure.	Not available.			
Vapour density	Not available.			
Relative density.	0,2 Kg/l			
Solubility	INSOLUBLE, DILUTE WITH WHITE SPIRIT			
Partition coefficient: n-octanol/water	Not available.			
Auto-ignition temperature.	Not available.			
Decomposition temperature.	Not available.			
Viscosity	3.500.000/5.000.000 cps			
Explosive properties	Not available.			
Oxidising properties	Not available.			
9.2. Other information.				
Solid content.	63,76 %			
VOC (Directive 1999/13/EC) :	0,27 % - 5,76 g/litre.			
VOC (volatile carbon) :	0,23 % - 4,88 g/litre.			

## **SECTION 10. Stability and reactivity.**

#### 10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

#### 10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### 10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

### 10.5. Incompatible materials.

Information not available.

#### 10.6. Hazardous decomposition products.

Information not available.

## **SECTION 11. Toxicological information.**

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled carefully according to good industrial practices. This product may have slight health effects on sensitive people, by inhalation and/or cutaneous absorption and/or contact with eyes and/or ingestion.

#### 11.1. Information on toxicological effects.

Information not available.

## **SECTION 12. Ecological information.**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

12.1. Toxicity.

Information not available.

#### **12.2. Persistence and degradability.** Information not available.

**12.3. Bioaccumulative potential.** Information not available.

**12.4. Mobility in soil.** Information not available.

#### 12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014

Page n. 4/6

00022 Ceruse

00022 Ceruse

Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014 Page n. 5 / 6

## SECTION 12. Ecological information. ... / >>

**COLORI DEL RINASCIMENTO** 

#### 12.6. Other adverse effects.

Information not available.

## **SECTION 13.** Disposal considerations.

#### 13.1. Waste treatment methods.

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Avoid littering. Do not contaminate soil, sewers and waterways.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

#### **SECTION 14. Transport information.**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

## **SECTION 15. Regulatory information.**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso category. None.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

Substances in Candidate List (Art. 59 REACH).

None.

None

None.

Substances subject to authorisarion (Annex XIV REACH). None.

Substances subject to exportation reporting pursuant to (EC) Reg. 689/2008:

None.

Substances subject to the Rotterdam Convention: None.

Substances subject to the Stockholm Convention:

Healthcare controls.

#### 15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

## SECTION 16. Other information.

H319

Causes serious eye irritation.

Text of risk (R) phrases mentioned in section 2-3 of the sheet:

R36 IRRITATING TO EYES.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road

- CAS NUMBER: Chemical Abstract Service Number

- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)

- CLP: EC Regulation 1272/2008

00022 Ceruse

Revision nr.2 Dated 10/6/2014 Printed on 10/6/2014 Page n. 6 / 6

## COLORI DEL RINASCIMENTO SECTION 16. Other information. .../>>

- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration - REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation.

#### GENERAL BIBLIOGRAPHY

- 1. Directive 1999/45/EC and following amendments
- 2. Directive 67/548/EEC and following amendments and adjustments
- 3. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 4. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 5. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 6. Regulation (EC) 453/2010 of the European Parliament
- 7. Regulation (EC) 286/2011 (II Atp. CLP) of the European Parliament
- 8. The Merck Index. 10th Edition
- 9. Handling Chemical Safety
- 10. Niosh Registry of Toxic Effects of Chemical Substances
- 11. INRS Fiche Toxicologique (toxicological sheet)
- 12. Patty Industrial Hygiene and Toxicology
- 13. N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- 14. ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review: The following sections were modified: 02 / 03 / 04 / 05 / 06 / 07 / 08 / 09 / 10 / 11 / 12 / 13 / 14 / 15 / 16.