Product Name: Graphite Leads three hardness degrees 261 2B - 261 6BDate: 12.12.2014Revision Date :Seite 1 von 4

1. PRODUCT NAME AND CODE

Product Name:	Graphite Leads three hardness degrees, 261 82 – 261 86
	Graphite leads: 261 82; 261 84; 261 86
Intended use:	Artist material/Graphite leads
Company Identification:	Brevillier-Urban & Sachs GmbH & CoKG
	Am Anger 1
	A-7024 Hirm
	Phone: +43(0)2687 54245-0
	Fax: +43(0)2687 54245-549
Person responsible for	Brigitte Heilmayer
safety data sheet:	
Email:	heilmayer@brevillier.com
Emergency Telephone no.:	+43 2687 54245-0

2. HAZARDS IDENTIFICATION

Directive 67/548/EEC	Not hazardous
Physical hazardous	
Carcinogen status:	OSHA : no
-	NTP: no
	IARC: no
Preparation Classification:	This preparation has not to be labelled due to the last valid standard.

3. COMPOSITION/INFORMATION OF INGREDIENTS

Chemical characterization	Mixture of the following substances, containing non-hazardous substances	
	and colouring agents	
Description	Mixture of substances listed below with non hazardous additions	
	Graphite: CAS 7782-42-5; EINECS 231-955-3	
	Clay: EINECS 310-127-6	
	Tallow: CAS 61789-97-7	
	Stearic acid: CAS 57-11-4; EINECS 200-313-4	
Dangerous components	None	

4. FIRST AID MEASURES

First Aid	
Skin Contact	Remove any contaminated clothing. Wash with soap & flowing
	water for 15 minutes. If irritation occurs consult a physician.

Safety Data Sheet in Accordance with 1907/2006/EG Product Name: Graphite Leads three hardness degrees 261.2B - 261.6B

Date: 12.12.2014	Revision Date :	Seite 2 von 4
Eye Contact	Irrigate with a suitab obtain medical attent	le eye solution or water for ten minutes – ion.
Inhalation		

vomiting and consult a physician.

5. FIRE-FIGHTING MEASURES

Ingestion

i		
Hazard	Explosive Limits: none	
Extinguishing Media	Alcohol resistance foam, water spray or fog. Dry chemical powder, carbon	
	dioxide, sand or earth may be used for small fires only.	
Media to avoid		
Hazardous	Carbon Monoxide (co) can from with incomplete combustion.	
Combustion	Some Oxides of Nitrogen (NOx) and Sulphur (SOx) could be formed.	
Products	Complete combustion will yield primarily Carbon Dioxide (CO2) and	
	Water.	
Protective	Fire fighters should wear proper protective equipment and selfcontained	
Equipment	breathing apparatus with full face-piece	
Additional	Move exposed containers from fire area if it can be done without risk.	
Information	Use water to keep fire-exposed containers cool.	

Give plenty to drink if ingestion is suspected. DO NOT induce

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Avoid contact with skin and eyes.
Environmental Precautions	Prevent contamination of soil and water. Refer to Sections 8.0 and 13.0 for additional information on Exposure and Disposal.

7. HANDLING AND STORAGE

Handling	Avoid contact with eyes, skin and clothing, avoid ingestion and inhalation.
Storage	Keep away from direct sunlight and other sources of heat. Keep away
	from oxidizing agents. Do not smoke in storage areas.
Product	Do not empty into drains.
	Store at 25° C under dry conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limit Values	Not available
Exposure control	Not available
Personal Protection	
Hand Protection	

Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Graphite Leads three hardness degrees 261 2B - 261 6BDate: 12.12.2014Revision Date :Seite 3 von 4

Eye Protection	
Skin Protection	
Additional	Do not permit smoking whilst product is used.
Environmental Exposure	See Section 12 for detailed information

9. PHYSIKAL AND CHEMICAL PROPERTIES

Odour Ethereal Appearance	Solid
Colour	Graphite
Ph Value	Not applicable
Boiling Point /Range	Not applicable
Flash Point	Not applicable
Auto-ignition	
Explosive Properties	This preparation is not considered explosive
Explosive Limits :	Not applicable
Vapour Pressure	None
Relative Density	-
Solubility	Not dispersible
Viscosity	Not applicable
Water Solubility	Not dispersible

10. STABILITY AND REACTIVITY

Conditions to Avoid	Considered a Stable Product.
Materials to Avoid	Can also react with acid chlorides, acid anhydrides.
Hazardous Decomposition	May give of irritant / toxic fumes if involved in a fire. Primarily forms oxides of
	carbon during combustion.

11. TOXIOLOGICAL INFORMATION

Acute Effects	Eyes may cause Lacrimation, Redness, Pain, Blurred Vision Ingestion may cause abdominal Pain, Sore Throat, Drowsiness, Headache
Target Organ Effects	Sensitisation Allergic skin reaction / dermatitis could occur with misuse of this preparation.

12. ECOLOGICAL INFORMATION

Ecotoxicity	Not applicable
Mobility	Not applicable
Persistence and Degradability	Biodegradable
Bio accumulative potential	Not applicable
Other Adverse effects	Not applicable

13. DISPOSAL CONSIDERATIONS

Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Graphite Leads three hardness degrees 261 2B - 261 6BDate: 12.12.2014Revision Date :Seite 4 von 4

Dispose of spilled material and containers in accordance with State and Local regulations for waste. State or Local regulations are complex and subject to change so should be consulted by the owner of the waste prior to disposal.

14. TRANSPORT INFORMATION

UN No:	
Proper Shipping Name:	
ADR, IATA, IMDG	Not classified as dangerous in the meaning of transport

15. REGULATORY INFORMATION

Hazard Symbol	None	
-H-phrases	None	
-P-Phrases	None	

16. OTHER INFORMATIONS

Short cuts und Acronyms:

ATE = appraised value of the acute toxicity CLP =VEU Regulation (EC) No 1272/2008 on Classification, Labeling and Packaging of Substances and Mixtures, DNEL = Derived No Effect Level EUH-Satz = CLP-spezific warnings PNEC = predicted no effect concentration

EUH-Satz = CLP-spezific warnings PNEC = predicted no effect concentration RRN = REACH Registrationnumber n.a. not available

The information contained herein does not constitute the user's own assessment of workplace risk as required by other health and safety legislation The above information is provided in goodfarth and is based on our present knowledge. It shall not constitute a guarantee for any specific product feature and shall not establish a legally valid contractual arrangement.

Product Name: Sanguine Oil Pencils 462 02 Date: 15.12.2014 Revision Date :

Seite 1 von 4

1. PRODUCT NAME AND CODE

Product Name:	Sanguine Oil pencils 462 02
Intended use:	Artist material/Leads use in pencil.
Company Identification:	Brevillier-Urban & Sachs GmbH & CoKG
	Am Anger 1
	A-7024 Hirm
	Phone: +43(0)2687 54245-0
	Fax: +43(0)2687 54245-549
Person responsible for	Brigitte Heilmayer
safety data sheet:	
Email:	heilmayer@brevillier.com
Emergency Telephone no.:	+43 2687 54245-0

2. HAZARDS IDENTIFICATION

Directive 67/548/EEC	Not hazardous
Physical hazardous	
Carcinogen status:	OSHA : no
_	NTP: no
	IARC: no
Preparation Classification:	This preparation has not to be labelled due to the last valid standard.

3. COMPOSITION/INFORMATION OF INGREDIENTS

Chemical characterization	Mixture of the following substances, containing non-hazardous substances
	and colouring agents
Description	Mixture of substances listed below with non hazardous additions
	Pigment red 101: CAS 1309-37-1; EINECS 215-168-2
	Pigment yellow 42: CAS 20344-49-4; EINECS 243-746-4
	Kaolin: CAS 1332-58-7; EINECS 310-194-1
	Talcum: CAS 14807-96-6; EINECS 238-877-9
	Calcium stearate: CAS: 1592-23-0; EINECS 216-472-8
	Tallow: CAS: 61789-97-7
	Stearic acid: CAS 57-11-4; EINECS 200-313-4
Dangerous components	None

4. FIRST AID MEASURES

First Aid

Date: 15.12.2014	Revision Date :	Seite 2 von 4
Skin Contact	Remove any contami	inated clothing. Wash with soap & flowing
	water for 15 minutes	. If irritation occurs consult a physician.
Eye Contact	Irrigate with a suitab	le eye solution or water for ten minutes –
	obtain medical attent	ion.
Inhalation		
Ingestion	Give plenty to drink	if ingestion is suspected. DO NOT induce
_	vomiting and consult	a physician.

5. FIRE-FIGHTING MEASURES

Hazard	Explosive Limits: none	
Extinguishing Media	Alcohol resistance foam, water spray or fog. Dry chemical powder, carbon	
	dioxide, sand or earth may be used for small fires only.	
Media to avoid		
Hazardous	Carbon Monoxide (co) can from with incomplete combustion.	
Combustion	Some Oxides of Nitrogen (NOx) and Sulphur (SOx) could be formed.	
Products	Complete combustion will yield primarily Carbon Dioxide (CO2) and	
	Water.	
Protective	Fire fighters should wear proper protective equipment and selfcontained	
Equipment	breathing apparatus with full face-piece	
Additional	Move exposed containers from fire area if it can be done without risk.	
Information	Use water to keep fire-exposed containers cool.	

6. ACCIDENTAL RELEASE MEASURES

Personal	Avoid contact with skin and eyes.	
Precautions		
Environmental	Prevent contamination of soil and water.	
Precautions	Refer to Sections 8.0 and 13.0 for additional information on Exposure and	
	Disposal.	

7. HANDLING AND STORAGE

Handling	Avoid contact with eyes, skin and clothing, avoid ingestion and inhalation.
Storage	Keep away from direct sunlight and other sources of heat. Keep away from oxidizing agents. Do not smoke in storage areas.
Product	Do not empty into drains. Store at 25° C under dry conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limit Values	Not available
Exposure control	Not available

Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Sanguine Oil Pencils 462 02 Date: 15.12.2014 Revision Date :

Seite 3 von 4

Personal Protection	
Hand Protection	
Eye Protection	
Skin Protection	
Additional	Do not permit smoking whilst product is used.
Environmental Exposure	See Section 12 for detailed information

9. PHYSIKAL AND CHEMICAL PROPERTIES

Odour Ethereal Appearance	Solid
Colour	Sanguine
Ph Value	Not applicable
Boiling Point /Range	Not applicable
Flash Point	Not applicable
Auto-ignition	
Explosive Properties	This preparation is not considered explosive
Explosive Limits :	Not applicable
Vapour Pressure	None
Relative Density	-
Solubility	Not dispersible
Viscosity	Not applicable
Water Solubility	Not dispersible

10. STABILITY AND REACTIVITY

Conditions to Avoid	Considered a Stable Product.
Materials to Avoid	Can also react with acid chlorides, acid anhydrides.
Hazardous Decomposition	May give of irritant / toxic fumes if involved in a fire. Primarily forms oxides of carbon during combustion.

11. TOXIOLOGICAL INFORMATION

Acute Effects	Eyes may cause Lacrimation, Redness, Pain, Blurred Vision
	Ingestion may cause abdominal Pain, Sore Throat, Drowsiness, Headache
Target Organ Effects	Sensitisation Allergic skin reaction / dermatitis could occur with misuse of this preparation.

12. ECOLOGICAL INFORMATION

Ecotoxicity	Not applicable
Mobility	Not applicable
Persistence and Degradability	Biodegradable
Bio accumulative potential	Not applicable
Other Adverse effects	Not applicable

Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Sanguine Oil Pencils 462 02 Date: 15.12.2014 Revision Date :

Seite 4 von 4

13. DISPOSAL CONSIDERATIONS

Dispose of spilled material and containers in accordance with State and Local regulations for waste. State or Local regulations are complex and subject to change so should be consulted by the owner of the waste prior to disposal.

14. TRANSPORT INFORMATION UN No: Proper Shipping Name: ADR, IATA, IMDG Not classified as dangerous in the meaning of transport

15. REGULATORY INFORMATION

Hazard Symbol	None
-H-phrases	None
-P-Phrases	None

16. OTHER INFORMATIONS

Short cuts und Acronyms:

ATE = appraised value of the acute toxicity CLP =VEU Regulation (EC) No 1272/2008 on Classification, Labeling and Packaging of Substances and Mixtures, DNEL = Derived No Effect Level EUH-Satz = CLP-spezific warnings PNEC = predicted no effect concentration RRN = REACH Registrationnumber n.a. not available

The information contained herein does not constitute the user's own assessment of workplace risk as required by other health and safety legislation The above information is provided in goodfarth and is based on our present knowledge. It shall not constitute a guarantee for any specific product feature and shall not establish a legally valid contractual arrangement.

Product Name: Charcoal Leads two different grades 260 01 and 260 02Date: 12.12.2014Revision Date :Seite 1 von 4

1. PRODUCT NAME AND CODE

Product Name:	Charcoal leads two different grades 260 01 and 260 02
	Charcoal leads: $260\ 01 = \text{soft},\ 260\ 02 = \text{medium}$
Intended use:	Artist material/Charcoal leads
Company Identification:	Brevillier-Urban & Sachs GmbH & CoKG
	Am Anger 1
	A-7024 Hirm
	Phone: +43(0)2687 54245-0
	Fax: +43(0)2687 54245-549
Person responsible for	Brigitte Heilmayer
safety data sheet:	
Email:	heilmayer@brevillier.com
Emergency Telephone no.:	+43 2687 54245-0

2. HAZARDS IDENTIFICATION

Directive 67/548/EEC	Not hazardous
Physical hazardous	
Carcinogen status:	OSHA : no
_	NTP: no
	IARC: no
Preparation Classification:	This preparation has not to be labelled due to the last valid standard.

3. COMPOSITION/INFORMATION OF INGREDIENTS

Chemical characterization	Mixture of the following substances, containing non-hazardous substances and colouring agents
Description	Mixture of substances listed below with non hazardous additions Charcoal: CAS 7440-44-0; EINECS 231-153-3 Clay: EINECS 310-127-6 Carbofin: CAS 8029-10-5; EINECS 215-609-9
Dangerous components	None

4. FIRST AID MEASURES

First Aid	
Skin Contact	Remove any contaminated clothing. Wash with soap & flowing water for 15 minutes. If irritation occurs consult a physician.
Eye Contact	Irrigate with a suitable eye solution or water for ten minutes –

Product Name: Charcoal Leads two different grades 260 01 and 260 02Date: 12.12.2014Revision Date :Seite 2 von 4

	obtain medical attention.
Inhalation	
Ingestion	Give plenty to drink if ingestion is suspected. DO NOT induce vomiting and consult a physician.

5. FIRE-FIGHTING MEASURES

Hazard	Explosive Limits: none
Extinguishing Media	Alcohol resistance foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Media to avoid	
Hazardous	Carbon Monoxide (co) can from with incomplete combustion.
Combustion	Some Oxides of Nitrogen (NOx) and Sulphur (SOx) could be formed.
Products	Complete combustion will yield primarily Carbon Dioxide (CO2) and
	Water.
Protective	Fire fighters should wear proper protective equipment and selfcontained
Equipment	breathing apparatus with full face-piece
Additional	Move exposed containers from fire area if it can be done without risk.
Information	Use water to keep fire-exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Avoid contact with skin and eyes.
Environmental Precautions	Prevent contamination of soil and water. Refer to Sections 8.0 and 13.0 for additional information on Exposure and Disposal.

7. HANDLING AND STORAGE

Handling	Avoid contact with eyes, skin and clothing, avoid ingestion and inhalation.
Storage	Keep away from direct sunlight and other sources of heat. Keep away from oxidizing agents. Do not smoke in storage areas.
Product	Do not empty into drains. Store at 25° C under dry conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limit Values	Not available
Exposure control	Not available
Personal Protection	
Hand Protection	
Eye Protection	

Product Name: Charcoal Leads two different grades 260 01 and 260 02Date: 12.12.2014Revision Date :Seite 3 von 4

Skin Protection	
Additional	Do not permit smoking whilst product is used.
Environmental Exposure	See Section 12 for detailed information

9. PHYSIKAL AND CHEMICAL PROPERTIES

· · · · · · · · · · · · · · · · · · ·	
Odour Ethereal Appearance	Solid
Colour	Black
Ph Value	Not applicable
Boiling Point /Range	Not applicable
Flash Point	Not applicable
Auto-ignition	
Explosive Properties	This preparation is not considered explosive
Explosive Limits :	Not applicable
Vapour Pressure	None
Relative Density	-
Solubility	Not dispersible
Viscosity	Not applicable
Water Solubility	Not dispersible

10. STABILITY AND REACTIVITY

Conditions to Avoid	Considered a Stable Product.
Materials to Avoid	Can also react with acid chlorides, acid anhydrides.
Hazardous Decomposition	May give of irritant / toxic fumes if involved in a fire. Primarily forms oxides of carbon during combustion.

11. TOXIOLOGICAL INFORMATION

Acute Effects	Eyes may cause Lacrimation, Redness, Pain, Blurred Vision
	Ingestion may cause abdominal Pain, Sore Throat, Drowsiness, Headache
Target Organ Effects	Sensitisation Allergic skin reaction / dermatitis could occur with misuse of this preparation.

12. ECOLOGICAL INFORMATION

Ecotoxicity	Not applicable
Mobility	Not applicable
Persistence and Degradability	Biodegradable
Bio accumulative potential	Not applicable
Other Adverse effects	Not applicable

13. DISPOSAL CONSIDERATIONS

Dispose of spilled material and containers in accordance with State and Local regulations for waste. State or Local

Sefere Date Sheet in Assembly as with 1007/2006/E

Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Charcoal Leads two different grades 260 01 and 260 02

Date: 12.12.2014 Revision Date : Seite 4 von 4

regulations are complex and subject to change so should be consulted by the owner of the waste prior to disposal.

14. TRANSPORT INFORMATION

UN No:	
Proper Shipping Name:	
ADR, IATA, IMDG	Not classified as dangerous in the meaning of transport

15. REGULATORY INFORMATION

Hazard Symbol	None
-H-phrases	None
-P-Phrases	None

16. OTHER INFORMATIONS

Short cuts und Acronyms:

ATE = appraised value of the acute toxicity CLP =VEU Regulation (EC) No 1272/2008 on Classification, Labeling and Packaging of Substances and Mixtures, DNEL = Derived No Effect Level EUH-Satz = CLP-spezific warnings PNEC = predicted no effect concentration RRN = REACH Registrationnumber n.a. not available

The information contained herein does not constitute the user's own assessment of workplace risk as required by other health and safety legislation The above information is provided in goodfarth and is based on our present knowledge. It shall not constitute a guarantee for any specific product feature and shall not establish a legally valid contractual arrangement.