20517-XXXX



CONTÉ À PARIS PASTEL PENCILS

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only. Issue date: 10/17/2022 Revision date: 10/17/2022 Version: 1.0

SECTION 1: Identification

Identification

: Mixture Product form

· CONTÉ À PARIS PASTEL PENCILS Trade name

Recommended use and restrictions on use

Use of the substance/mixture

: Artists', craft and hobby paints

Recommended use

: Consumer uses: Private households (= general public = consumers), Artists', craft and hobby

paints

Supplier

Distributor

ColArt Americas Inc 2 Corporate Place South, Piscataway New Jersey, USA NJ 08854 T +888-422-7954 r.enquiries@colart.co.uk

Emergency telephone number

: +1-888-422-7954 Emergency number

SECTION 2: Hazard(s) identification

Hazard warning in accordance with US Labeling of Hazardous Art Materials Act / Federal Hazardous

Art materials are labelled according to Labelling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA). Appropriate labelling is listed in section 15. Please note that the label may also contain other regional/national labelling text.

SECTION 3: Composition/Information on ingredients

Mixtures

Art materials are labelled according to Labeling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA). Appropriate labelling is listed in section 15. Hazardous ingredients are identified in section 15.

SECTION 4: First-aid measures

Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible)

First-aid measures after inhalation

: Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

Remove affected clothing and wash all exposed skin area with mild soap and water, followed

First-aid measures after eve contact

Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

First-aid measures after ingestion

Rinse mouth out with water. In all cases of doubt, or when symptoms persist, seek medical

Please see section 15 labelling requirements for additional information

Most important symptoms and effects (acute and delayed)

7913, 20517-8081, 20517-8221, 20517-8251, 20517-8491, 20517-8531, 20517-8911, 20517-8912

Art materials are labelled according to Labeling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA). Please refer to section 15 for information on potential symptoms.

Immediate medical attention and special treatment, if necessary

Treat symptomatically.

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

10/17/2022 EN (English US) Page 1

 $ltem \ Numbers: 20517-1001, 20517-1009, 20517-1019, 20517-1019, 20517-1029, 20517-1039, 20517-1049, 20517-1049, 20517-1019, 20517-1029, 20517-2001, 20517-2001, 20517-2029, 20517-2511, 20517-2561, 20517-2561, 20517-3001, 20517-2561,$ 3051, 20517-3081, 20517-3714, 20517-3722, 20517-3733, 20517-3741, 20517-401, 20517-4011, 20517-4061, 20517-4081, 20517-4141, 20517-4161, 20517-4501, 20517-4501, 20517-5011,20517-5101, 20517-5131, 20517-5221, 20517-5251, 20517-5251, 20517-5251, 20517-6031, 20517-6031, 20517-6011, 20517-7011, 20517-7031, 20517-7051, 20517-7074, 20517-7231, 20517-7581, 20517-7911, 20517-7912, 20517-7011, 20517-7051, 20517-7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

3.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

y incompatibilities

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight,

Heat sources. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional information : There exist no exposure limits for this material

8.2. Appropriate engineering controls

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Avoid contact with skin

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

10/17/2022 EN (English US) 2/5

Item Numbers: 20517-1001, 20517-1009, 20517-1019, 20517-1029, 20517-1039, 20517-1049, 20517-1049, 20517-1049, 20517-1029, 20517-2001, 20517-2029, 20517-2051, 20517-2531, 2051

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

Eye protection:

Avoid contact with eves

Respiratory protection:

No respiratory protection needed under normal use conditions

Other information:

Do not eat, drink or smoke during use. Ensure there is adequate ventilation.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Solid : Various colors

Odor : None

Odor threshold : No data available No data available pН Melting point No data available Freezing point : No data available Boiling point : No data available Flash point : No data available Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Non flammable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosion limits** : No data available Explosive properties : No data available

Other information

SECTION 10: Stability and reactivity

Reactivity

Oxidizing properties

The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability

Stable at ambient temperature and under normal conditions of use.

Possibility of hazardous reactions

None under normal use.

Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard

10/17/2022 EN (English US) 3/5 Item Numbers: 20517-1001, 20517-1009, 20517-1019, 20517-1019, 20517-1029, 20517-1039, 20517-1049, 20517-1049, 20517-1049, 20517-1049, 20517-1049, 20517-1049, 20517-1049, 20517-209, 20517-2049, 20517-2051, 20517-2531, 20517

: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

Information on toxicological effects

Art materials are labelled according to Labeling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA). Please refer to section 15 for information on toxicological effects

SECTION 12: Ecological information

Toxicity

No additional information available

Persistence and degradability

CONTE A PARIS PASTEL PENCILS	
Persistence and degradability	Not established.

12.3. **Bioaccumulative potential**

CONTÉ À PARIS PASTEL PENCILS	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard

10/17/2022 EN (English US) 4/5

Item Numbers: 20517-1001, 20517-1009, 20517-1019, 20517-1019, 20517-1029, 20517-1039, 20517-1049, 2051 3051, 20517-3081, 20517-3714, 20517-3722, 20517-3733, 20517-3741, 20517-401, 20517-4011, 20517-4061, 20517-4081, 20517-4141, 20517-4161, 20517-4501, 20517-4501, 20517-5011,20517-5101, 20517-5131, 20517-5221, 20517-5251, 20517-5251, 20517-5251, 20517-6031, 20517-6031, 20517-6011, 20517-7011, 20517-7031, 20517-7051, 20517-7074, 20517-7231, 20517-7581, 20517-7911, 20517-7912, 20517-7011, 20517-7051, 20517-7 7913, 20517-8081, 20517-8221, 20517-8251, 20517-8491, 20517-8531, 20517-8911, 20517-8912

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

US FEDERAL HAZARD CLASSIFICATION AND LABELLING FOR ART MATERIALS:

All colors have been evaluated by a toxicologist and labelled for acute and chronic health hazards in accordance with the Labelling of Hazardous Art Materials Regulation and Federal Regulation 16 CFR 1500.14 of the Federal Hazardous Substances Act.

This product conforms to ASTM D-4236 Standard Practice for Labelling Art Materials for Chronic Adverse health effects. All colors have been certified by ACMI (Artists Craft Materials Institute, Inc.) to carry the AP (Approved Product) Seal, meaning this bears no chronic or acute human health hazards.



15.2. International regulations

CANADA

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 10/17/2022

: Art materials are labelled according to Labelling of Hazardous Art Materials Act (LHAMA) in Data sources

compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA).

Other information : None.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

10/17/2022 EN (English US) 5/5