Version 1.1 (30/10/2012) - Page 1/6 Company: Max Sauer SAS

# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name : ENCRE BLEU DE COBALT Product code : N134010.303.

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Registered company name : Max Sauer SAS.

Address : 2 rue Lamarck.22000.Saint Brieuc.France.

Telephone : 0033(0)296682000. Fax : 0033(0)296770065.

mail@raphael.fr

### 1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

## SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

#### In compliance with EC regulation No. 1272/2008 and its amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## 2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

No labelling requirements for this mixture.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

## 2.3. Other hazards

## No data available.

## SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1. Substances

No substances fulfil the criteria set forth in annexe II section A of the REACH regulation (EC) n° 1907/2006.

#### 3.2. Mixtures

## **Composition** :

Identification	Name	Classification	%
INDEX: 005-011-01-1	DISODIUM TETRABORATE	GHS08, Dgr	$2.5 \le x \% \le 10$
		UIIS08, Dgi	$2.3 \le x / 6 \le 10$
CAS: 1303-96-4	DECAHYDRATE	1	
EC: 215-540-4		H:360FD.1B	
		R: 60 F2-61 G2	

Version 1.1 (30/10/2012) - Page 2/6 Company: Max Sauer SAS

Item Numbers: 21127-5180

Prohibited equipment and procedures :         No smoking, eating or drinking in areas where the mixture is used.         7.2. Conditions for safe storage, including any incompatibilities         No data available.         Storage         Keep out of reach of children.         7.3. Specific end use(s)         No data available.         COTON 3: EXPOSURE CONTROLS/PERSONAL PROTECTION         8.1. Ontrol parameters         Captional exposure limits:         - ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):         CAS       TWA :         STEL:       Celing :         0.41 available.         CAS       TWA :         STEL:       Celing:         0.43 oxida       2 mg/m3         6 mg/m3       -         1303-96-4       2 mg/m3         - Trance (TIKRS - ED984) - 2008):       -         CAS       VME-ppn:       VME-mg/m3: VLE-ppn:         1303-96-4       5       -         1303-96-4       5       -         2006-4       5       -         1303-96-4       5       -         Personal protective equipment intals, EH40/2005, 2007) :       -         CAS       TWA :       STEL:<		(REGULATION (I E COBALT - N		o - Keaun)		versi	on 1.1 (30/10/2012) - Page : Company: Max Sauer S
No senoking, enting or drinking in areas where the mixture is used. 7.1. Conditions for safe storage, including any incompatibilities No data available. Storage Keep out of reach of children. Takaging Always keep in packaging made of an identical material to the original. 7.3. Specific end use(s) No data available. ECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1. Control parameters ECTION 9: EXPOSURE CONTROLS/PERSONAL PROTECTION 8.2. Exposure controls ECAS TWA: STEL: Ceiling: Definition: Criteria: 1303-664 5 mg/m3	Prohibited equipme	ent and procedures	:				
No data available. Storage Keep out of reach of children. Fackaging Always keep in packaging made of an identical material to the original. As you for each of a set of the original and the original is the original. As pecific end use(s) No data available. ECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1. Control parameters Occupational exposure limits : - ACGIH TL.V (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) : CAS TWA : STEL : Ceiling : Definition : Criteria : 1303-96-4 2 mg/m3 6 mg/m3 - I I - France (INRS - ED984 : 2008) : CAS VME-ppm : VME-mg/m3 : VLE-ppm : VLE-mg/m3 : Notes : TMP No : 1303-96-4 - 5 - I - NR Provide exposure limits, EH40/2005, 2007) : CAS TWA : STEL : Ceiling : Definition : Criteria : 1303-96-4 5 mg/m3 I - I S - ACGI the obligation of wearing personal protective equipment Personal protection measures, such as personal protective equipment (PPE) : Were personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place, away from the work area. Never eat, drink or smoke during uses. Ese (Arink or smoke during uses. Ese (Protection Avoid contact with eyes. Use personal protective equipment in a clean place, away from the work area. Never eat, drink or smoke during uses. Ese (Face protection Avoid contact with eyes. Use personal protective assert against liquid splashes Before handling, wear safety goggles in accordance with standard EN166. Hand protection Wear suitable protective gloves in the event of prolonged or repeated skin contact. Type of gloves recommended : - Natural lates Body protection Work clothing worn by personnel shall be laundered regulary.	No smoking, eating	g or drinking in area	s where the mixt	ure is used.			
Keep out of reach of children.         Packaging         Always keep in packaging made of an identical material to the original.         7.3. Specific end use(s) No data available.         COTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION         8.1. Control parameters         Occupational exposure limits:         - ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :         CAS       TWA :         - France (INRS - ED984; 2008) :         CAS       VME-ppm :         CAS       VME-ppm :         AUX :       STEL :         Celling :       Definition :         Criteria :       1303-96-4         - S       -         AUX :       STEL :         Celling :       Definition :         Criteria :       1303-96-4         - S       -         1303-96-4       -         - S may (ME-ppm :       VLE-ppm :         CAS       TWA :       STEL :         Celling :       Definition :       Criteria :         1303-96-4       - S mg/m3       -       -         VEL Popent       VLE-ppm :       VLE-ppm :         VEC       Store personal protective suchas personal protective equipment (PPE) :		safe storage, includ	ling any incomp	atibilities			
Packaging Always keep in packaging made of an identical material to the original.         7.3. Specific end use(s) No data available.         CETION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1. Control parameters         Occupational exposure limits : - ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) : CAS         CAS       TWA : STEL : Ceiling : 1303-96-4       Original Ceiling : Definition : Cas       Criteria : 1303-96-4         CAS       VME-ppm : VME-mg/m3 : VLE-ppm : VME-ppm : CAS       Notes : TMP No : 1303-96-4       TMP No : 2         CAS       TWA : STEL : Ceiling : Definition : Criteria : 1303-96-4       TMP No : 2       TMP No : 2         CAS       TWA : STEL : Ceiling : Definition : Criteria : 1303-96-4       TMP No : 2       TMP No : 2         CAS       TWA : STEL : Ceiling : Definition : Criteria : 1303-96-4       STEL : Ceiling : Definition : Criteria : 1303-96-4	Storage						
Always keep in packaging made of an identical material to the original. 7.3. Specific end use(s) No data available.  ECTION 5: EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1. Control parameters Occupational exposure limits: - ACGIH TL.V (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) : CAS TWA: STEL: Ceiling: Definition: Criteria : 1303-96-4 2 mg/m3 6 mg/m3 1 - France (INRS - ED984 :2008) : CAS WME-ppm: VME-mg/m3 : VLE-ppm: VLE-mg/m3 : Notes : TMP No : 1303-96-4 - 5 R2 VK / WE (Workplace exposure limits, EH40/2005, 2007) : CAS TWA: STEL: Ceiling: Definition: Criteria : 1303-96-4 - 5 R2 VK / WE (Workplace exposure limits, EH40/2005, 2007) : CAS TWA: STEL: Ceiling: Definition: Criteria : 1303-96-4 5 mg/m3 R2 VK / WE (Workplace exposure limits, EH40/2005, 2007) : CAS TWA: STEL: Ceiling: Definition: Criteria : 1303-96-4 5 mg/m3 R2 VK / WE (Workplace exposure limits, EH40/2005, 2007) : CAS TWA: STEL: Ceiling: Definition: Criteria : 1303-96-4 5 mg/m3 R2 R2 VK / WE (Workplace exposure limits, EH40/2005, 2007) : CAS TWA: STEL: Ceiling: Definition: Criteria : 1303-96-4 5 mg/m3 R2 R2 R2 VK / WE (Workplace exposure limits, EH40/2005, 2007) : CAS TWA: STEL: Ceiling: Definition: Criteria : 1303-96-4 5 mg/m3 R2 R2 R2 R2 VK / WE (Workplace exposure limits, EH40/2005, 2007) : CAS STEL: Ceiling: Definition: Criteria : 1303-96-4 5 mg/m3 R2	Keep out of reach of	of children.					
No data available.   ECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1. Control parameters  Occupational exposure limits :  - ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :  CAS TWA : STEL: Ceiling : Definition : Criteria : 1303-96-4 2 mg/m3 6 mg/m3 I  - France (INRS - ED984 :2008) :  CAS VME-ppm : VME-mg/m3 : VLE-ppm : VLE-mg/m3 : Notes : TMP No : 1303-96-4 - 5 - R2 - UK / WEL (Workplace exposure limits, EH40/2005, 2007) : CAS TWA : STEL : Ceiling : Definition : Criteria : 1303-96-4 5 mg/m3 R2 - UK / WEL (Workplace exposure limits, EH40/2005, 2007) : CAS TWA : STEL : Ceiling : Definition : Criteria : 1303-96-4 5 mg/m3 R2 - UK / WEL (Workplace exposure limits, EH40/2005, 2007) : CAS TWA : STEL : Ceiling : Definition : Criteria : 1303-96-4 5 mg/m3 R2 - UK / WEL (Workplace exposure limits, EH40/2005, 2007) : CAS TWA : STEL : Ceiling : Definition : Criteria : 1303-96-4 5 mg/m3 R2 - UK / WEL (Workplace exposure limits, EH40/2005, 2007) : CAS Exposure controls  Personal protection measures, such as personal protective equipment Pictogram(s) indicating the obligation of wearing personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place, away from the work area. Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adeq ventilation, especially in confined areas.  - Eye / face protection Avoid contact with eyes. Use eve protectors designed to protect against liquid splashes Before handling, wear safety gogles in accordance with standard EN166 Hand protection Wear suitable protective gloves in the event of prolonged or repeated skin contact. Type of gloves recommended : - Natural latex Body protection Work clothing worh by personnel shall be laundered regulary.		ckaging made of an	identical materia	l to the original	-		
ECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1. Control parameters Occupational exposure limits : - ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) : CAS TWA : STEL : Ceiling : Definition : Criteria : 1303-96-4 2 mg/m3 6 mg/m3 I - I - France (INRS - ED984 :2008) : CAS VME-ppm : VME-mg/m3 : VLE-ppm : VLE-mg/m3 : Notes : TMP No : 1303-96-4 - 5 R2 UK / WEL (Workplace exposure limits, EH40/2005, 2007) : CAS TWA : STEL : Ceiling : Definition : Criteria : 1303-96-4 5 mg/m3 R2 UK / WEL (Workplace exposure limits, EH40/2005, 2007) : CAS TWA : STEL : Ceiling : Definition : Criteria : 1303-96-4 5 mg/m3 8.2. Exposure controls Personal protection measures, such as personal protective equipment Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) : Use personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place, away from the work area. Never eat, drink or smoke during use, Remove and wash contaminated clothing before re-using. Ensure that there is adeq ventilation, especially in confined areas Eye / face protection Avoid contact with eyes. Use eye protectors designed to protect against liquid splashes Before handling, wear safety goggles in accordance with standard EN166 Hand protective Wear suitable protective glowes in the event of prolonged or repeated skin contact. Type of gloves recommended : - Natural latex - Body protection Work clothing won by personnel shall be laundered regularly.	7.3. Specific end use	e(s)					
8.1. Control parameters Coccuptional exposure limits : - ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) : CAS TWA : STEL : Ceiling : Definition : Criteria : 1303-96-4 2 ng/n3 6 ng/m3 I - France (INRS - ED984 :2008) : CAS VME-ppm : VME-mg/m3 : VLE-ppm : VLE-pmm : VLE-mg/m3 : Notes : TMP No : 1303-96-4 - 5 R2 - - UK / WEL (Workplace exposure limits, EH40/2005, 2007) : CAS TWA : STEL : Ceiling : Definition : Criteria : 1303-96-4 5 ng/m3 R2 - - UK / WEL (Workplace exposure limits, EH40/2005, 2007) : CAS TWA : STEL : Ceiling : Definition : Criteria : 1303-96-4 5 ng/m3 -  -  -  - 8.2. Exposure controls Personal protection measures, such as personal protective equipment (PPE) : We special in dicating the obligation of wearing personal protective equipment (PPE) : Use personal protective equipment that is clean and has been property maintained. Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adeq ventilation, especially in confined areas. = <b>Eye / face protection</b> Avoid contact with eyes. Use gers protection equipment in a clean place, away from the work area. Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adeq ventilation, especially in confined areas. = <b>Eye / face protection</b> Avoid contact with eyes. Use eye protectors designed to protect against liquid splashes Before handling, wear safety goggles in accordance with standard EN166. = <b>Hand protection</b> Wear suitable protective gloves in the eye-t of prolonged or repeated skin contact. Type of gloves recommended : - Natural latex = <b>Body protection</b> Work solution won by personnel shall be laundered regularly.	No data available.						
Occupational exposure limits :- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :CASTWA :STEL :Ceiling :Definition :Criteria :1303-96-42 mg/m36 mg/m3 France (INRS - ED984 : 2008) :CASVME-ppm :VME-mg/m3 : VLE-ppm :CASVME-ppm :VME-mg/m3 : VLE-ppm :VLS - MWE :STEL :Ceiling :1303-96-4R2 UK / WEL (Workplace exposure limits, EH40/2005, 2007) :CASCASTWA :STEL :CalsTMA :3130-96-45 mg/m33130-96-45 mg/m3	ECTION 8 : EXPOS	URE CONTROLS	S/PERSONAL P	ROTECTION	[		
<ul> <li>ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):</li> <li>CAS TWA: STEL: Ceiling: Definition: Criteria:</li> <li>1303-96-4 2 mg/m3 6 mg/m3 - I</li> <li>France (INRS - ED984 ;2008):</li> <li>CAS VME-ppm: VME-mg/m3: VLE-ppm: VLE-mg/m3: Notes: TMP No:</li> <li>1303-96-4 - 5 R2 -</li> <li>- UK / WEL (Workplace exposure limits, EH40/2005, 2007):</li> <li>CAS TWA: STEL: Ceiling: Definition: Criteria:</li> <li>1303-96-4 5 mg/m3</li> <li>R2A</li> <li>Stell: Ceiling: Definition: Criteria:</li> <li>1303-96-4 5 mg/m3</li> <li>R2</li> <li>-</li> <li>UK / WEL (Workplace exposure limits, EH40/2005, 2007):</li> <li>CAS TWA: STEL: Ceiling: Definition: Criteria:</li> <li>1303-96-4 5 mg/m3</li> <li>R2</li> <li>R2</li> <li>Represonal protection measures, such as personal protective equipment</li> <li>Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):</li> <li>Use personal protective equipment that is clean and has been properly maintained.</li> <li>Store personal protective equipment in a clean place, away from the work area.</li> <li>Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adeq ventilation, especially in confined areas.</li> <li>Eye / face protection</li> <li>Avoid contact with eyes.</li> <li>Use eye protectors designed to protect against liquid splashes</li> <li>Before handling, wear safety goggles in accordance with standard EN166.</li> <li>Hand protective</li> <li>gloves in the event of prolonged or repeated skin contact.</li> <li>Type of gloves recommendel :</li> <li>Natural latex</li> <li>Body protection</li> <li>Work clothing worn by personnel shall be laundered regularly.</li> </ul>	8.1. Control parame	eters					
<ul> <li>ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):</li> <li>CAS TWA: STEL: Ceiling: Definition: Criteria:</li> <li>1303-96-4 2 mg/m3 6 mg/m3 - I</li> <li>France (INRS - ED984 ;2008):</li> <li>CAS VME-ppm: VME-mg/m3: VLE-ppm: VLE-mg/m3: Notes: TMP No:</li> <li>1303-96-4 - 5 R2 -</li> <li>- UK / WEL (Workplace exposure limits, EH40/2005, 2007):</li> <li>CAS TWA: STEL: Ceiling: Definition: Criteria:</li> <li>1303-96-4 5 mg/m3</li> <li>R2A</li> <li>Stell: Ceiling: Definition: Criteria:</li> <li>1303-96-4 5 mg/m3</li> <li>R2</li> <li>-</li> <li>UK / WEL (Workplace exposure limits, EH40/2005, 2007):</li> <li>CAS TWA: STEL: Ceiling: Definition: Criteria:</li> <li>1303-96-4 5 mg/m3</li> <li>R2</li> <li>R2</li> <li>Represonal protection measures, such as personal protective equipment</li> <li>Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):</li> <li>Use personal protective equipment that is clean and has been properly maintained.</li> <li>Store personal protective equipment in a clean place, away from the work area.</li> <li>Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adeq ventilation, especially in confined areas.</li> <li>Eye / face protection</li> <li>Avoid contact with eyes.</li> <li>Use eye protectors designed to protect against liquid splashes</li> <li>Before handling, wear safety goggles in accordance with standard EN166.</li> <li>Hand protective</li> <li>gloves in the event of prolonged or repeated skin contact.</li> <li>Type of gloves recommendel :</li> <li>Natural latex</li> <li>Body protection</li> <li>Work clothing worn by personnel shall be laundered regularly.</li> </ul>	-						
1303-96-4       2 mg/m3       6 mg/m3       -       -       I         - France (INRS - ED984 : 2008) :       CAS       VME-ppm :       VLE-ppm ::       VLE-mg/m3 :       Notes :       TMP No :         1303-96-4       -       5       -       -       R2       -         - UK / WEL (Workplace exposure limits, EH40/2005, 2007) :       CAS       TWA :       STEL :       Ceiling :       Definition :       Criteria :       1303-96-4       5 mg/m3       -			of Governmental	Industrial Hyg	ienists, Threshol	d Limit Value	es, 2010) :
<ul> <li>France (INRS - ED984 :2008):</li> <li>CAS VME-ppm: VME-mg/m3: VLE-ppm: VLE-mg/m3: Notes: TMP No: 1303-96-4 - 5 R2 -</li> <li>UK / WEL (Workplace exposure limits, EH40/2005, 2007):</li> <li>CAS TWA: STEL: Ceiling: Definition: Criteria: 1303-96-4 5 mg/m3</li> <li><b>8.2. Exposure controls</b></li> </ul> Personal protection measures, such as personal protective equipment Prictogram(s) indicating the obligation of wearing personal protective equipment (PPE): Use personal protective equipment that is clean and has been properly maintained. Store personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place, away from the work area. Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adeq ventilation, especially in confined areas. <b>Eye</b> / face protection Avoid contact with eyes. Use eye protectors designed to protect against liquid splashes Before handling, wear safety goggles in accordance with standard EN166. <b>Hand protection</b> Wear suitable protective gloves in the event of prolonged or repeated skin contact. Type of gloves recommended : <ul> <li>Natural latex</li> <li><b>Body protection</b></li> <li>Work clothing worn by personnel shall be laundered regularly.</li> </ul>	CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
CAS       VME-ppm:       VME-mg/m3:       VLE-mg/m3:       Notes:       TMP No:         1303-96-4       -       5       -       -       R2       -         - UK / WEL (Workplace exposure limits, EH40/2005, 2007) :       CAS       TWA:       STEL:       Ceiling:       Definition:       Criteria:         1303-96-4       5 mg/m3       -       -       -       -       -         1303-96-4       5 mg/m3       -       -       -       -       -         1303-96-4       5 mg/m3       -       -       -       -       -         8.2 Exposure controls       -       -       -       -       -       -         Presonal protection measures, such as personal protective equipment       Presonal protective equipment (PPE) :       -       -       -         Vuse personal protective equipment in a clean place, away from the work area.       Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adeq ventilation, especially in confined areas.       -       -         • Eye / face protection       Avoid contact with eyes.       -       -       -       -         Avoid contact with eyes.       -       -       -       -       -       -         Wear suitab	1303-96-4	2 mg/m3	6 mg/m3	-	-	Ι	
1303-96-4       -       5       -       -       R2       -         - UK / WEL (Workplace exposure limits, EH40/2005, 2007) :       CAS       TWA :       STEL :       Ceiling :       Definition :       Criteria :         1303-96-4       5       mg/m3       -       -       -       -         8.1       Exposure controls       Personal protection measures, such as personal protective equipment       Personal protection measures, such as personal protective equipment (PPE) :         Image: Comparison of the obligation of wearing personal protective equipment (PPE) :       Image: Comparison of the obligation of wearing personal protective equipment (PPE) :         Image: Comparison of the obligation of wearing personal protective equipment (PPE) :       Image: Comparison of the obligation of wearing personal protective equipment (PPE) :         Image: Comparison of the obligation of wearing personal protective equipment in a clean place, away from the work area.       Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adeq ventilation, especially in confined areas.         - Eye / face protection       Avoid contact with eyes.       Image: Comparison of the obligation of repeated skin contact.         Use eye protectors designed to protect against liquid splashes       Before handling, wear safety goggles in accordance with standard EN166.         - Hand protection       Wear suitable protective gloves in the event of prolonged or repeated skin cont	- France (INRS - E	D984 :2008) :					
<ul> <li>- UK / WEL (Workplace exposure limits, EH40/2005, 2007) : CAS TWA : STEL : Ceiling : Definition : Criteria : 1303-96-4 5 mg/m3</li> <li>Representation and the standard equipment of the standard exposure controls indicating the obligation of wearing personal protective equipment (PPE) : Personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place, away from the work area. Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adeq ventilation, especially in confined areas.      </li> <li>         Eye / face protection Avoid contact with eyes. Use gers protective signed to protect against liquid splashes Before handling, wear safety goggles in accordance with standard EN166.      </li> <li>         Hand protection Wear suitable protective gloves in the event of prolonged or repeated skin contact. Type of gloves recommende: - Natural latex     </li> <li>         Body protection Work clothing worn by personnel shall be laundered regularly.     </li> </ul>	CAS	VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
CAS       TWA :       STEL :       Ceiling :       Definition :       Criteria :         1303-96-4       5 mg/m3       -       -       -       -         8.2. Exposure controls         Personal protection measures, such as personal protective equipment         Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :         With the is clean and has been properly maintained.         Store personal protective equipment in a clean place, away from the work area.         Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adeq ventilation, especially in confined areas.         -       Eye / face protection         Avoid contact with eyes.       Use eye protectors designed to protect against liquid splashes         Before handling, wear safety goggles in accordance with standard EN166.       -         -       Hand protection         Wear suitable protective gloves in the event of prolonged or repeated skin contact.          Type of gloves recommended :          -       Natural latex         -       Body protection         Work clothing worn by personnel shall be laundered regularly.	1303-96-4	-	5	-	-	R2	-
<ul> <li>1303-96-4 5 mg/m3</li> <li>8.2. Exposure controls</li> <li>Personal protection measures, such as personal protective equipment</li> <li>Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :</li> <li>Image: Store personal protective equipment that is clean and has been properly maintained.</li> <li>Store personal protective equipment in a clean place, away from the work area.</li> <li>Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adeq ventilation, especially in confined areas.</li> <li>Eye / face protection</li> <li>Avoid contact with eyes.</li> <li>Use eye protectors designed to protect against liquid splashes</li> <li>Before handling, wear safety goggles in accordance with standard EN166.</li> <li>Hand protection</li> <li>Wear suitable protective gloves in the event of prolonged or repeated skin contact.</li> <li>Type of gloves recommended :     <ul> <li>Natural latex</li> </ul> </li> <li>Body protection</li> <li>Work clothing worn by personnel shall be laundered regularly.</li> </ul>	- UK / WEL (Work	place exposure limit	its, EH40/2005, 2	2007) :			
<ul> <li>8.2. Exposure controls</li> <li>Personal protection measures, such as personal protective equipment</li> <li>Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :</li> <li>Use personal protective equipment that is clean and has been properly maintained.</li> <li>Store personal protective equipment in a clean place, away from the work area.</li> <li>Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adeq ventilation, especially in confined areas.</li> <li>Eye / face protection</li> <li>Avoid contact with eyes.</li> <li>Use eye protectors designed to protect against liquid splashes</li> <li>Before handling, wear safety goggles in accordance with standard EN166.</li> <li>Hand protection</li> <li>Wear suitable protective gloves in the event of prolonged or repeated skin contact.</li> <li>Type of gloves recommended :         <ul> <li>Natural latex</li> </ul> </li> <li>Body protection</li> <li>Work clothing worn by personnel shall be laundered regularly.</li> </ul>	CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
<ul> <li>Personal protection measures, such as personal protective equipment</li> <li>Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :</li> <li> Use personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place, away from the work area. Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adeq ventilation, especially in confined areas. Eye / face protection Avoid contact with eyes. Use eye protectors designed to protect against liquid splashes Before handling, wear safety goggles in accordance with standard EN166. Hand protection Wear suitable protective gloves in the event of prolonged or repeated skin contact. Type of gloves recommended : <ul> <li>Natural latex</li> </ul> </li> <li>Body protection</li> <li>Work clothing worn by personnel shall be laundered regularly.</li> </ul>	1303-96-4	5 mg/m3	-	-	-	-	
<ul> <li>Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :</li> <li>Use personal protective equipment that is clean and has been properly maintained.</li> <li>Store personal protective equipment in a clean place, away from the work area.</li> <li>Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adeq ventilation, especially in confined areas.</li> <li>Eye / face protection</li> <li>Avoid contact with eyes.</li> <li>Use eye protectors designed to protect against liquid splashes</li> <li>Before handling, wear safety goggles in accordance with standard EN166.</li> <li>Hand protection</li> <li>Wear suitable protective gloves in the event of prolonged or repeated skin contact.</li> <li>Type of gloves recommended :     <ul> <li>Natural latex</li> </ul> </li> <li>Body protection</li> <li>Work clothing worn by personnel shall be laundered regularly.</li> </ul>	8.2. Exposure contr	ols					
Use personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place, away from the work area. Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adeq ventilation, especially in confined areas. - Eye / face protection Avoid contact with eyes. Use eye protectors designed to protect against liquid splashes Before handling, wear safety goggles in accordance with standard EN166. - Hand protection Wear suitable protective gloves in the event of prolonged or repeated skin contact. Type of gloves recommended : - Natural latex - Body protection Work clothing worn by personnel shall be laundered regularly.	Personal protection	measures, such as	personal protec	tive equipmen	t		
<ul> <li>Store personal protective equipment in a clean place, away from the work area.</li> <li>Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adeq ventilation, especially in confined areas.</li> <li>Eye / face protection <ul> <li>Avoid contact with eyes.</li> <li>Use eye protectors designed to protect against liquid splashes</li> <li>Before handling, wear safety goggles in accordance with standard EN166.</li> </ul> </li> <li>Hand protection <ul> <li>Wear suitable protective gloves in the event of prolonged or repeated skin contact.</li> <li>Type of gloves recommended : <ul> <li>Natural latex</li> </ul> </li> <li>Body protection <ul> <li>Work clothing worn by personnel shall be laundered regularly.</li> </ul> </li> </ul></li></ul>	Pictogram(s) indica	ating the obligation	of wearing person	nal protective e	quipment (PPE)	:	
<ul> <li>Store personal protective equipment in a clean place, away from the work area.</li> <li>Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adeq ventilation, especially in confined areas.</li> <li>Eye / face protection <ul> <li>Avoid contact with eyes.</li> <li>Use eye protectors designed to protect against liquid splashes</li> <li>Before handling, wear safety goggles in accordance with standard EN166.</li> </ul> </li> <li>Hand protection <ul> <li>Wear suitable protective gloves in the event of prolonged or repeated skin contact.</li> <li>Type of gloves recommended : <ul> <li>Natural latex</li> </ul> </li> <li>Body protection <ul> <li>Work clothing worn by personnel shall be laundered regularly.</li> </ul> </li> </ul></li></ul>	/	m					
<ul> <li>Store personal protective equipment in a clean place, away from the work area.</li> <li>Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adeq ventilation, especially in confined areas.</li> <li>Eye / face protection <ul> <li>Avoid contact with eyes.</li> <li>Use eye protectors designed to protect against liquid splashes</li> <li>Before handling, wear safety goggles in accordance with standard EN166.</li> </ul> </li> <li>Hand protection <ul> <li>Wear suitable protective gloves in the event of prolonged or repeated skin contact.</li> <li>Type of gloves recommended : <ul> <li>Natural latex</li> </ul> </li> <li>Body protection <ul> <li>Work clothing worn by personnel shall be laundered regularly.</li> </ul> </li> </ul></li></ul>							
<ul> <li>Store personal protective equipment in a clean place, away from the work area.</li> <li>Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adeq ventilation, especially in confined areas.</li> <li>Eye / face protection <ul> <li>Avoid contact with eyes.</li> <li>Use eye protectors designed to protect against liquid splashes</li> <li>Before handling, wear safety goggles in accordance with standard EN166.</li> </ul> </li> <li>Hand protection <ul> <li>Wear suitable protective gloves in the event of prolonged or repeated skin contact.</li> <li>Type of gloves recommended : <ul> <li>Natural latex</li> </ul> </li> <li>Body protection <ul> <li>Work clothing worn by personnel shall be laundered regularly.</li> </ul> </li> </ul></li></ul>							
<ul> <li>Store personal protective equipment in a clean place, away from the work area.</li> <li>Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adeq ventilation, especially in confined areas.</li> <li>Eye / face protection <ul> <li>Avoid contact with eyes.</li> <li>Use eye protectors designed to protect against liquid splashes</li> <li>Before handling, wear safety goggles in accordance with standard EN166.</li> </ul> </li> <li>Hand protection <ul> <li>Wear suitable protective gloves in the event of prolonged or repeated skin contact.</li> <li>Type of gloves recommended : <ul> <li>Natural latex</li> </ul> </li> <li>Body protection <ul> <li>Work clothing worn by personnel shall be laundered regularly.</li> </ul> </li> </ul></li></ul>	Use personal protect	ctive equipment that	t is clean and has	been properly	maintained.		
<ul> <li>ventilation, especially in confined areas.</li> <li>Eye / face protection <ul> <li>Avoid contact with eyes.</li> <li>Use eye protectors designed to protect against liquid splashes</li> <li>Before handling, wear safety goggles in accordance with standard EN166.</li> </ul> </li> <li>Hand protection <ul> <li>Wear suitable protective gloves in the event of prolonged or repeated skin contact.</li> <li>Type of gloves recommended : <ul> <li>Natural latex</li> </ul> </li> <li>Body protection <ul> <li>Work clothing worn by personnel shall be laundered regularly.</li> </ul> </li> </ul></li></ul>	· ·						
Avoid contact with eyes. Use eye protectors designed to protect against liquid splashes Before handling, wear safety goggles in accordance with standard EN166. - Hand protection Wear suitable protective gloves in the event of prolonged or repeated skin contact. Type of gloves recommended : - Natural latex - Body protection Work clothing worn by personnel shall be laundered regularly.	Never est drink o			vash contamina	ated clothing bet	ore re-using.	Ensure that there is adequ
Use eye protectors designed to protect against liquid splashes Before handling, wear safety goggles in accordance with standard EN166. - Hand protection Wear suitable protective gloves in the event of prolonged or repeated skin contact. Type of gloves recommended : - Natural latex - Body protection Work clothing worn by personnel shall be laundered regularly.		<b>an</b>					
<ul> <li>Before handling, wear safety goggles in accordance with standard EN166.</li> <li>Hand protection Wear suitable protective gloves in the event of prolonged or repeated skin contact. Type of gloves recommended :  <ul> <li>Natural latex</li> </ul> </li> <li>Body protection Work clothing worn by personnel shall be laundered regularly.</li></ul>	ventilation, especia	on					
<ul> <li>Hand protection Wear suitable protective gloves in the event of prolonged or repeated skin contact. Type of gloves recommended : <ul> <li>Natural latex</li> </ul> </li> <li>Body protection Work clothing worn by personnel shall be laundered regularly. </li> </ul>	ventilation, especia - Eye / face protection						
Wear suitable protective gloves in the event of prolonged or repeated skin contact. Type of gloves recommended : - Natural latex - Body protection Work clothing worn by personnel shall be laundered regularly.	ventilation, especia - Eye / face protection Avoid contact with Use eye protectors	eyes. designed to protect					
Type of gloves recommended : - Natural latex - Body protection Work clothing worn by personnel shall be laundered regularly.	ventilation, especia - Eye / face protection Avoid contact with Use eye protectors Before handling, w	eyes. designed to protect			66.		
<ul> <li>Natural latex</li> <li>Body protection</li> <li>Work clothing worn by personnel shall be laundered regularly.</li> </ul>	<ul> <li>ventilation, especia</li> <li>Eye / face protection</li> <li>Avoid contact with</li> <li>Use eye protectors</li> <li>Before handling, w</li> <li>Hand protection</li> </ul>	eyes. designed to protect rear safety goggles in	n accordance with	h standard EN1			
Work clothing worn by personnel shall be laundered regularly.	<ul> <li>ventilation, especia</li> <li>Eye / face protection</li> <li>Avoid contact with</li> <li>Use eye protectors</li> <li>Before handling, w</li> <li>Hand protection</li> <li>Wear suitable protectors</li> </ul>	eyes. designed to protect rear safety goggles in ective gloves in the	n accordance with	h standard EN1			
	<ul> <li>ventilation, especia</li> <li>Eye / face protection</li> <li>Avoid contact with</li> <li>Use eye protectors</li> <li>Before handling, w</li> <li>Hand protection</li> <li>Wear suitable protectors</li> <li>Type of gloves recommendation</li> </ul>	eyes. designed to protect rear safety goggles in ective gloves in the	n accordance with	h standard EN1			
After contact with the product, all parts of the body that have been soiled must be washed.	<ul> <li>ventilation, especia</li> <li>Eye / face protection</li> <li>Avoid contact with</li> <li>Use eye protectors</li> <li>Before handling, w</li> <li>Hand protection</li> <li>Wear suitable protection</li> <li>Type of gloves recording - Natural latex</li> <li>Body protection</li> </ul>	eyes. designed to protect 'ear safety goggles in ective gloves in the o ommended :	n accordance wit	h standard EN1			
	<ul> <li>ventilation, especia</li> <li>Eye / face protection</li> <li>Avoid contact with</li> <li>Use eye protectors</li> <li>Before handling, w</li> <li>Hand protection</li> <li>Wear suitable protection</li> <li>Type of gloves recording - Natural latex</li> <li>Body protection</li> </ul>	eyes. designed to protect 'ear safety goggles in ective gloves in the o ommended :	n accordance wit	h standard EN1			
	<ul> <li>ventilation, especia</li> <li>Eye / face protection</li> <li>Avoid contact with</li> <li>Use eye protectors</li> <li>Before handling, weight with the second seco</li></ul>	eyes. designed to protect ear safety goggles in ective gloves in the o ommended : n by personnel shall	n accordance with event of prolonge be laundered reg	h standard EN1 ed or repeated s gularly.	kin contact.	ed.	
	<ul> <li>ventilation, especia</li> <li>Eye / face protection</li> <li>Avoid contact with</li> <li>Use eye protectors</li> <li>Before handling, w</li> <li>Hand protection</li> <li>Wear suitable protection</li> <li>Wear suitable protection</li> <li>Natural latex</li> <li>Body protection</li> <li>Work clothing work</li> </ul>	eyes. designed to protect ear safety goggles in ective gloves in the o ommended : n by personnel shall	n accordance with event of prolonge be laundered reg	h standard EN1 ed or repeated s gularly.	kin contact.	ed.	

Version 1.1 (30/10/2012) - Page 4/6 Company: Max Sauer SAS

ECTION 9 : PHYSICAL AND CHEMICAL PROPERTIE			
9.1. Information on basic physical and chemical propertie	28		
General information :			
Physical state :	viscous liquid.		
Important health, safety and environmental information			
pH :	Not stated.		
	slightly basic.		
Boiling point/boiling range :	not specified.		
Flash point interval :	not relevant.		
Vapour pressure :	not relevant.		
Density :	> 1		
Water solubility :	Dilutable.		
Melting point/melting range :	not specified.		
Self-ignition temperature :	not specified.		
Decomposition point/decomposition range :	not specified.		
9.2. Other information			
No data available.			
ECTION 10 : STABILITY AND REACTIVITY			
10.1. Reactivity			
No data available.			
10.2. Chemical stability			
This mixture is stable under the recommended handling and	d storage conditions in section 7.		
10.3. Possibility of hazardous reactions			
No data available.			
10.4. Conditions to avoid			
10.5. Incompatible materials			
10.6. Hazardous decomposition products			
The thermal decomposition may release/form :			
- carbon monoxide (CO)			
- carbon dioxide (CO2)			
ECTION 11 : TOXICOLOGICAL INFORMATION			
<b>11.1. Information on toxicological effects</b> No data available.			
11.1.1. Substances			
No toxicological data available for the substances.			
11.1.2. Mixture			
No toxicological data available for the mixture.			
ECTION 12 : ECOLOGICAL INFORMATION			
12.1. Toxicity			
12.1.1. Substances			
No aquatic toxicity data available for the substances.			
12.1.2. Mixtures			
Nu a superior de la constante			

No aquatic toxicity data available for the mixture.

Version 1.1 (30/10/2012) - Page 5/6 Company: Max Sauer SAS

#### 12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

## SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

#### **SECTION 14 : TRANSPORT INFORMATION**

#### Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2011 - IMDG 2010 - ICAO/IATA 2012).

### SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Particular provisions :
- No data available.

- Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704) :

NFPA 704, Labelling: Health=0 Inflammability=1 Instability/Reactivity=1 Specific Risk=none



15.2. Chemical safety assessment

No data available.

Version 1.1 (30/10/2012) - Page 6/6 Company: Max Sauer SAS

# **SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## Title for H, EUH and R indications mentioned in section 3 :

H360FD	May damage fertility. May damage the unborn child.
R 60.F2	May impair fertility.
R 61.G2	May cause harm to the unborn child.

### Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.