SAFETY DATA SHEET

Issuing Date 6/1/2015 Revision Date 6/1/2015 Revision Number 1

1. IDENTIFICATION

Product Identifier

Product Name NOP12, NOP24, NOP36

Other means of identification

Synonyms NONE

Recommended use of the chemical and restrictions on use

Recommended use Artistic Medium

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier NameYasutomo Inc.Supplier Address1805 Rollins

Road

Supplier Phone Number Burlingame, CA 650 737 8888

Supplier Email <u>yasutomo490@gmail.com</u>

Emergency telephone number 650 737 8888

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity Category 1A

GHS Label elements, including precautionary statements

Danger

Emergency Overview

Signal word Hazard Statements

May cause cancer



AppearanceMultiple ColorsPhysical StateSolidOdorCharacteristic

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazard not otherwise classified (HNOC)

NA

Unknown Toxicity

NΑ

Other information

No information available

Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Carbon Black	1333-86-4	1-5%	*
Titanium Dioxide	13463-67-7	5-10%	*
Pigment green 36	14302-13-7	1-5%	*
Phthalocyanine green	1328-53-6	1-5%	*
Phthalocyanine blue	147-14-8	1-5%	*
Methyl violet	1325-82-2	1-5%	*
Magnesium Carbonate Anhydrous	546-93-0	2-10%	*
Calcium Carbonate	471-34-1	44-55%	*
Stearic Acid	57-11-4	1-5%	*

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.

Skin Contact Wash with soap and water.

Inhalation Remove to fresh air.

Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious

person.

Most Important symptoms and effects, both acute and delayed

Most Important symptoms and effects
No information available.
Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.
Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing appartus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes.

Other information Refer to protective measures listed in Sections 7 and 8

Environmental Precautions

Environmental Precautions Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for ContainmentPrevent further leakage or spillage if safe to do so.Methods for cleaning upPick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or

clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash

before reuse.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed.

Incompatible products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Carbon Black 1333-86-4	TWA: 3 mg/m3 Cu inhalable fraction	TWA: 3.5 mg/m3 (vacated) TWA: 3.5 mg/m3	IDLH: 1750 mg/m3 TWA: 3.5 mg/m3
			TWA: 0.1 mg/m3 Carbon black in presence of Polycyclic aromatic hydrocarbons PAH
Titanium Dioxide 13463-67-7	TWA: 10 mg/m3	TWA: 15 mg/m3 total dust (vacated) TWA: 10 mg/m3 total dust	IDLH: 5000 mg/m3
Pigment green 36 14302-13-7	TWA: 1mg/m3 Cu dust and mist	-	IDLH: 100mg/m3 Cu dust and mist TWA 1 mg/m3 Cu dust and mist
Phthalocyanine green 1328-53-6	TWA: 1mg/m3 Cu dust and mist	-	IDLH: 100mg/m3 Cu dust and mist TWA 1 mg/m3 Cu dust and mist
Phthalocyanine blue 147- 14-8	TWA: 1mg/m3 Cu dust and mist	-	IDLH: 100mg/m3 Cu dust and mist TWA 1 mg/m3 Cu dust and mist
Calcium Carbonate 471-34-1	TWA: 10 mg/m3	TWA: 15 mg/m3 total dust	-
Phthalocyanine blue 147- 14-8	-	TWA: 15 mg/m3 total dust TWA: 5 mg/m3 respirable fraction	TWA: 10mg/m3 total dust TWA: 5 mg/m3 respirable dust

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration -

Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA,

965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control

parameters

Appropriate engineering controls

Engineering Measures Showers, Eyewash stations, Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face ProtectionNo special protective equipment required. **Skin and Body Protection**Wear protective gloves and protective clothing.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure

limites are exceeded or irritation is experienced, ventilation and evacuation

may be required.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	e Solid					
Appearance	Multiple Colors			Odor		Characteristic
Color	No information availa	ble		Odor 1	hreshold	No information available

<u>Property</u>	<u>Values</u>	Remarks Method
рН	No data available	None known
Melting/Freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	No data available	None known
Evaporation Rate	No data available	None known
Fammability (solid, gas)	No data available	None known
Flammability Limit in Air		
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	No data available	None known
Water Solubility	Soluble in water	None known
Solubility in other solvents	No data available	None known
Partition coefficient:	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No data available	
Oxidizing Properties	No data available	
Other Information		
Softening Point	No data available	
VOC Content (%)	No data available	
Particle Size	No data available	
Particle Size Distribution		

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

InhalationSpecific test data for the substance or mixture is not available.Eye ContactSpecific test data for the substance or mixture is not available.Skin ContactSpecific test data for the substance or mixture is not available.IngestionSpecific test data for the substance or mixture is not available.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium Dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
Phthalocyanine green 1328-53-6	> 3000 mg/kg (Rat)	-	-
Carbon Black 1333-86-4	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	_
alcium Carbonate 471 34-1	> 6450 mg/kg (Rat)	-	_

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium Dioxide		Group 2B		x
13463-67-7				
Carbon Black	A3	Group 2B		x

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Dept of Labor)

X - Present

Reproductive Toxicity

STOT - single exposure

STOT - repeated exposure

No information available
No information available

Chronic Toxicity Contains a known or suspected carcinogen. May cause adverse effects on the

bone marrow and blood-forming system. May cause adverse liver effects.

Target Organ Effects Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Bladder. Blood.

Aspiration Hazard No information available

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 18,587.00 mg/kg

ATEmix (inhalation-dust/mist)

Item Numbers: 21911-0129, 21911-0249, 21911-0369 Page **5** of 8

78.90 mg/l

ATEmix (inhalation-vapor)

579.00 ATEmix

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Phthalocyanine green 1328-53-6		96h LC50: = 752.4 mg/L (Lepomis macrochirus)	EC50 > 10000 mg/L 30 min	24h EC50: >500 mg/L
Phthalocyanine blue 147- 14-8		48h LC50: > 100 mg/L (Oryzias		
Carbon Black 1333-86-4				24h EC50: >5600 mg/L

Persistance and Degradability

No information available.

Bioaccumulation

Chemical Name		Log Pow	
Phthalocyanine blue	147-14-8	6.6	

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods Dispose of contents/containers in accordance with local regulations.

Contaminated Packaging

Do not reuse empty containers.

California Hazardous Waste Codes

 $This \ product \ contains \ one \ or \ more \ substances \ that \ are \ listed \ with \ the \ State \ of \ California \ as \ a \ hazardous \ was tended as \ a \ hazardous \ hazardous \ was tended as \ a \ hazardous \ haz$

Chemical Name		California Hazardous Waste	
Pigment green 36	14302-13-7	Toxic	
Phthalocyanine green	1328-53-6	Toxic	
Phthalocyanine blue	147-14-8	Toxic	

	14. TRANSPORT INFORMATION
DOT	Not Regulated
<u>TDG</u>	Not Regulated
MEX	Not Regulated
<u>ICAO</u>	Not Regulated
<u>IATA</u>	Not Regulated
IMDG/IMO	Not Regulated
RID	Not Regulated
<u>ADR</u>	Not Regulated
<u>AND</u>	Not Regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight - %	SARA 313 - Threshold Values
Pigment Green	14302-13-7	1-5%	1.0
Phthalocyanine green	1328-53-6	1-5%	1.0
Phthalocyanine blue	147-14-8	1-5%	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA -	CWA - Toxic	CWA - Priority Pollutants	CWA - Hazardous
	Reportable	Pollutants		Substances
	Quantities			
Pigment Green		Х		
Phthalocyanine green		Х		
Phthalocyanine blue		X		

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Ammendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to release of this material.

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Calcium Carbonate 471-34-41	Х		Х		
Titanium Dioxide 13463-67-7	Х	Х	Х		
Carbon Black 1333-86-4	Х	Х	Х		Х

International Regulations

Item Numbers: 21911-0129, 21911-0249, 21911-0369 Page **7** of 8

Mexico

National Occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Titanium Dioxide		Mexico: TWA = 10 mg/m3
13463-67-7 (5-10)		Mexico: STEL - 20 mg/m3
Carbon Black		Mexico: TWA = 3.5 mg/m3
1333-86-4 (1-5)		Mexico: STEL - 7 mg/m3

Mexico - Occupational Exposure Limits - Carcinogens

Canada WHMIS Hazard Class D2A - Very toxic materials



		16. OTHER INFORMATION		
NFPA	Health Hazards	1 Flammability (Instability	0	Physical and Chemical Hazards -
HMIS	Health Hazards	1* Flammability (Physical Hazard	0	Personal Protection X

Chronic Hazard Star Legend * = Chronic Health Hazard

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet