

Safety data sheet

MSDS for #22198 - MONTANA BLK INK according to 1907/2006/EC, Article 31


Printing date 09.10.2012

Revision: 09.10.2012

1 Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** *Montana Black Ink black*
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the preparation** *Fibre pen ink*
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
*Georg Linz GmbH & Co.KG
 Röthensteig 17
 Germany-90408 Nürnberg
 Phone: +49(0) 911/937719-0
 Fax : +49(0) 911/937719-44
 info@linz-pen.de*
- **Further information obtainable from:** *as above*
- **1.4 Emergency telephone number:** *as above*

2 Hazards identification

- **2.1 Classification of the substance or mixture**
 - **Classification according to Regulation (EC) No 1272/2008**
The product is not classified according to the CLP regulation.
 - **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** *F Highly flammable*
 - **Hazard description:** *F Highly flammable*
 - **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
R 11 Highly flammable.
 - **Classification system:**
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
 - **2.2 Label elements**
 - **Labelling according to EU guidelines:**
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.
 - **Code letter and hazard designation of product:**
- 

F Highly flammable
- **Risk phrases:** *11 Highly flammable.*
 - **Safety phrases:**
*2 Keep out of the reach of children.
 7 Keep container tightly closed.
 18 Handle and open container with care.
 20/21 When using do not eat, drink or smoke.
 24/25 Avoid contact with skin and eyes.
 29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.*
 - **2.3 Other hazards**
 - **Results of PBT and vPvB assessment**
 - **PBT:** *Not applicable.*
 - **vPvB:** *Not applicable.*

GB

(Contd. on page 2)

Safety data sheet

MSDS for #22198 - MONTANA BLK INK according to 1907/2006/EC, Article 31

Page 2 of 7




Printing date 09.10.2012

Revision: 09.10.2012

Trade name: Montana Black Ink black

(Contd. of page 1)

3 Composition/information on ingredients· **3.2 Mixtures**· **Description:** Mixture of substances listed below with nonhazardous additions.· **Dangerous components:**

Ethyloxidhydrat	 F R11  Flam. Liq. 2, H225	50-100%
1,2-Propylenglycol-1-monomethylether	R10  Flam. Liq. 3, H226	2.5-10%

· **Additional information:** For the wording of the listed risk phrases refer to section 16.**4 First aid measures**· **4.1 Description of first aid measures**· **After inhalation:** Supply fresh air; consult doctor in case of complaints.· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Firefighting measures· **5.1 Extinguishing media**· **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.· **For safety reasons unsuitable extinguishing agents:**

Water

Water with full jet

· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.· **5.3 Advice for firefighters**· **Protective equipment:** No special measures required.**6 Accidental release measures**· **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Prevent seepage into sewage system, workpits and cellars.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

GB

Safety data sheet

MSDS for #22198 - MONTANA BLK INK according to 1907/2006/EC, Article 31

Page 3 of 7

Printing date 09.10.2012

Revision: 09.10.2012

Trade name: Montana Black Ink black

See Section 13 for disposal information.

(Contd. of page 2)

7 Handling and storage

- **7.1 Precautions for safe handling** Open and handle receptacle with care.
- **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **7.3 Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

· **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

EthyloxidhydratWEL Long-term value: 1920 mg/m³, 1000 ppm**1,2-Propylenglycol-1-monomethylether**WEL Short-term value: 560 mg/m³, 150 ppmLong-term value: 375 mg/m³, 100 ppm

Sk

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.
- **Protection of hands:**
Protective gloves recommended during handling/refilling large quantities.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Not suitable are gloves made of the following materials:** Natural rubber, NR
- **Eye protection:**
Tightly sealed goggles
Tightly sealed goggles recommended during refiling/handling larger quantities.

GB
(Contd. on page 4)

Safety data sheet

MSDS for #22198 - MONTANA BLK INK according to 1907/2006/EC, Article 31

Page 4 of 7

Printing date 09.10.2012

Revision: 09.10.2012

Trade name: Montana Black Ink black

(Contd. of page 3)

9 Physical and chemical properties**· 9.1 Information on basic physical and chemical properties****· General Information****· Appearance:**

Form: Fluid
Colour: According to product specification

· Odour: Characteristic

· Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 78°C

· Flash point: 11°C

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature: 425°C

· Decomposition temperature: Not determined.

· Self-igniting: Product is not selfigniting.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· Explosion limits:

Lower: 3.5 Vol %

Upper: 15.0 Vol %

· Vapour pressure at 20°C: 59 hPa

· Density: Not determined.

· Relative density Not determined.

· Vapour density Not determined.

· Evaporation rate Not determined.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

· Solvent content:

Organic solvents: 78.0 % (up to)

Water: 1.1 %

Solids content: 20.9 %

· 9.2 Other information No further relevant information available.

10 Stability and reactivity**· 10.1 Reactivity****· 10.2 Chemical stability**

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)

GB

Safety data sheet

MSDS for #22198 - MONTANA BLK MRRK according to 1907/2006/EC, Article 31

Page 5 of 7

Printing date 09.10.2012

Revision: 09.10.2012

Trade name: Montana Black Ink black

· **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. of page 4)

11 Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

12 Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

13 Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Waste disposal key:** recommendation: 080111 (waste containing organic solvents)
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---------------------------------------|--|
| · 14.1 UN-Number | UN1263 |
| · ADR, IMDG, IATA | |
| · 14.2 UN proper shipping name | 1263 PAINT (vapour pressure at 50°C not more than 110 kPa) |
| · ADR | |
| · IMDG, IATA | PAINT |

(Contd. on page 6)

GB

Safety data sheet

MSDS for #22198 - MONTANA BLK INK according to 1907/2006/EC, Article 31

Page 6 of 7

Printing date 09.10.2012

Revision: 09.10.2012

Trade name: Montana Black Ink black

(Contd. of page 5)

· 14.3 Transport hazard class(es)

· ADR, IMDG, IATA



· Class 3 Flammable liquids.
 · Label 3

· 14.4 Packing group

· ADR, IMDG, IATA II

· 14.5 Environmental hazards:

· Marine pollutant: No

· 14.6 Special precautions for user

Warning: Flammable liquids.

· Danger code (Kemler): 33

· EMS Number: F-E,S-E

· 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

· Transport/Additional information:

· ADR

· Tunnel restriction code D/E

· UN "Model Regulation":

UN1263, PAINT (vapour pressure at 50°C not more than 110 kPa), 3, II

15 Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations:

· Technical instructions (air):

Class	Share in %
Wasser	1.1
NK	76.3

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

R10 Flammable.

R11 Highly flammable.

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

(Contd. on page 7)

GB

Safety data sheetMSDS for #22198 - MONTANA BLK MRRR **amending to 1907/2006/EC, Article 31**

Page 7 of 7

Printing date 09.10.2012

Revision: 09.10.2012

Trade name: Montana Black Ink black

(Contd. of page 6)

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**IATA: International Air Transport Association**GHS: Globally Harmonized System of Classification and Labelling of Chemicals*

GB