

23707-1005

Scotch® Photo Mount Spray Adhesive 6090, 6094 08/26/21



## Safety Data Sheet

Copyright, 2021, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |           |                         |          |
|------------------------|-----------|-------------------------|----------|
| <b>Document Group:</b> | 26-3876-5 | <b>Version Number:</b>  | 9.01     |
| <b>Issue Date:</b>     | 08/26/21  | <b>Supersedes Date:</b> | 08/02/21 |

### SECTION 1: Identification

#### 1.1. Product identifier

Scotch® Photo Mount Spray Adhesive 6090, 6094

#### Product Identification Numbers

70-0050-3203-5, 70-0050-3946-9, 70-0050-5653-9, 70-0051-8194-9, 70-0051-8195-6, 70-0051-8276-4, 70-0052-6164-2  
7010295092, 7000144667, 7010333422

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Adhesive

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(13)) for consumer paint or coating removal.

#### 1.3. Supplier's details

|                      |   |
|----------------------|---|
| <b>MANUFACTURER:</b> | 3M                                      |
| <b>DIVISION:</b>     | Stationery and Office Supplies Division |
| <b>ADDRESS:</b>      | 3M Center, St. Paul, MN 55144-1000, USA |
| <b>Telephone:</b>    | 1-888-3M HELPS (1-888-364-3577)         |

#### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

### SECTION 2: Hazard identification

#### 2.1. Hazard classification

Flammable Aerosol: Category 1.  
Gas Under Pressure: Liquefied gas.  
Serious Eye Damage/Irritation: Category 2A.  
Skin Sensitizer: Category 1B.  
Reproductive Toxicity: Category 1B.  
Simple Asphyxiant.  
Specific Target Organ Toxicity (single exposure): Category 1.  
Specific Target Organ Toxicity (single exposure): Category 3.

#### 2.2. Label elements

Signal word


|   |          |
|---|----------|
| Scotch® Photo Mount Spray Adhesive 6090, 6094 | 08/26/21 |
|---|----------|

Danger

**Symbols**

Flame | Gas cylinder | Exclamation mark | Health Hazard |

**Pictograms**



**Hazard Statements**

Extremely flammable aerosol.  
Contains gas under pressure; may explode if heated.

Causes serious eye irritation.  
May cause an allergic skin reaction.  
May cause drowsiness or dizziness.  
May damage fertility or the unborn child.  
May displace oxygen and cause rapid suffocation.

Causes damage to organs:  
cardiovascular system |

**Precautionary Statements**

**Prevention:**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
Do not spray on an open flame or other ignition source.  
Pressurized container: Do not pierce or burn, even after use.  
Do not breathe dust/fume/gas/mist/vapors/spray.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves and eye/face protection.  
Do not eat, drink or smoke when using this product.  
Wash thoroughly after handling.  
Contaminated work clothing must not be allowed out of the workplace.

**Response:**

IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.  
IF ON SKIN: Wash with plenty of soap and water.  
If skin irritation or rash occurs: Get medical advice/attention.  
Wash contaminated clothing before reuse.  
IF exposed or concerned: Get medical advice/attention.  
Specific treatment (see Notes to Physician on this label).

**Storage:**

Protect from sunlight. Do not expose to temperatures exceeding 50C/122F.  
Store in a well-ventilated place. Keep container tightly closed.  
Store locked up.

|   |          |
|---|----------|
| Scotch® Photo Mount Spray Adhesive 6090, 6094 | 08/26/21 |
|---|----------|

**Disposal:**

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

**Notes to Physician:**

Exposure may increase myocardial irritability. Do not administer sympathomimetic drugs unless absolutely necessary.

**Supplemental Information:**

May cause frostbite. Intentional concentration and inhalation may be harmful or fatal.

12% of the mixture consists of ingredients of unknown acute oral toxicity.

12% of the mixture consists of ingredients of unknown acute dermal toxicity.

### SECTION 3: Composition/information on ingredients

| Ingredient                              | C.A.S. No.    | % by Wt                |
|---|---------------|------------------------|
| ACETONE                                 | 67-64-1       | 30 - 40 Trade Secret * |
| PROPANE                                 | 74-98-6       | 20 - 40 Trade Secret * |
| CYCLOHEXANE                             | 110-82-7      | 10 - 30 Trade Secret * |
| NON-VOLATILE INGREDIENTS                | Trade Secret* | 10 - 30 Trade Secret * |
| ROSIN, FUMARATED, POLYMER WITH GLYCEROL | 65997-10-6    | 1 - 5 Trade Secret *   |
| HEPTANE                                 | 142-82-5      | <= 1.2 Trade Secret *  |
| TOLUENE                                 | 108-88-3      | <= 0.75 Trade Secret * |
| METHYLENE CHLORIDE                      | 75-09-2       | < 0.001 Trade Secret * |

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

### SECTION 4: First aid measures

**4.1. Description of first aid measures****Inhalation:**

Remove person to fresh air. Get medical attention.

**Skin Contact:**

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

**Eye Contact:**

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

**If Swallowed:**

Rinse mouth. If you feel unwell, get medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

Allergic skin reaction (redness, swelling, blistering, and itching). Central nervous system depression (headache, dizziness, drowsiness, incoordination, nausea, slurred speech, giddiness, and unconsciousness). Target organ effects. See Section 11 for additional details.

**4.3. Indication of any immediate medical attention and special treatment required**

Exposure may increase myocardial irritability. Do not administer sympathomimetic drugs unless absolutely necessary.

### SECTION 5: Fire-fighting measures

|   |          |
|---|----------|
| Scotch® Photo Mount Spray Adhesive 6090, 6094 | 08/26/21 |
|---|----------|

**5.1. Suitable extinguishing media**

Use a fire fighting agent suitable for the surrounding fire.

**5.2. Special hazards arising from the substance or mixture**

Closed containers exposed to heat from fire may build pressure and explode.

**Hazardous Decomposition or By-Products****Substance**

Carbon monoxide  
Carbon dioxide

**Condition**

During Combustion  
During Combustion

**5.3. Special protective actions for fire-fighters**

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

**6.2. Environmental precautions**

For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

**6.3. Methods and material for containment and cleaning up**

If possible, seal leaking container. Place leaking containers in a well-ventilated area, preferably an operating exhaust hood, or if necessary outdoors on an impermeable surface until appropriate packaging for the leaking container or its contents is available. Contain spill. Cover spill area with a fire-extinguishing foam. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and SDS. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Do not use in a confined area with minimal air exchange. Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.) Use personal protective equipment (gloves, respirators, etc.) as required.

**7.2. Conditions for safe storage including any incompatibilities**

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight. Do not expose to temperatures exceeding 50C/122F. Store away from heat. Store away from acids. Store away from oxidizing agents.

Scotch® Photo Mount Spray Adhesive 6090, 6094 08/26/21

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Occupational exposure limits**

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient         | C.A.S. No. | Agency | Limit type                   | Additional Comments                         |
|--------------------|------------|--------|------------------------------|---|
| TOLUENE            | 108-88-3   | ACGIH  | TWA:20 ppm                   | A4: Not class. as human carcin, Ototoxicant |
| TOLUENE            | 108-88-3   | OSHA   | TWA:200 ppm;CEIL:300 ppm     |   |
| CYCLOHEXANE        | 110-82-7   | ACGIH  | TWA:100 ppm                  |   |
| CYCLOHEXANE        | 110-82-7   | OSHA   | TWA:1050 mg/m3(300 ppm)      |   |
| HEPTANE            | 142-82-5   | ACGIH  | TWA:400 ppm;STEL:500 ppm     |   |
| HEPTANE            | 142-82-5   | OSHA   | TWA:2000 mg/m3(500 ppm)      |   |
| ACETONE            | 67-64-1    | ACGIH  | TWA:250 ppm;STEL:500 ppm     | A4: Not class. as human carcin              |
| ACETONE            | 67-64-1    | OSHA   | TWA:2400 mg/m3(1000 ppm)     |   |
| PROPANE            | 74-98-6    | ACGIH  | Limit value not established: | simple asphyxiant                           |
| PROPANE            | 74-98-6    | OSHA   | TWA:1800 mg/m3(1000 ppm)     |   |
| METHYLENE CHLORIDE | 75-09-2    | ACGIH  | TWA:50 ppm                   | A3: Confirmed animal carcin.                |
| METHYLENE CHLORIDE | 75-09-2    | OSHA   | TWA:25 ppm;STEL:125 ppm      | 29 CFR 1910.1052, SKIN                      |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

**8.2. Exposure controls****8.2.1. Engineering controls**

Do not remain in area where available oxygen may be reduced. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

**8.2.2. Personal protective equipment (PPE)****Eye/face protection**

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full Face Shield

Indirect Vented Goggles

**Skin/hand protection**

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

|  |                 |
|--|-----------------|
| <b>Scotch® Photo Mount Spray Adhesive 6090, 6094</b> | <b>08/26/21</b> |
|--|-----------------|

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

### Respiratory protection

Wear respiratory protection if ventilation is inadequate to prevent overexposure. An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:  
Half facepiece or full facepiece supplied-air respirator

For questions about suitability for a specific application, consult with your respirator manufacturer.

### Thermal hazards

Wear cold insulating gloves/face shield/eye protection.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|  |  |
|--|--|
| <b>Appearance</b>                              |  |
| Physical state                                 | Liquid   |
| Color  | Yellow-Gold  |
| <b>Odor</b>                                    | Solvent  |
| <b>Odor threshold</b>                          | <i>No Data Available</i>                                     |
| <b>pH</b>                                      | <i>Not Applicable</i>  |
| <b>Melting point</b>                           | <i>Not Applicable</i>  |
| <b>Boiling Point</b>                           | -40 °F   |
| <b>Flash Point</b>                             | <=-100 °F [ <i>Test Method: Closed Cup</i> ]                 |
| <b>Evaporation rate</b>                        | <i>No Data Available</i>                                     |
| <b>Flammability (solid, gas)</b>               | Not Applicable   |
| <b>Flammable Limits(LEL)</b>                   | 1.6 %  |
| <b>Flammable Limits(UEL)</b>                   | 8.4 %  |
| <b>Vapor Pressure</b>                          | 4760 mmHg  |
| <b>Vapor Density</b>                           | <i>No Data Available</i>                                     |
| <b>Density</b>                                 | 0.7 g/ml   |
| <b>Specific Gravity</b>                        | 0.7 [ <i>Ref Std: WATER=1</i> ]                              |
| <b>Solubility in Water</b>                     | Negligible   |
| <b>Solubility- non-water</b>                   | <i>No Data Available</i>                                     |
| <b>Partition coefficient: n-octanol/ water</b> | <i>No Data Available</i>                                     |
| <b>Autoignition temperature</b>                | <i>No Data Available</i>                                     |
| <b>Decomposition temperature</b>               | <i>No Data Available</i>                                     |
| <b>Viscosity</b>                               | <i>No Data Available</i>                                     |
| <b>Hazardous Air Pollutants</b>                | 0 % weight   |
| <b>Molecular weight</b>                        | <i>No Data Available</i>                                     |
| <b>Volatile Organic Compounds</b>              | 50 %   |
| <b>Percent volatile</b>                        | 85 %   |
| <b>VOC Less H2O &amp; Exempt Solvents</b>      | 494 g/l [ <i>Test Method: calculated SCAQMD rule 443.1</i> ] |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

|   |          |
|---|----------|
| Scotch® Photo Mount Spray Adhesive 6090, 6094 | 08/26/21 |
|---|----------|

**10.2. Chemical stability**

Stable.

**10.3. Possibility of hazardous reactions**

Hazardous polymerization will not occur.

**10.4. Conditions to avoid**

Heat

Sparks and/or flames

**10.5. Incompatible materials**

None known.

**10.6. Hazardous decomposition products****Substance****Condition**

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

**SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

**11.1. Information on Toxicological effects****Signs and Symptoms of Exposure**

Based on test data and/or information on the components, this material may produce the following health effects:

**Inhalation:**

Simple Asphyxiation: Signs/symptoms may include increased heart rate, rapid respirations, drowsiness, headache, incoordination, altered judgement, nausea, vomiting, lethargy, seizures, coma, and may be fatal.

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

May cause additional health effects (see below).

**Skin Contact:**

Frostbite: Signs/symptoms may include intense pain, discoloration of skin, and tissue destruction.

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

**Eye Contact:**

Frostbite: Signs/symptoms may include intense pain, clouding of the cornea, redness, swelling, and blindness.

Severe Eye Irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

|   |          |
|---|----------|
| Scotch® Photo Mount Spray Adhesive 6090, 6094 | 08/26/21 |
|---|----------|

**Ingestion:**

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

May cause additional health effects (see below).

**Additional Health Effects:****Single exposure may cause target organ effects:**

Central Nervous System (CNS) Depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

Single exposure, above recommended guidelines, may cause: Cardiac Sensitization: Signs/symptoms may include irregular heartbeat (arrhythmia), faintness, chest pain, and may be fatal.

**Reproductive/Developmental Toxicity:**

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

**Carcinogenicity:**

| Ingredient         | CAS No. | Class Description             | Regulation                                  |
|--------------------|---------|-------------------------------|---|
| METHYLENE CHLORIDE | 75-09-2 | Grp. 2A: Probable human carc. | International Agency for Research on Cancer |
| METHYLENE CHLORIDE | 75-09-2 | Anticipated human carcinogen  | National Toxicology Program Carcinogens     |
| METHYLENE CHLORIDE | 75-09-2 | Cancer hazard                 | OSHA Carcinogens                            |

**Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

| Name               | Route                      | Species | Value  |
|--------------------|----------------------------|---------|--|
| Overall product    | Dermal                     |         | No data available; calculated ATE >5,000 mg/kg |
| Overall product    | Inhalation-Vapor (4 hr)    |         | No data available; calculated ATE >50 mg/l     |
| Overall product    | Ingestion                  |         | No data available; calculated ATE >5,000 mg/kg |
| PROPANE            | Inhalation-Gas (4 hours)   | Rat     | LC50 > 200,000 ppm                             |
| ACETONE            | Dermal                     | Rabbit  | LD50 > 15,688 mg/kg                            |
| ACETONE            | Inhalation-Vapor (4 hours) | Rat     | LC50 76 mg/l                                   |
| ACETONE            | Ingestion                  | Rat     | LD50 5,800 mg/kg                               |
| CYCLOHEXANE        | Dermal                     | Rat     | LD50 > 2,000 mg/kg                             |
| CYCLOHEXANE        | Inhalation-Vapor (4 hours) | Rat     | LC50 > 32.9 mg/l                               |
| CYCLOHEXANE        | Ingestion                  | Rat     | LD50 6,200 mg/kg                               |
| HEPTANE            | Dermal                     | Rabbit  | LD50 3,000 mg/kg                               |
| HEPTANE            | Inhalation-Vapor (4 hours) | Rat     | LC50 103 mg/l                                  |
| HEPTANE            | Ingestion                  | Rat     | LD50 > 15,000 mg/kg                            |
| TOLUENE            | Dermal                     | Rat     | LD50 12,000 mg/kg                              |
| TOLUENE            | Inhalation-Vapor (4 hours) | Rat     | LC50 30 mg/l                                   |
| TOLUENE            | Ingestion                  | Rat     | LD50 5,550 mg/kg                               |
| METHYLENE CHLORIDE | Dermal                     | Rat     | LD50 > 2,000 mg/kg                             |
| METHYLENE CHLORIDE | Inhalation-Vapor (4 hours) | Rat     | LC50 63.7 mg/l                                 |



Scotch® Photo Mount Spray Adhesive 6090, 6094 08/26/21

|                    |           |     |                  |
|--------------------|-----------|-----|------------------|
| METHYLENE CHLORIDE | Ingestion | Rat | LD50 1.410 mg/kg |
|--------------------|-----------|-----|------------------|

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

| Name                                    | Species       | Value                     |
|---|---------------|---------------------------|
| PROPANE                                 | Rabbit        | Minimal irritation        |
| ACETONE                                 | Mouse         | Minimal irritation        |
| CYCLOHEXANE                             | Rabbit        | Mild irritant             |
| ROSIN, FUMARATED, POLYMER WITH GLYCEROL | In vitro data | No significant irritation |
| HEPTANE                                 | Human         | Mild irritant             |
| TOLUENE                                 | Rabbit        | Irritant                  |
| METHYLENE CHLORIDE                      | Rabbit        | Irritant                  |

**Serious Eye Damage/Irritation**

| Name                                    | Species                | Value                     |
|---|------------------------|---------------------------|
| PROPANE                                 | Rabbit                 | Mild irritant             |
| ACETONE                                 | Rabbit                 | Severe irritant           |
| CYCLOHEXANE                             | Rabbit                 | Mild irritant             |
| ROSIN, FUMARATED, POLYMER WITH GLYCEROL | In vitro data          | No significant irritation |
| HEPTANE                                 | Professional judgement | Moderate irritant         |
| TOLUENE                                 | Rabbit                 | Moderate irritant         |
| METHYLENE CHLORIDE                      | Rabbit                 | Severe irritant           |

**Skin Sensitization**

| Name                                    | Species           | Value          |
|---|-------------------|----------------|
| ROSIN, FUMARATED, POLYMER WITH GLYCEROL | similar compounds | Sensitizing    |
| TOLUENE                                 | Guinea pig        | Not classified |

**Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity**

| Name               | Route    | Value  |
|--------------------|----------|--|
| PROPANE            | In Vitro | Not mutagenic  |
| ACETONE            | In vivo  | Not mutagenic  |
| ACETONE            | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| CYCLOHEXANE        | In Vitro | Not mutagenic  |
| CYCLOHEXANE        | In vivo  | Some positive data exist, but the data are not sufficient for classification |
| HEPTANE            | In Vitro | Not mutagenic  |
| TOLUENE            | In Vitro | Not mutagenic  |
| TOLUENE            | In vivo  | Not mutagenic  |
| METHYLENE CHLORIDE | In vivo  | Not mutagenic  |
| METHYLENE CHLORIDE | In Vitro | Some positive data exist, but the data are not sufficient for classification |

**Carcinogenicity**

| Name    | Route         | Species         | Value            |
|---------|---------------|-----------------|------------------|
| ACETONE | Not Specified | Multiple animal | Not carcinogenic |

Scotch® Photo Mount Spray Adhesive 6090, 6094 08/26/21

|                    |            | species                 |  |
|--------------------|------------|-------------------------|--|
| TOLUENE            | Dermal     | Mouse                   | Some positive data exist, but the data are not sufficient for classification |
| TOLUENE            | Ingestion  | Rat                     | Some positive data exist, but the data are not sufficient for classification |
| TOLUENE            | Inhalation | Mouse                   | Some positive data exist, but the data are not sufficient for classification |
| METHYLENE CHLORIDE | Inhalation | Multiple animal species | Carcinogenic   |

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

| Name               | Route      | Value                                  | Species                 | Test Result           | Exposure Duration      |
|--------------------|------------|--|-------------------------|-----------------------|------------------------|
| ACETONE            | Ingestion  | Not classified for male reproduction   | Rat                     | NOAEL 1,700 mg/kg/day | 13 weeks               |
| ACETONE            | Inhalation | Not classified for development         | Rat                     | NOAEL 5.2 mg/l        | during organogenesis   |
| CYCLOHEXANE        | Inhalation | Not classified for female reproduction | Rat                     | NOAEL 24 mg/l         | 2 generation           |
| CYCLOHEXANE        | Inhalation | Not classified for male reproduction   | Rat                     | NOAEL 24 mg/l         | 2 generation           |
| CYCLOHEXANE        | Inhalation | Not classified for development         | Rat                     | NOAEL 6.9 mg/l        | 2 generation           |
| TOLUENE            | Inhalation | Not classified for female reproduction | Human                   | NOAEL Not available   | occupational exposure  |
| TOLUENE            | Inhalation | Not classified for male reproduction   | Rat                     | NOAEL 2.3 mg/l        | 1 generation           |
| TOLUENE            | Ingestion  | Toxic to development                   | Rat                     | LOAEL 520 mg/kg/day   | during gestation       |
| TOLUENE            | Inhalation | Toxic to development                   | Human                   | NOAEL Not available   | poisoning and/or abuse |
| METHYLENE CHLORIDE | Inhalation | Not classified for female reproduction | Rat                     | NOAEL 5.2 mg/l        | 2 generation           |
| METHYLENE CHLORIDE | Inhalation | Not classified for male reproduction   | Rat                     | NOAEL 5.2 mg/l        | 2 generation           |
| METHYLENE CHLORIDE | Inhalation | Not classified for development         | Multiple animal species | NOAEL 4.3 mg/l        | during gestation       |

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

| Name    | Route      | Target Organ(s)                   | Value  | Species    | Test Result         | Exposure Duration      |
|---------|------------|-----------------------------------|--|------------|---------------------|------------------------|
| PROPANE | Inhalation | cardiac sensitization             | Causes damage to organs  | Human      | NOAEL Not available |                        |
| PROPANE | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human      | NOAEL Not available |                        |
| PROPANE | Inhalation | respiratory irritation            | Not classified   | Human      | NOAEL Not available |                        |
| ACETONE | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human      | NOAEL Not available |                        |
| ACETONE | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Human      | NOAEL Not available |                        |
| ACETONE | Inhalation | immune system                     | Not classified   | Human      | NOAEL 1.19 mg/l     | 6 hours                |
| ACETONE | Inhalation | liver                             | Not classified   | Guinea pig | NOAEL Not available |                        |
| ACETONE | Ingestion  | central nervous system depression | May cause drowsiness or dizziness  | Human      | NOAEL Not available | poisoning and/or abuse |

Scotch® Photo Mount Spray Adhesive 6090, 6094 08/26/21

|                    |            |                                   |  |                        |                     |                        |
|--------------------|------------|-----------------------------------|--|------------------------|---------------------|------------------------|
| CYCLOHEXANE        | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human and animal       | NOAEL Not available |                        |
| CYCLOHEXANE        | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Human and animal       | NOAEL Not available |                        |
| CYCLOHEXANE        | Ingestion  | central nervous system depression | May cause drowsiness or dizziness  | Professional judgement | NOAEL Not available |                        |
| HEPTANE            | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human                  | NOAEL Not available |                        |
| HEPTANE            | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Human                  | NOAEL Not available |                        |
| HEPTANE            | Ingestion  | central nervous system depression | May cause drowsiness or dizziness  | Human                  | NOAEL Not available |                        |
| TOLUENE            | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human                  | NOAEL Not available |                        |
| TOLUENE            | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Human                  | NOAEL Not available |                        |
| TOLUENE            | Inhalation | immune system                     | Not classified   | Mouse                  | NOAEL 0.004 mg/l    | 3 hours                |
| TOLUENE            | Ingestion  | central nervous system depression | May cause drowsiness or dizziness  | Human                  | NOAEL Not available | poisoning and/or abuse |
| METHYLENE CHLORIDE | Dermal     | blood                             | Some positive data exist, but the data are not sufficient for classification | Rat                    | NOAEL Not available | 4 hours                |
| METHYLENE CHLORIDE | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human                  | NOAEL Not available | occupational exposure  |
| METHYLENE CHLORIDE | Inhalation | blood                             | Some positive data exist, but the data are not sufficient for classification | Human                  | NOAEL Not available |                        |
| METHYLENE CHLORIDE | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification |                        | NOAEL Not available |                        |

**Specific Target Organ Toxicity - repeated exposure**

| Name    | Route      | Target Organ(s)       | Value          | Species    | Test Result           | Exposure Duration |
|---------|------------|-----------------------|----------------|------------|-----------------------|-------------------|
| ACETONE | Dermal     | eyes                  | Not classified | Guinea pig | NOAEL Not available   | 3 weeks           |
| ACETONE | Inhalation | hematopoietic system  | Not classified | Human      | NOAEL 3 mg/l          | 6 weeks           |
| ACETONE | Inhalation | immune system         | Not classified | Human      | NOAEL 1.19 mg/l       | 6 days            |
| ACETONE | Inhalation | kidney and/or bladder | Not classified | Guinea pig | NOAEL 119 mg/l        | not available     |
| ACETONE | Inhalation | heart   liver         | Not classified | Rat        | NOAEL 45 mg/l         | 8 weeks           |
| ACETONE | Ingestion  | kidney and/or bladder | Not classified | Rat        | NOAEL 900 mg/kg/day   | 13 weeks          |
| ACETONE | Ingestion  | heart                 | Not classified | Rat        | NOAEL 2,500 mg/kg/day | 13 weeks          |
| ACETONE | Ingestion  | hematopoietic system  | Not classified | Rat        | NOAEL 200 mg/kg/day   | 13 weeks          |
| ACETONE | Ingestion  | liver                 | Not classified | Mouse      | NOAEL 3,896 mg/kg/day | 14 days           |
| ACETONE | Ingestion  | eyes                  | Not classified | Rat        | NOAEL 3,400 mg/kg/day | 13 weeks          |
| ACETONE | Ingestion  | respiratory system    | Not classified | Rat        | NOAEL 2,500 mg/kg/day | 13 weeks          |

|  |                 |
|--|-----------------|
| <b>Scotch® Photo Mount Spray Adhesive 6090, 6094</b> | <b>08/26/21</b> |
|--|-----------------|

|                    |            |  |  |                         |                        |                        |
|--------------------|------------|--|--|-------------------------|------------------------|------------------------|
| ACETONE            | Ingestion  | muscles  | Not classified   | Rat                     | NOAEL 2,500 mg/kg      | 13 weeks               |
| ACETONE            | Ingestion  | skin   bone, teeth, nails, and/or hair         | Not classified   | Mouse                   | NOAEL 11,298 mg/kg/day | 13 weeks               |
| CYCLOHEXANE        | Inhalation | liver  | Not classified   | Rat                     | NOAEL 24 mg/l          | 90 days                |
| CYCLOHEXANE        | Inhalation | auditory system                                | Not classified   | Rat                     | NOAEL 1.7 mg/l         | 90 days                |
| CYCLOHEXANE        | Inhalation | kidney and/or bladder                          | Not classified   | Rabbit                  | NOAEL 2.7 mg/l         | 10 weeks               |
| CYCLOHEXANE        | Inhalation | hematopoietic system                           | Not classified   | Mouse                   | NOAEL 24 mg/l          | 14 weeks               |
| CYCLOHEXANE        | Inhalation | peripheral nervous system                      | Not classified   | Rat                     | NOAEL 8.6 mg/l         | 30 weeks               |
| HEPTANE            | Inhalation | liver   nervous system   kidney and/or bladder | Not classified   | Rat                     | NOAEL 12 mg/l          | 26 weeks               |
| TOLUENE            | Inhalation | auditory system   eyes   olfactory system      | Causes damage to organs through prolonged or repeated exposure               | Human                   | NOAEL Not available    | poisoning and/or abuse |
| TOLUENE            | Inhalation | nervous system                                 | May cause damage to organs through prolonged or repeated exposure            | Human                   | NOAEL Not available    | poisoning and/or abuse |
| TOLUENE            | Inhalation | respiratory system                             | Some positive data exist, but the data are not sufficient for classification | Rat                     | LOAEL 2.3 mg/l         | 15 months              |
| TOLUENE            | Inhalation | heart   liver   kidney and/or bladder          | Not classified   | Rat                     | NOAEL 11.3 mg/l        | 15 weeks               |
| TOLUENE            | Inhalation | endocrine system                               | Not classified   | Rat                     | NOAEL 1.1 mg/l         | 4 weeks                |
| TOLUENE            | Inhalation | immune system                                  | Not classified   | Mouse                   | NOAEL Not available    | 20 days                |
| TOLUENE            | Inhalation | bone, teeth, nails, and/or hair                | Not classified   | Mouse                   | NOAEL 1.1 mg/l         | 8 weeks                |
| TOLUENE            | Inhalation | hematopoietic system   vascular system         | Not classified   | Human                   | NOAEL Not available    | occupational exposure  |
| TOLUENE            | Inhalation | gastrointestinal tract                         | Not classified   | Multiple animal species | NOAEL 11.3 mg/l        | 15 weeks               |
| TOLUENE            | Ingestion  | nervous system                                 | Some positive data exist, but the data are not sufficient for classification | Rat                     | NOAEL 625 mg/kg/day    | 13 weeks               |
| TOLUENE            | Ingestion  | heart  | Not classified   | Rat                     | NOAEL 2,500 mg/kg/day  | 13 weeks               |
| TOLUENE            | Ingestion  | liver   kidney and/or bladder                  | Not classified   | Multiple animal species | NOAEL 2,500 mg/kg/day  | 13 weeks               |
| TOLUENE            | Ingestion  | hematopoietic system                           | Not classified   | Mouse                   | NOAEL 600 mg/kg/day    | 14 days                |
| TOLUENE            | Ingestion  | endocrine system                               | Not classified   | Mouse                   | NOAEL 105 mg/kg/day    | 28 days                |
| TOLUENE            | Ingestion  | immune system                                  | Not classified   | Mouse                   | NOAEL 105 mg/kg/day    | 4 weeks                |
| METHYLENE CHLORIDE | Inhalation | kidney and/or bladder                          | Some positive data exist, but the data are not sufficient for classification | Rat                     | LOAEL 6.95 mg/l        | 2 years                |
| METHYLENE CHLORIDE | Inhalation | liver  | Some positive data exist, but the data are not sufficient for classification | Rat                     | NOAEL 0.17 mg/l        | 2 years                |
| METHYLENE CHLORIDE | Inhalation | respiratory system                             | Some positive data exist, but the data are not sufficient for classification | Multiple animal species | LOAEL 35 mg/l          | 8 weeks                |
| METHYLENE CHLORIDE | Inhalation | heart  | Not classified   | Human                   | NOAEL Not available    |                        |

|   |          |
|---|----------|
| Scotch® Photo Mount Spray Adhesive 6090, 6094 | 08/26/21 |
|---|----------|

|                    |            |                       |  |     |                       |           |
|--------------------|------------|-----------------------|--|-----|-----------------------|-----------|
| METHYLENE CHLORIDE | Inhalation | immune system         | Not classified   | Rat | NOAEL 18 mg/l         | 28 days   |
| METHYLENE CHLORIDE | Ingestion  | liver                 | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 1,200 mg/kg/day | 3 months  |
| METHYLENE CHLORIDE | Ingestion  | blood                 | Not classified   | Rat | NOAEL 249 mg/kg/day   | 2 years   |
| METHYLENE CHLORIDE | Ingestion  | kidney and/or bladder | Not classified   | Rat | NOAEL 1,469 mg/kg/day | 3 months  |
| METHYLENE CHLORIDE | Ingestion  | eyes                  | Not classified   | Rat | NOAEL 249 mg/kg/day   | 104 weeks |

**Aspiration Hazard**

| Name        | Value             |
|-------------|-------------------|
| CYCLOHEXANE | Aspiration hazard |
| HEPTANE     | Aspiration hazard |
| TOLUENE     | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information****Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

**Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

**SECTION 13: Disposal considerations****13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. Facility must be capable of handling aerosol cans. As a disposal alternative, utilize an acceptable permitted waste disposal facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

EPA Hazardous Waste Number (RCRA): D001 (Ignitable), D035 (Methyl ethyl ketone)

**SECTION 14: Transport Information**

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

**SECTION 15: Regulatory information****15.1. US Federal Regulations**

Contact 3M for more information.

|   |          |
|---|----------|
| Scotch® Photo Mount Spray Adhesive 6090, 6094 | 08/26/21 |
|---|----------|

**EPCRA 311/312 Hazard Classifications:****Physical Hazards**

Flammable (gases, aerosols, liquids, or solids)

Gas under pressure

**Health Hazards**

Reproductive toxicity

Respiratory or Skin Sensitization

Serious eye damage or eye irritation

Simple Asphyxiant

Specific target organ toxicity (single or repeated exposure)

**Section 313 Toxic Chemicals subject to the reporting requirements of that section and 40 CFR part 372 (EPCRA):**

| <u>Ingredient</u> | <u>C.A.S. No</u> | <u>% by Wt</u>       |
|-------------------|------------------|----------------------|
| CYCLOHEXANE       | 110-82-7         | Trade Secret 10 - 30 |

**This material contains a chemical which requires export notification under TSCA Section 12[b]:**

| <u>Ingredient (Category if applicable)</u> | <u>C.A.S. No</u> | <u>Regulation</u>   | <u>Status</u> |
|--|------------------|---|---------------|
| METHYLENE CHLORIDE                         | 75-09-2          | Toxic Substances Control Act (TSCA) 6<br>Banned or Restricted Use Chemicals | Applicable    |

**Additional TSCA Information**

| <u>Components</u>  | <u>CAS No</u> | <u>Additional Information</u>   |
|--------------------|---------------|---|
| METHYLENE CHLORIDE | 75-09-2       | This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal. |

**15.2. State Regulations**

Contact 3M for more information.

**15.3. Chemical Inventories**

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Contact 3M for more information.

**15.4. International Regulations**

Contact 3M for more information.

|  |
|--|
| <b>This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.</b> |
|--|

**SECTION 16: Other information****NFPA Hazard Classification**

**Health: 3 Flammability: 4 Instability: 0 Special Hazards: None**  
**Aerosol Storage Code: 2**

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar

|   |          |
|---|----------|
| Scotch® Photo Mount Spray Adhesive 6090, 6094 | 08/26/21 |
|---|----------|

emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

**HMIS Hazard Classification**

**Health: \*4    Flammability: 4    Physical Hazard: 0    Personal Protection: X - See PPE section.**

Hazardous Material Identification System (HMIS® IV) hazard ratings are designed to inform employees of chemical hazards in the workplace. These ratings are based on the inherent properties of the material under expected conditions of normal use and are not intended for use in emergency situations. HMIS® IV ratings are to be used with a fully implemented HMIS® IV program. HMIS® is a registered mark of the American Coatings Association (ACA).

|                        |           |                         |          |
|------------------------|-----------|-------------------------|----------|
| <b>Document Group:</b> | 26-3876-5 | <b>Version Number:</b>  | 9.01     |
| <b>Issue Date:</b>     | 08/26/21  | <b>Supersedes Date:</b> | 08/02/21 |

**DISCLAIMER:** The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

**3M USA SDSs are available at [www.3M.com](http://www.3M.com)**

