

23839-4862



Safety Data Sheet

Material Name: Elmer's Poster Tack Series

SDS ID: SDS-50

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

Elmer's Poster Tack Series

Synonyms

98620, 54931, 61625, E1531, 54120, 54931, E6625, 6155061625

Product Use

putty

Details of the supplier of the safety data sheet

Newell Office Brands

Product of Newell Office Brands, Inc.

6655 Peachtree Dunwoody Rd. NE

Atlanta, GA 30328

www.elmers.com

Phone: 1.888.435.6377

Emergency Phone #: 1.888.516.2502

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

None needed according to classification criteria

GHS Label Elements

Symbol(s)

None needed according to classification criteria

Signal Word

None needed according to classification criteria

Hazard Statement(s)

None needed according to classification criteria.

Precautionary Statement(s)

Prevention

None needed according to classification criteria.

Response

None needed according to classification criteria.

Storage

None needed according to classification criteria.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

| CAS | Component Name | Percent |
|------------|----------------|---------|
| 1317-65-3 | Limestone | 10-30 |
| 14807-96-6 | Talc | 20 |



Safety Data Sheet

Material Name: Elmer's Poster Tack Series

SDS ID: SDS-50

| | | |
|------------|--|----|
| 64741-88-4 | Distillates, petroleum, solvent-refined heavy paraffinic | 10 |
| 13463-67-7 | Titanium dioxide | 5 |

Section 4 - FIRST AID MEASURES

Inhalation

If adverse effects occur, remove to uncontaminated area. If discomfort persists, contact a physician.

Skin

If on skin, wash immediately with plenty of soap and water. Get medical attention if irritation develops.

Eyes

Remove contact lenses, if present and easy to do. IMMEDIATELY wash with large amounts of warm water, occasionally lifting upper and lower lids, until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

Ingestion

Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious or convulsive person. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.

Most Important Symptoms/Effects

Acute

No information on significant adverse effects.

Delayed

No information on significant adverse effects.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Use carbon dioxide, regular dry chemical, regular foam or water.

Unsuitable Extinguishing Media

None known.

Special Hazards Arising from the Chemical

Slight fire hazard.

Hazardous Combustion Products

oxides of carbon, isobutene

Advice for firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up



Safety Data Sheet

Material Name: Elmer's Poster Tack Series

SDS ID: SDS-50

Stop leak if possible without personal risk. Absorb with earth, sand or other non-combustible material and transfer to container. Collect spilled material in appropriate container for disposal.

Environmental Precautions

Avoid release to the environment.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Wash thoroughly after handling.

Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria.

Incompatible Materials

strong oxidizing materials

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

| | |
|-------------------------|---|
| Limestone | 1317-65-3 |
| NIOSH: | 10 mg/m ³ TWA total dust ; 5 mg/m ³ TWA respirable dust |
| OSHA (US): | 15 mg/m ³ TWA total dust ; 5 mg/m ³ TWA respirable fraction |
| Mexico: | 10 mg/m ³ TWA VLE-PPT |
| | 20 mg/m ³ STEL [PPT-CT] |
| Talc | 14807-96-6 |
| ACGIH: | 2 mg/m ³ TWA particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter |
| NIOSH: | 2 mg/m ³ TWA (containing no Asbestos and <1% Quartz) respirable dust |
| | 1000 mg/m ³ IDLH (containing no asbestos and <1% quartz) |
| OSHA (US): | 20 mppcf TWA (if 1% Quartz or more use Quartz limit) |
| Mexico: | 2 mg/m ³ TWA VLE-PPT respirable fraction |
| Titanium dioxide | 13463-67-7 |
| ACGIH: | 10 mg/m ³ TWA |
| NIOSH: | 5000 mg/m ³ IDLH |
| OSHA (US): | 15 mg/m ³ TWA total dust |
| Mexico: | 10 mg/m ³ TWA VLE-PPT as Ti |
| | 20 mg/m ³ STEL [PPT-CT] as Ti |



Safety Data Sheet

Material Name: Elmer's Poster Tack Series

SDS ID: SDS-50

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Provide local exhaust ventilation system. Ensure adequate ventilation.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear splash resistant safety goggles. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin Protection

Wear appropriate chemical resistant clothing.

Respiratory Protection

A NIOSH approved air-purifying respirator with an appropriate cartridge or canister may be appropriate under certain circumstances where airborne concentrations are expected to exceed exposure limits.

Glove Recommendations

Wear appropriate chemical resistant gloves.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|---------------------------------|-------------------|---|-------------------------------|
| Appearance | tape | Physical State | solid |
| Odor | faint, mild odor. | Color | blue, white, orange |
| Odor Threshold | Not available | pH | Not available |
| Melting Point | Not available | Boiling Point | Not applicable |
| Boiling Point Range | Not available | Freezing point | Not applicable |
| Evaporation Rate | Not applicable | Flammability (solid, gas) | Not available |
| Autoignition Temperature | Not applicable | Flash Point | Not applicable |
| Lower Explosive Limit | Not applicable | Decomposition temperature | Not available |
| Upper Explosive Limit | Not applicable | Vapor Pressure | Not applicable |
| Vapor Density (air=1) | Not applicable | Specific Gravity (water=1) | 1.74 - 1.82 g/cm ³ |
| Water Solubility | Not available | Partition coefficient: n-octanol/water | Not available |
| Viscosity | Not available | Kinematic viscosity | Not available |
| Solubility (Other) | Not available | Density | 14.5 - 15.16 |
| Volatility | <1 % (by weight) | Molecular Weight | Not available |

Section 10 - STABILITY AND REACTIVITY

Reactivity

No reactivity hazard is expected.

Chemical Stability



Safety Data Sheet

Material Name: Elmer's Poster Tack Series

SDS ID: SDS-50

Under normal conditions, no hazard is expected.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

Avoid heat, flames, sparks and other sources of ignition.

Incompatible Materials

strong oxidizing materials.

Hazardous decomposition products

oxides of carbon, isobutene

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

No information on significant adverse effects.

Skin Contact

No information on significant adverse effects.

Eye Contact

No information on significant adverse effects.

Ingestion

No information on significant adverse effects.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Distillates, petroleum, solvent-refined heavy paraffinic (64741-88-4)

Oral LD50 Rat >5000 mg/kg

Dermal LD50 Rabbit >2000 mg/kg

Inhalation LC50 Rat >5530 mg/m³ 4 h (no deaths occurred)

Titanium dioxide (13463-67-7)

Oral LD50 Rat >10000 mg/kg

Product Toxicity Data

Acute Toxicity Estimate

| | |
|--------|--------------|
| Dermal | > 2000 mg/kg |
| Oral | > 2000 mg/kg |

Immediate Effects

No information on significant adverse effects.

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

No information on significant adverse effects.

Respiratory Sensitization



Safety Data Sheet

Material Name: Elmer's Poster Tack Series

SDS ID: SDS-50

No information available for the product.

Dermal Sensitization

No information available for the product.

Component Carcinogenicity

| | |
|---|---|
| Talc | 14807-96-6 |
| ACGIH: | A4 - Not Classifiable as a Human Carcinogen (containing no asbestos fibers) |
| IARC: | Monograph 93 [2010] (inhaled); Supplement 7 [1987] ; Monograph 42 [1987] (Group 3 (not classifiable)) |
| DFG: | Category 3B (could be carcinogenic for man ;free of asbestos fibers) |
| Distillates, petroleum, solvent-refined heavy paraffinic | 64741-88-4 |
| ACGIH: | A2 - Suspected Human Carcinogen (related to Untreated and mildly-treated oils) |
| IARC: | Monograph 100F [2012] ; Supplement 7 [1987] ; Monograph 33 [1984] (related to Untreated and mildly-treated oils) (Group 1 (carcinogenic to humans)) |
| NTP: | Known Human Carcinogen (related to Untreated and mildly-treated oils) |
| OSHA: | Present (related to Untreated and mildly-treated oils) |
| Titanium dioxide | 13463-67-7 |
| ACGIH: | A4 - Not Classifiable as a Human Carcinogen |
| IARC: | Monograph 93 [2010] ; Monograph 47 [1989] (Group 2B (possibly carcinogenic to humans)) |
| DFG: | Category 3A (could be carcinogenic for man ;inhalable fraction with the exception of ultra small particles) |
| OSHA: | Present |
| NIOSH: | potential occupational carcinogen |

Germ Cell Mutagenicity

No information available for the product.

Tumorigenic Data

No data available

Reproductive Toxicity

No information available for the product.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.



Safety Data Sheet

Material Name: Elmer's Poster Tack Series

SDS ID: SDS-50

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration hazard

No information available for the product.

Medical Conditions Aggravated by Exposure

No data available.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

| | |
|---|---|
| Talc | 14807-96-6 |
| Fish: | LC50 96 h Brachydanio rerio >100 g/L [semi-static] |
| Distillates, petroleum, solvent-refined heavy paraffinic | 64741-88-4 |
| Fish: | LC50 96 h Oncorhynchus mykiss >5000 mg/L |
| Invertebrate: | EC50 48 h Daphnia magna >1000 mg/L IUCLID |

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose in accordance with all applicable regulations.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

Section 14 - TRANSPORT INFORMATION

US DOT Information:

UN/NA #: Not regulated

TDG Information:

UN#: Not regulated

IATA Information:

UN#: Not regulated

International Bulk Chemical Code

This material contains one or more of the following chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

| | |
|-------------------------|----------------------|
| Titanium dioxide | 13463-67-7 |
| IBC Code: | Category Z (slurry) |

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) 2016 reporting categories



Safety Data Sheet

Material Name: Elmer's Poster Tack Series
SDS ID: SDS-50
Acute Health: No Chronic Health: No Fire: No Pressure: No Reactivity: No
SARA Section 311/312 (40 CFR 370 Subparts B and C) 2017 reporting categories

No hazard categories applicable.

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

| Component | CAS | CA | MA | MN | NJ | PA |
|---|-------------------|-----|-----|-----|-----|-----|
| Limestone | 1317-65-3 | No | Yes | Yes | Yes | Yes |
| Talc | 14807-96-6 | Yes | Yes | Yes | Yes | Yes |
| Distillates, petroleum, solvent-refined heavy paraffinic | 64741-88-4 | No | No | Yes | No | No |
| Titanium dioxide | 13463-67-7 | No | Yes | Yes | Yes | Yes |

Not listed under California Proposition 65
Canada Regulations
Canadian WHMIS Ingredient Disclosure List (IDL)

The components of this product are either not listed on the IDL or are present below the threshold limit listed on the IDL.

Component Analysis - Inventory
Limestone (1317-65-3)

| US | CA | EU | AU | PH | JP - ENCS | JP - ISHL | KR KECI - Annex 1 | KR KECI - Annex 2 | KR - REACH CCA | CN | NZ | MX | TW |
|-----|-----|-----|-----|-----|-----------|-----------|-------------------|-------------------|----------------|-----|-----|-----|-----|
| Yes | NSL | EIN | Yes | Yes | Yes | Yes | Yes | No | No | Yes | Yes | Yes | Yes |

Talc (14807-96-6)

| US | CA | EU | AU | PH | JP - ENCS | JP - ISHL | KR KECI - Annex 1 | KR KECI - Annex 2 | KR - REACH CCA | CN | NZ | MX | TW |
|-----|-----|-----|-----|-----|-----------|-----------|-------------------|-------------------|----------------|-----|-----|-----|-----|
| Yes | DSL | EIN | Yes | Yes | Yes | Yes | Yes | No | Yes | Yes | Yes | Yes | Yes |

Distillates, petroleum, solvent-refined heavy paraffinic (64741-88-4)

| US | CA | EU | AU | PH | JP - ENCS | JP - ISHL | KR KECI - Annex 1 | KR KECI - Annex 2 | KR - REACH CCA | CN | NZ | MX | TW |
|-----|-----|-----|-----|-----|-----------|-----------|-------------------|-------------------|----------------|-----|-----|-----|-----|
| Yes | DSL | EIN | Yes | Yes | No | No | Yes | No | No | Yes | Yes | Yes | Yes |

Titanium dioxide (13463-67-7)

| US | CA | EU | AU | PH | JP - | JP - | KR KECI | KR KECI | KR - | CN | NZ | MX | TW |
|----|----|----|----|----|------|------|---------|---------|------|----|----|----|----|
| | | | | | | | | | | | | | |



Safety Data Sheet

Material Name: Elmer's Poster Tack Series
SDS ID: SDS-50

| | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|------|------|-----------|-----------|--------------|-----|-----|-----|-----|
| | | | | | ENCS | ISHL | - Annex 1 | - Annex 2 | REACH CCA | | | | |
| Yes | DSL | EIN | Yes | Yes | Yes | Yes | Yes | No | No | Yes | Yes | Yes | Yes |

Section 16 - OTHER INFORMATION

HMIS Rating

Health: 1 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

NFPA Ratings

Health: 1 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes Updated SDS: 3/22/2020

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CFR - Code of Federal Regulations (US); CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL) , KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; NDSL - Non-Domestic Substance List (Canada); NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH - Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information
Disclaimer:

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability



Safety Data Sheet

Material Name: Elmer's Poster Tack Series

SDS ID: SDS-50

of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.