23876-1001

Scotch® Wrinkle Free Glue Stick 6008WF-2

01/18/18



## **Safety Data Sheet**

Copyright, 2018, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group: Issue Date:

28-8510-1 01/18/18 Version Number: Supercedes Date: 2.01 12/31/14

## **SECTION 1: Identification**

### 1.1. Product identifier

Scotch® Wrinkle Free Glue Stick 6008WF-2

### **Product Identification Numbers**

70-0051-0204-4, 70-0052-4159-4, 70-0052-4831-8, 70-0052-7437-1

#### 1.2. Recommended use and restrictions on use

### Recommended use

Adhesive

### 1.3. Supplier's details

MANUFACTURER:

DIVISION: Stationery and Office Supplies Division ADDRESS: 3M Center, St. Paul, MN 55144-1000, USA

**Telephone:** 1-888-3M HELPS (1-888-364-3577)

### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

# **SECTION 2: Hazard identification**

### 2.1. Hazard classification

Specific Target Organ Toxicity (single exposure): Category 3.

### 2.2. Label elements

Signal word

Warning

### **Symbols**

Exclamation mark

### **Pictograms**

Page 1 of 10 Page 1 of 10

01/18/18



### **Hazard Statements**

May cause drowsiness or dizziness.

#### **Precautionary Statements**

#### General:

Keep out of reach of children.

#### Prevention:

Do not eat, drink or smoke when using this product.

#### Response:

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

#### Storage

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

#### Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

7% of the mixture consists of ingredients of unknown acute oral toxicity.

# SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
WATER	Trade Secret*	22 - 32
SUCROSE	57-50-1	20 - 30
PROPYLENE GLYCOL	57-55-6	17 - 27 Trade Secret *
N-VINYLPYRROLIDINONE POLYMER	9003-39-8	10 - 20
SODIUM STEARATE	822-16-2	5 - 10
1-METHOXY-2-PROPANOL	107-98-2	1- 6

<sup>\*</sup>The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### Inhalation:

No need for first aid is anticipated.

#### Skin Contact:

### Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

Page 2 of 10

01/18/18

#### If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

## 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

Non-combustible. Use a fire fighting agent suitable for surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### Hazardous Decomposition or By-Products

<u>Substance</u>

Aldehydes

Carbon monoxide

Carbon dioxide

#### Condition

**During Combustion** 

**During Combustion** 

**During Combustion** 

### 5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Observe precautions from other sections.

#### 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Keep out of reach of children. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

### 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Page 3 of 19age 3 of 10

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
1-METHOXY-2-PROPANOL	107-98-2	ACGIH	TWA:50 ppm;STEL:100 ppm	A4: Not class. as human carcin
SUCROSE	57-50-1	ACGIH	TWA:10 mg/m3	A4: Not class. as human carcin
SUCROSE	57-50-1	OSHA	TWA(as total dust):15 mg/m3;TWA(respirable fraction):5 mg/m3	
PROPYLENE GLYCOL	57-55-6	AIHA	TWA(as aerosol):10 mg/m3	
STEARATES	822-16-2	ACGIH	TWA(inhalable fraction):10 mg/m3;TWA(respirable fraction):3 mg/m3	A4: Not class. as human carcin

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association CMRG: Chemical Manufacturer's Recommended Guidelines

OSHA: United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

### 8.2.2. Personal protective equipment (PPE)

### Eye/face protection

None required.

### Skin/hand protection

No chemical protective gloves are required.

### Respiratory protection

None required.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

General Physical Form: Solid **Specific Physical Form:** 

Odor, Color, Grade: Clear to opaque with fatty acid/acrylic odor.

No Data Available Odor threshold

pН

Melting point 140 °F Not Applicable **Boiling Point** No flash point Flash Point **Evaporation rate** Not Applicable Flammability (solid, gas) Not Classified Flammable Limits(LEL) Not Applicable Not Applicable Flammable Limits(UEL)

Page 4 of 10

01/18/18

Vapor Pressure Vapor Density Density Specific Gravity Solubility in Water

Solubility in Water
Solubility- non-water
Partition coefficient: n-octanol/ water
Autoignition temperature
Decomposition temperature

Decomposition temper Viscosity Percent volatile Not Applicable Not Applicable

l g/cm3

[Ref Std:WATER=1]

Moderate

No Data Available No Data Available Not Applicable No Data Available Not Applicable 50 - 60 % weight

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible materials

None known.

## 10.6. Hazardous decomposition products

Substance None known. Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation:

No known health effects.

Page 5 of IPage 5 of 10

### **Skin Contact:**

Contact with the skin during product use is not expected to result in significant irritation.

#### Eve Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

#### Ingestion:

May cause additional health effects (see below).

### **Additional Health Effects:**

#### Single exposure may cause target organ effects:

Central Nervous System (CNS) Depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
SUCROSE	Dermal		LD50 estimated to be > 5,000 mg/kg
SUCROSE	Ingestion	Rat	LD50 29,700 mg/kg
PROPYLENE GLYCOL	Dermal	Rabbit	LD50 20,800 mg/kg
PROPYLENE GLYCOL	Ingestion	Rat	LD50 22,000 mg/kg
N-VINYLPYRROLIDINONE POLYMER	Dermal		LD50 estimated to be > 5,000 mg/kg
N-VINYLPYRROLIDINONE POLYMER	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 5.2 mg/l
N-VINYLPYRROLIDINONE POLYMER	Ingestion	Rat	LD50 100,000 mg/kg
1-METHOXY-2-PROPANOL	Dermal	Rabbit	LD50 11,000-13,800 mg/kg
1-METHOXY-2-PROPANOL	Inhalation- Vapor (4 hours)	Rat	LC50 56 mg/l
1-METHOXY-2-PROPANOL	Ingestion	Rat	LD50 6,100 mg/kg

ATE = acute toxicity estimate

## Skin Corrosion/Irritation

ONIII COI I OSIOIII II I RIIII IOII						
Name	Species	Value				
PROPYLENE GLYCOL	Rabbit	No significant irritation				
N-VINYLPYRROLIDINONE POLYMER	Rabbit	No significant irritation				
I-METHOXY-2-PROPANOL	Not	Minimal irritation				
	available					

### **Serious Eye Damage/Irritation**

Name	Species	Value
PROPYLENE GLYCOL	Rabbit	No significant irritation
1-METHOXY-2-PROPANOL	Not	Mild irritant
	available	

### Skin Sensitization

Name	Species	Value
PROPYLENE GLYCOL	Human	Not classified
N-VINYLPYRROLIDINONE POLYMER	Human	Not classified
1-METHOXY-2-PROPANOL	Guinea	Not classified
	pig	

Page 6 of 10 Page 6 of 10

Scotch® Wrinkle Free Glue Stick 6008WF-2	01/18/18	

## **Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
PROPYLENE GLYCOL	In Vitro	Not mutagenic
PROPYLENE GLYCOL	In vivo	Not mutagenic
N-VINYLPYRROLIDINONE POLYMER	In Vitro	Not mutagenic
1-METHOXY-2-PROPANOL	In Vitro	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
PROPYLENE GLYCOL	Dermal	Mouse	Not carcinogenic
PROPYLENE GLYCOL	Ingestion	Multiple animal species	Not carcinogenic
N-VINYLPYRROLIDINONE POLYMER	Ingestion	Rat	Not carcinogenic
I-METHOXY-2-PROPANOL	Inhalation	Multiple animal species	Some positive data exist, but the data are not sufficient for classification

## Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure Duration
PROPYLENE GLYCOL	Ingestion	Not classified for female reproduction	Mouse	NOAEL 10,100 mg/kg/day	2 generation
PROPYLENE GLYCOL	Ingestion	Not classified for male reproduction	Mouse	NOAEL 10,100 mg/kg/day	2 generation
PROPYLENE GLYCOL	Ingestion	Not classified for development	Multiple animal species	NOAEL 1,230 mg/kg/day	during organogenesi s
N-VINYLPYRROLIDINONE POLYMER	Ingestion	Not classified for development	Rat	NOAEL 5,000 mg/kg/day	during gestation
I-METHOXY-2-PROPANOL	Inhalation	Not classified for male reproduction	Rat	NOAEL 11 mg/l	2 generation
1-METHOXY-2-PROPANOL	Ingestion	Not classified for female reproduction	Mouse	NOAEL 3,328 mg/kg/day	2 generation
I-METHOXY-2-PROPANOL	Inhalation	Not classified for female reproduction	Rat	NOAEL 3.7	2 generation
I-METHOXY-2-PROPAÑOL	Ingestion	Not classified for male reproduction	Mouse	NOAEL 3,328 mg/kg	2 generation
1-METHOXY-2-PROPANOL	Ingestion	Not classified for development	Rat	NOAEL 370 mg/kg	during gestation
1-METHOXY-2-PROPANOL	Inhalation	Not classified for development	Rat	NOAEL 3.7 mg/l	2 generation

## Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
PROPYLENE GLYCOL	Ingestion	central nervous system depression	Not classified	Human and animal	NOAEL Not available	
I-METHOXY-2- PROPANOL	Dermal	central nervous system depression	Not classified	Rabbit	NOAEL 1,800 mg/kg	13 weeks
1-METHOXY-2-	Inhalation	central nervous	May cause drowsiness or	Human	NOAEL Not	

Page 7 of 10 Page 7 of 10

PROPANOL	system depression	dizziness	available

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
PROPYLENE GLYCOL	Ingestion	hematopoietic system	Not classified	Multiple animal species	NOAEL 1,370 mg/kg/day	117 days
PROPYLENE GLYCOL	Ingestion	kidney and/or bladder	Not classified	Dog	NOAEL 5,000 mg/kg/day	104 weeks
I-METHOXY-2- PROPANOL	Dermal	kidney and/or bladder	Not classified	Rabbit	NOAEL 1,800 mg/kg/day	13 weeks
I-METHOXY-2- PROPANOL	Dermal	hematopoietic system	Not classified	Rabbit	NOAEL 1,000 mg/kg/day	3 weeks
1-METHOXY-2- PROPANOL	Inhalation	kidney and/or bladder	Not classified	Rat	NOAEL 3.7 mg/l	13 weeks
1-METHOXY-2- PROPANOL	Inhalation	liver	Not classified	Rat	NOAEL 11 mg/l	13 weeks
I-METHOXY-2- PROPANOL	Inhalation	hematopoietic system	Not classified	Rat	NOAEL 2.2 mg/l	10 days
I-METHOXY-2- PROPANOL	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 920 mg/kg/day	13 weeks
1-METHOXY-2- PROPANOL	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 920 mg/kg/day	13 weeks

#### Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

### **Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

### Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

## **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

#### EPA Hazardous Waste Number (RCRA): Not regulated

Page 8 of 10

01/18/18

# **SECTION 14: Transport Information**

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

# **SECTION 15: Regulatory information**

### 15.1. US Federal Regulations

Contact 3M for more information.

### EPCRA 311/312 Hazard Classifications:

Physical Hazards

Not applicable

#### **Health Hazards**

Specific target organ toxicity (single or repeated exposure)

#### 15.2. State Regulations

Contact 3M for more information.

### 15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA.

Contact 3M for more information.

### 15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### SECTION 16: Other information

NFPA Hazard Classification

Health: 0 Flammability: 0 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

### **HMIS Hazard Classification**

Health: \*2 Flammability: 0 Physical Hazard: 0 Personal Protection: X - See PPE section.

Hazardous Material Identification System (HMIS® IV) hazard ratings are designed to inform employees of chemical hazards in the workplace. These ratings are based on the inherent properties of the material under expected conditions of normal use and are not intended for use in emergency situations. HMIS® IV ratings are to be used with a fully implemented HMIS® IV program. HMIS® is a registered mark of the American Coatings Association (ACA).

Document Group: Issue Date:

28-8510-1 01/18/18

Version Number: Supercedes Date: 2.01 12/31/14

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued.3MMAKES

Page 9 of i Page 9 of 10

01/18/18

NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3Mprovides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information,3Mmakes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from3M

3M USA SDSs are available at www.3M.com

Page 10 of 10 Page 10 of 10