

# **SAFETY DATA SHEET**

#### 7/23/2014

MANUFACTURER OR DISTRIBUTOR:

Color Craft, Ltd./Createx Colors /Wicked Colors 14 Airport Park Road East Granby, Connecticut 06026 U.S.A.

INFORMATION TELEPHONE NUMBER: 800-243-2712 EMERGENCY TELEPHONE NUMBER: 800-243-2712

# **SECTION I - PRODUCT IDENTIFICATION**

PRODUCT NAME: Createx Colors Mediums PRODUCT NUMBER: AIRBRUSH

PRODUCT SIZES: NG BRAND NAME: Createx Colors PRODUCT CLASS: ACRYLIC PAINT, ARTIST

# **SECTION II - POTENTIAL HEALTH EFFECTS**

PERMISSIBLE EXPOSURE LEVEL: SEE SECTION III FOR COMPONENT PEL/TLVs PRIMARY ROUTES

OF ENTRY: INHALATION, INGESTION, EYE, SKIN

EFFECTS AND SYMPTOMS OF ACUTE EXPOSURE: NONE EXPECTED

EFFECTS AND SYMPTOMS OF CHRONIC EXPOSURE: NONE EXPECTED

CARCINOGEN LISTING: NTP: **NO** IARC: **NO** OSHA: **NO**SEE SECTION III FOR COMPONENTS AFFECTED

MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVER EXPOSURE TO THIS PRODUCT: NONE

# **SECTION III - HAZARDOUS INGREDIENTS**

Ingredient	CAS#	PEL/TLV	Max % Weight	NTP	IAR	
Propylene Glycol Acrylic Dispersion in H2O	57-55-6	n/a n/a	1 - 3 % 97%		n/a n/a	n/a n/a

# **SECTION IV - FIRST AID**

FIRST AID MEASURES: Eye Contact: Remove contact lenses. Flush with water for 15 minutes and consult a physician if irritation persists Ingestion: If conscious, give water to dilute. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention.

# **SECTION V - FIRE FIGHTING MEASURES**

FLASH POINT (METHOD): N/A AUTOIGNITION TEMPERATURE: N/A EXPLOSION LIMITS IN AIR (% BY VOLUME): NOT EXPLOSIVE EXTINGUISHING MEDIA: NO SPECIAL MEDIA REQUIRED FIRE FIGHTING PROCEDURES: NO SPECIAL FIRE FIGHTING PROCEDURES REQUIRED UNUSUAL FIRE & EXPLOSION HAZARDS: NOT COMBUSTIBLE

## **SECTION VI - SPILL AND LEAK PROCEDURES**

STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED: Clean up in accordance with all applicable regulations. Absorb spillage with non-

Item Numbers: 25308-1012 Page 1 of 4

combustible, absorbent material. For waste disposal, see Section XIII

## SECTION VII - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN DURING STORAGE AND HANDLING: Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

#### **SECTION VIII - EXPOSURE CONTROLS**

Respiratory protection: Respiratory protection is required under normal conditions of anticipated use with adequate ventilation. Wear NIOSH / MSHA approved respirator.

Protective Equipment (Gloves, goggles, etc.): Coveralls, apron, or other equipment can be worn to minimize skin contact. Where us can result in skin contact, wash thoroughly before eating, drinking, or smoking.

# **SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

BOILING POINT: N/A MELTING POINT: N/A VAPOR PRESSURE: N/A SPECIFIC VAPOR DENSITY (AIR=1): N/A SPECIFIC GRAVITY: N/A SOLUBILITY IN WATER: N/A REACTIVITY IN WATER: NON-REACTIVE

## **SECTION X - STABILITY AND REACTIVITY**

HAZARDOUS POLYMERIZATION PRODUCTS: NONE STABILITY: STABLE CONDITIONS TO AVOID: NONE INCOMPATIBILITY (MATERIALS TO AVOID): NONE HAZARDOUS DECOMPOSITION PRODUCTS: NONE

#### **SECTION XI - TOXICOLOGICAL INFORMATION**

ACUTE EFFECTS ASSOCIATED WITH USE OF THIS MATERIAL: NONE EXPECTED The summated LD50 is 47643 mg/kg. This product is/is not considered to be a known or suspected human carcinogen by NTP, IARC or OSHA (see section III)

## **SECTION XII - ECOLOGICAL INFORMATION**

NO HARMFUL EFFECTS KNOWN OTHER THAN THOSE ASSOCIATED WITH SUSPENDED INERT SOLIDS IN WATER.

#### SECTION XIII - DISPOSAL CONSIDERATIONS

RCRA HAZARD CLASS (40 CFR 261): THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS WASTE. WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

# **SECTION XIV - TRANSPORTATION INFORMATION**

U.S. DOT (49 CFR 172.101): THIS IS NOT A HAZARDOUS MATERIAL AS CLASSIFIED BY CFR 172.101.

# **SECTION XV - REGULATORY INFORMATION**

Item Numbers: 25308-1012 Page 2 of 4

CONTENTS OF THIS MSDS COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200 EPA SARA TITLE III CHEMICAL LISTINGS NONE

SECTION 302.4 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355): NONE

SECTION 313 TOXIC CHEMICALS (40 CFR 372): NONE

INTERNATIONAL REGULATIONS

CANADIAN WHMIS: THIS PRODUCT IS A CONTROLLED PRODUCT UNDER CANADA'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. IT CONTAINS THE FOLLOWING TOXIC OR HIGHLY TOXIC MATERIALS: ALUMINUM OXIDE FERRIC OXIDE MICA PROPYLENE GLYCOL

SUPPLEMENTAL STATE COMPLIANCE INFORMATION:

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN THE STATE OF CALIFORNIA UNDER THEIR SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986 (PROPOSITION 65) AS BEING KNOWN TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM: NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED UNDER NEW JERSEY'S RIGHT TO KNOW PROGRAM: ALUMINUM OXIDE MICA PIGMENT RED 101

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) REQUIRING NOTIFICATION TO THE STATE OF WASHINGTON UNDER THEIR CHILDREN'S SAFE PRODUCTS ACT: NONE

# **SECTION XVI - OTHER INFORMATION**

THIS INFORMATION SHEET IS FOR CONSUMER USE ONLY.

Item Numbers: 25308-1012 Page 3 of 4

# **COLOR INFORMATION**

THIS MSDS APPLIES TO THE FOLLOWING COLORS WHICH ARE ASSOCIATED WITH HAZARDOUS AND/OR NON-HAZARDOUS INGREDIENTS :

3401 Textile Medium 3405 Lyntex Paper Medium 3407 Soft Gel Medium 3412 Matte Medium 3413 Gloss Medium 3414 Opaque Medium

# **Product Color Hazardous Ingredients**

3401 Textile Medium (None) 3405 Lyntex Paper Medium (None) 3407 Soft Gel Medium (None) 3412 Matte Medium (None) 3413 Gloss Medium (None) 3414 Opaque Medium (None)

**Brand Name** 

This SDS applies to the following brand name :

**Createx Colors** 

Item Numbers: 25308-1012 Page 4 of 4