polyform.

SAFETY DATA SHEET SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING Product identifier: Product trade name: Sculpev[®] Thinner & Clav Softener Acetyltri-n-butyl citrate, ATBC Substance name: CAS #: 77-90-7 ASSD Company product number: Recommended use of the chemical and restrictions on use: Plasticizer; Liquid material used to soften firm polymer clay Product use: **Restrictions on use:** Not for use by children. Details of the supplier of the safety data sheet: Polyform Products Company, Inc. **Company Name:** Address: 1901 Estes Avenue Elk Grove Village, IL 60007 USA **Telephone:** 1-847-427-0020 Website: www.sculpey.com Email: info@polyformproducts.com **Contact Person: Regulatory Dept Emergency telephone number:** For transportation emergencies only, call: 1-847-427-0020 For health emergencies, call the Poison Control center: 1-800-222-1222 **SECTION 2: HAZARDS IDENTIFICATION** Information in accordance with 29 CFR 1910.1200 (Hazcom 2012) in effect May 25, 2012: Classification of the chemical in accordance with 29 CFR 1910.1200(d): Classification of the substance or mixture: Classification of the chemical in accordance with 29 CFR 1910.1200(d): Not classified as hazard under any GHS hazard class. Label Elements in accordance to 29 CFR 1910.1200(f): Hazard pictograms(s): Not applicable Signal word: Not applicable Hazard statements: Not applicable Precautionary statements: Not required as this product is not classified as hazardous. Wash hands thoroughly after handling with soap and water. If swallowed, in eyes, on skin or inhaled call a poison control center or doctor/physician if you feel unwell. If inhaled, remove person to fresh air and keep at rest in a comfortable position for breathing. Take off contaminated clothing before reuse. Store product in a well-ventilated place. Keep container tightly closed. Supplemental information: No additional information Other hazards: Other hazards: Not applicable SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **Pure Substance Components** EC Number Weight % CAS number Acetyltri-n-butyl citrate 77-90-71 201-067-0 100% Sculpey® Thinner & Clay Softener

Version#: 2 Issue Date: 05/27/2020

33913-1003

SECTION 4: FIRST AID MEASURES

Description of first aid me Skin contact:					
Skin contact:	Immediately flush with water for 15 minutes. Wash the contaminated skin with soap and water. If irritation develops, call a physician.				
Eye contact:	Immediately flush eyes with plenty of water. Get medical attention, if irritation				
-	persists.				
Inhalation:	If symptoms are experienced, remove affected person to fresh air and obtain				
Ingestion:	medical attention. If swallowed, contact physician or poison control center immediately				
_					
	s and effects, both acute and delayed:				
Acute:	Contact with the liquid may cause mild irritation to skin, eyes and mucous membranes. This material is not expected to be toxic by inhalation, ingestion or dermal exposure. Although it has been observed that health effects related to this substance are minimal, as with any chemical, use appropriate precautions during handling.				
Delayed effects:	None known.				
Indication of any immodi-	ate medical attention and special treatment needed:				
Note to physician:	No specific indications. Treatment should be based on the judgment of the				
	physician in response to the reactions of the patient.				
CTION 5: FIRE-FIGHTING	MEASURES				
Extinguishing media:					
Extinguishing media: Appropriate extinguis	shing media: Use water spray, foam, carbon dioxide, dry chemical.				
Extinguishing media: Appropriate extinguis Special hazards arising fi	 shing media: Use water spray, foam, carbon dioxide, dry chemical. rom the substance or mixture: of combustion: As with other organic materials, combustion will produce carbor 				
Extinguishing media: Appropriate extinguis Special hazards arising fi	 shing media: Use water spray, foam, carbon dioxide, dry chemical. rom the substance or mixture: of combustion: As with other organic materials, combustion will produce carbor monoxide and carbon dioxide. 				
Extinguishing media: Appropriate extinguis Special hazards arising fu Hazardous products of Potential for dust exp	shing media:Use water spray, foam, carbon dioxide, dry chemical.rom the substance or mixture:of combustion:As with other organic materials, combustion will produce carbor monoxide and carbon dioxide.losion:Not applicable.				
Extinguishing media: Appropriate extinguis Special hazards arising fu Hazardous products of Potential for dust exp Special flammability b	shing media:Use water spray, foam, carbon dioxide, dry chemical.rom the substance or mixture:of combustion:As with other organic materials, combustion will produce carbor monoxide and carbon dioxide.losion:Not applicable.				
Extinguishing media: Appropriate extinguis Special hazards arising fr Hazardous products of Potential for dust exp Special flammability f Advice for fire fighters:	shing media: Use water spray, foam, carbon dioxide, dry chemical. rom the substance or mixture: of combustion: As with other organic materials, combustion will produce carbor monoxide and carbon dioxide. olosion: Not applicable. hazards: Not applicable.				
Extinguishing media: Appropriate extinguis Special hazards arising fu Hazardous products of Potential for dust exp Special flammability b	shing media: Use water spray, foam, carbon dioxide, dry chemical. rom the substance or mixture: Image: State of combustion of combustion: As with other organic materials, combustion will produce carbon monoxide and carbon dioxide. olosion: Not applicable. hazards: Not applicable. Wear self-contained breathing apparatus and protective clothing				
Extinguishing media: Appropriate extinguis Special hazards arising fr Hazardous products of Potential for dust exp Special flammability f Advice for fire fighters:	shing media: Use water spray, foam, carbon dioxide, dry chemical. rom the substance or mixture: of combustion: As with other organic materials, combustion will produce carbor monoxide and carbon dioxide. olosion: Not applicable. hazards: Not applicable.				
Extinguishing media: Appropriate extinguis Special hazards arising fr Hazardous products of Potential for dust exp Special flammability f <u>Advice for fire fighters:</u> Basic fire fighting gui	shing media: Use water spray, foam, carbon dioxide, dry chemical. rom the substance or mixture: Image: State of combustion of combustion: As with other organic materials, combustion will produce carbon monoxide and carbon dioxide. olosion: Not applicable. hazards: Not applicable. idance: Wear self-contained breathing apparatus and protective clothing Normal firefighting procedures may be used.				
Extinguishing media: Appropriate extinguis Special hazards arising fr Hazardous products of Potential for dust exp Special flammability f Advice for fire fighters: Basic fire fighting gui	shing media: Use water spray, foam, carbon dioxide, dry chemical. rom the substance or mixture: Image: State of combustion of combustion: As with other organic materials, combustion will produce carbon monoxide and carbon dioxide. olosion: Not applicable. hazards: Not applicable. idance: Wear self-contained breathing apparatus and protective clothing Normal firefighting procedures may be used. ELEASE MEASURES				
Extinguishing media: Appropriate extinguis Special hazards arising fr Hazardous products of Potential for dust exp Special flammability f Advice for fire fighters: Basic fire fighting gui	shing media: Use water spray, foam, carbon dioxide, dry chemical. rom the substance or mixture:				
Extinguishing media: Appropriate extinguis Special hazards arising fr Hazardous products of Potential for dust exp Special flammability f Advice for fire fighters: Basic fire fighting gui	shing media: Use water spray, foam, carbon dioxide, dry chemical. rom the substance or mixture:				

Environmental Precautions: Contain spill. Prevent releases to soil, drains, sewers, and waterways.

Methods and material for containment and cleaning up:

Soak up with inert absorbent material and dispose with domestic refuse in accordance with applicable federal, state or local laws. Clean contaminated surface thoroughly with soap and water.

SECTION 7: HANDLING AND STORAGE Precautions for safe handling:

Precautions for unique hazards: Not applicable.

Sculpey[®] Thinner & Clay Softener Version#: 2 Issue Date: 05/27/2020

Practices to minimize risks:	Wash hands thoroughly before eating or smoking after handling this material. Do not eat, drink or smoke in work areas. Prevent contact with incompatible materials. Avoid spills and keep away from drains.			
Special handling equipment:	Not applicable.			
Conditions for safe storage, inclu	Conditions for safe storage, including any incompatibilities:			
Storage precautions & Recommendations:	This product should be stored at ambient temperature in a dry, well- ventilated location. Keep container closed when not in use.			
Dangerous incompatibility Reactions:	Oxidizing materials			
Incompatibilities with materials of construction:	None known			
SECTION 8: EXPOSURE CONTROLS	S/PERSONAL PROTECTION			
Control Parameters:				
Occupational exposure limit:	Not established			
Air monitoring method:	No data available.			
Exposure Controls:				
Other engineering controls:	All operations should be conducted in well-ventilated conditions. Provide adequate ventilation.			
Personal protective equipment:				
Respiratory protection:	No personal respiratory protective equipment normally required.			
Hand protection:	Choose glove to protect hands against chemicals depending on the concentration and quantity of the substance.			
Eye protection:	Safety glasses to protect eyes against chemicals depending on the concentration and quantity of the substance.			
Skin and body protection:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Remove and wash contaminated clothing before re-use.			
Protective measures:	Wear suitable protective equipment. When using, do not eat, drink or smoke.			
Hygiene measures:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before and immediately after handling the product. Remove contaminated clothing and protective equipment before entering eating areas.			
SECTION 9: PHYSICAL AND CHEMI				
Information on basic physical an				
Appearance: Color:	Oily liquid Colorless, light yellow, transparent			
Odor:	Coloriess, light yellow, transparent Characteristic			
pH: No data available.				

No data available.

Sculpey[®] Thinner & Clay Softener Version#: 2 Issue Date: 05/27/2020

Odor: pH:

Specific Gravity:1.0Boiling Point:32Solubility in water:32Solubility in water:40Viscosity:53Flash Point:40Molecular Weight:40Evaporation Rate:40Vapor Density:14Freezing/Melting Point:-53Octanol/Water Coefficient:LoOdor Threshold:NoAuto ignition Temperature:NoFlammable Limits:NoFlammability (solid, gas):NoExplosive Properties:NoDecomposition Temperature:No	B mmHg @ 170°C 048 @ 25°C 7°C (621°F) 0.1% 3.7 cps @ 25°C 10°F (204°C) TCC 2.50 1 (Butyl acetate = 1) .1 (air = 1) 9°C (-75°F) 10°C (-75°F) 1	
SECTION 10: STABILITY AND REACTIV	ITY	
Reactivity:	Not classified as dangerously reactive.	
Chemical stability:	Stable	
Possibility of hazardous reactions:	Will not occur.	
Conditions to avoid:	Avoid state discharge and uncontrolled exposure to high temperatures.	
Incompatible materials:	Oxidizing materials	
Hazardous decomposition products:	 Decomposition products may include carbon monoxide, carbon dioxide. 	
SECTION 11: TOXICOLOGICAL INFORM	ATION	
Information on toxicological effects:		
Skin irritation: Eye contact:	Non-irritating to both intact and abraded skin. Slight to moderate erythema observed in contact with material over 20 minutes to 3 hours.	
Skin sensitization:	Not a sensitizer.	
Mutagenicity: Reproductive/Developmental Toxicit	Not mutagenic. y: No evidence of reproductive or developmental toxicity.	
Carcinogen listing:	NTP: No IARC: No OSHA: No ACGIH: No	
Target organs:	None known.	
Aspiration hazard:	No data available.	
Primary route(s) of exposure:	Skin contact and absorption, eye contact, and inhalation. Ingestion is not likely to be a primary route of exposure.	

Sculpey[®] Thinner & Clay Softener Version#: 2 Issue Date: 05/27/2020

Most important symptoms and effects, both acute and delayed:	Contact with citrate esters may cause mild irritation to skin, eyes and mucous membranes. This material is not expected to be toxic by inhalation, ingestion or dermal exposure. Although it has been observed that health effects related to this substance are minimal, as with any chemical, use appropriate precautions during handling. Delayed effects: None known.		
Additive or synergistic effects:	None known.		
SECTION 12: ECOLOGICAL INFORMATION			
Toxicity:	Data available in the literature.		
Persistence and degradability:	Material is inherently biodegradable.		
Bioaccumulative potential:	Bioconcentation is not expected to occur.		
Results of PBT and vPvB assess			
SECTION 13: DISPOSAL CONSIDERATIONS			
Disposal Instructions: Collect and reclaim or dispose in sealed container. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds or waterways with product. Dispose of contents/container in accordance with local/regional/national/international regulations.			

Local Disposal Regulations: Dispose in accordance with all applicable regulations.

Waste from Residues/Unused Products: Dispose in accordance with all applicable regulations.

Contaminated Packaging: Dispose in accordance with all applicable regulations.

SECTION 14: TRANSPORT INFORMATION	
UN Number: N/A	UN Proper Shipping Name: Not Regulated

Transport Hazard Class(es):

US DOT (49 CFR 172.101): Not regulated as a dangerous good.

Canada TDG Hazard Class: N/A Europe ADR/RID Hazard Class: N/A

IMDG Code (ocean) Hazard Class: N/A ICAO/IATA (air) Hazard Class: N/A

A "N/A" listing for the hazard class indicates the product is not regulated for transport by that regulation.

SECTION 15: REGULATORY INFORMATION

Material is non-hazardous. This product has been reviewed by a toxicologist and carries the AP seal. The labeling conforms to ASTM D 4236.

Safety, health and environmental regulations/legislation specific for the substance:

SARA 311/312 Hazards:	No SARA hazards
SARA 302:	No chemicals in this material are subject to the reporting requirements of
	SARA Title III, Section 302.
SARA 313:	This material does not contain any chemical components with known
	CAS numbers that exceed the threshold (De Minimis) reporting levels
	established by SARA Title III, Section 313.
California Prop 65:	This product does not contain any chemicals known to the State of
-	California to cause cancer, birth defects, or any other reproductive harm.

Sculpey® Thinner & Clay Softener Version#: 2 Issue Date: 05/27/2020

The component REACH: EINECS: TSCA: DSL:	EINECS: On the SCA: On TSU		rted in the following inventories: inventory, or in compliance with the inventory inventory, or in compliance with the inventory CA Inventory ponents of this product are on the Canadian DSL.	
HMIS Rating:	Health=0	Flammability=1	Reactivity=0	
NFPA Rating:	Health=0	Flammability=1	Reactivity=0	

SECTION 16: OTHER INFORMATION

Issue Date: 05/27/2020 Version #: 2 Supercedes Version 1 – 10/28/2015

Disclaimer:

The information contained herein is provided in good faith and is subject to change without notice. It is believed to be accurate and represents the best information currently available to us. However, we make no warranty, fitness for a particular purpose or of any other type, expressed or implied, with respect to products described or data or information provided. We assume no liability resulting from the use of such products, data or information. Users should determine the suitability of the information for their particular purpose. The user assumes all risk arising from their use of the material. The user is required to comply with all laws and regulations relating to the purchase, use, storage and disposal of the material and must be familiar with and follow generally accepted safe handling procedures.

Sculpey[®] Thinner & Clay Softener Version#: 2 Issue Date: 05/27/2020