

SAFETY DATA SHEET

Issue Date 01-Jun-2015 Revision Date 01-Jun-2015 **1. IDENTIFICATION** Product identifier EF CUREABLE REDUCER **Product Name** Other means of identification Product Code **PLRE9000** PLRE900001, PLRE900003, PLRE900004, PLRE900005, PLRE900007, PLRE900008, PLRE900009, PLRE900010, PLRE900012, PLRE900013, PLRE900014, PLRE900015, PLRE900016, PLRE900017, PLRE900019, PLRE900020, PLRE900021, PLRE900022, Synonyms PLRE900023, PLRE900033, PLRE900035, PLRE900055 Recommended use of the chemical and restrictions on use **Recommended Use** Textile ink. Restricted to professional users. Uses advised against No information available Details of the supplier of the safety data sheet Manufacturer Address **Rutland Group** 10021 Rodney Street Pineville, NC 28134 Tel: 704-553-0046 E-mail address product_safety@rutlandinc.com

Emergency telephone number **Emergency Telephone**

INFOTRAC 1-352-323-3500

Item Numbers: 40324-1007, 40324-1009

Version 1

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label elements

Emergency Overview The product contains no substances which at their given concentration, are considered to be hazardous to health Appearance viscous Physical state liquid Odor Low Hazards not otherwise classified (HNOC) Not applicable

Other Information

Toxic to aquatic life with long lasting effects Toxic to aquatic life

Unknown acute toxicity

77.4064% of the mixture has not undergone testing for acute toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
PVC HOMOPOLYMER RESIN	9002-86-2	10 - 30	*
PRECIPITATED CALCIUM CARBONATE	471-34-1	10 - 30	*
EPOXYDIZED SOYBEAN OIL	8013-07-8	5 - 10	*
KAOLIN	1332-58-7	3 - 7	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

Page 2 of 11

Revision Date 01-Jun-2015

4. FIRST AID MEASURES			
Description of first aid measures			
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.		
Skin contact	Wash skin with soap and water.		
Inhalation	Remove to fresh air.		
Ingestion	Clean mouth with water and drink afterwards plenty of water.		
Most important symptoms and effects, both acute and delayed			
Symptoms	No information available.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

	6. ACCIDENTAL	RELEASE MEASURES
--	---------------	------------------

Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation, especially in confined areas.	
Environmental precautions		
Environmental precautions	See Section 12 for additional ecological information.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.	

Revision Date 01-Jun-2015

Page 4 of 11

	7. HANDLING AND STORAGE	
Precautions for safe handling		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place Store at temperatures not exceeding 35 °C/ 95 °F	
Incompatible materials	None known based on information supplied.	

Revision Date 01-Jun-2015

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
PVC HOMOPOLYMER RESIN 9002-86-2	TWA: 1 mg/m ³ respirable fraction	-	-
PRECIPITATED CALCIUM CARBONATE 471-34-1	-	-	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
KAOLIN 1332-58-7	TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable fraction	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	

NIOSH IDLH Immediately Dangerous to Life or Health

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL
PVC HOMOPOLYMER RESIN	-	TWA: 1 mg/m ³	TWA: 1 mg/m ³	-
9002-86-2				
PRECIPITATED CALCIUM CARBONATE 471-34-1	TWA: 10 mg/m³	-	-	-
KAOLIN 1332-58-7	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m³

Chemical Name	Newfoundland OEL	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL
PVC HOMOPOLYMER RESIN 9002-86-2	TWA: 1 mg/m ³	-	TWA: 1 mg/m ³	-
PRECIPITATED CALCIUM CARBONATE 471-34-1	-	TWA: 5 mg/m³ TWA: 10 mg/m³	-	TWA: 5 mg/m³ TWA: 10 mg/m³
KAOLIN 1332-58-7	TWA: 2 mg/m ³	TWA: 5 mg/m ³ TWA: 10 mg/m ³	TWA: 2 mg/m ³	TWA: 5 mg/m ³ TWA: 10 mg/m ³

Chemical Name	Ontario OEL	Prince Edward Island OEL	Quebec OEL	Saskatchewan OEL	Yukon OEL
PVC HOMOPOLYMER RESIN 9002-86-2	TWA: 1 mg/m ³	TWA: 1 mg/m ³	-	-	-
PRECIPITATED CALCIUM CARBONATE 471-34-1	-	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³ STEL: 20 mg/m ³	STEL: 20 mg/m ³ TWA: 30 mppcf TWA: 10 mg/m ³
KAOLIN 1332-58-7	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 5 mg/m ³	TWA: 2 mg/m ³ STEL: 4 mg/m ³	STEL: 20 mg/m ³ TWA: 30 mppcf TWA: 10 mg/m ³

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers Eyewash stations

Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.

Page 5/11

Item Numbers: 40324-1007, 40324-1009

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations

Respiratory protection

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	liquid viscous White to off-white	Odor Odor threshold	Low No information available
Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	Values 7 No information available 232 °C / 450 °F 96 °C / 205 °F No information available No informa	<u>Remarks • Method</u>	
Other Information Softening point Molecular weight VOC Content Density Bulk density	No information available No information available 15 g/L No information available No information available		

Page 7 of 11

10. STABILITY AND REACTIVITY

Reactivity No data available

Chemical stability

Stable under recommended storage conditions. Possibility of Hazardous Reactions None under normal processing. Conditions to avoid Extremes of temperature and direct sunlight. Incompatible materials None known based on information supplied. Hazardous Decomposition Products None known based on information supplied.

Revision Date 01-Jun-2015

11. TOXICOLOGICAL INFORMATION						
Information on likely rout	tes of exposure					
Product Information	No data avail	lable				
Inhalation	No data avail	lable.				
Eye contact	No data avail	lable.				
Skin contact	No data avail	lable.				
Ingestion	No data avail	lable.				
Chemical Name	Oral LD5	50	Der	mal LD50	Inhalatio	n LC50
PRECIPITATED CALCIUM CARBONATE 471-34-1	= 6450 mg/kg	= 6450 mg/kg (Rat)				
EPOXYDIZED SOYBEAN OIL 8013-07-8	= 40 g/kg (Rat)	> 20 ml	nL/kg (Rabbit)		
Information on toxicological effects						
Symptoms						
Delayed and immediate e	ffects as well as chronic	c effects from	short and l	ong-term exposur	<u>e_</u>	
Sensitization Germ cell mutagenicity Carcinogenicity	n cell mutagenicity No information available.					
Chemical Name	ACGIH	IARC NTP				OSHA
PVC HOMOPOLYMER RESIN 9002-86-2	-	- Group 3			-	
	ncy for Research on Cance	er)				
Not classifiable as a huma Reproductive toxicity	an carcinogen No informatio	n available				
STOT - single exposure	No informatio					
STOT - repeated exposur						

Target Organ Effects

Aspiration hazard

Eyes, Respiratory system, Skin. No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS documentATEmix (oral)9295 mg/kgATEmix (dermal)62225 mg/kg ATEmix (inhalation-gas) ATEmix (inhalation-dust/mist) No information available No information available ATEmix (inhalation-vapor) No information available

Item Numbers: 40324-1007, 40324-1009

12. ECOLOGICAL INFORMATION

Ecotoxicity

92.7455% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and degradability No information available. Bioaccumulation No information available. Other adverse effects No information available 13. DISPOSAL CONSIDERATIONS Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and
regulations.Contaminated packagingDo not reuse container.

14. TRANSPORT INFORMATION

DOT	Not regulated		
TDG	Not regulated		
MEX	Not regulated		
ICAO (air)	Not regulated		
IATA	Not regulated		
IMDG	Not regulated		
RID	Not regulated		
ADR	Not regulated		
ADN	Not regulated		

Item Numbers: 40324-1007, 40324-1009

15. REGULATORY INFORMATION

International Inventories TSCA Complies DSL/NDSL Complies EINECS/ELINCS Does not comply ENCS Does not comply IECSC Complies KECL Complies Complies PICCS AICS Complies

Legend: TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances **AICS** - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
PVC HOMOPOLYMER RESIN 9002-86-2	Х	-	-
KAOLIN 1332-58-7	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

Page 10/11

Item Numbers: 40324-1007, 40324-1009

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u> <u>HMIS</u>	Health hazards 0 Health hazards 1	Flammability 1 Flammability 1	Instability 0 Physical hazards 0	Physical and Chemical Properties - Personal protection B
Issue Date Revision Date Revision Note No information available	01-Jun-20 01-Jun-20			

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page 11 / 11