

# SAFETY DATA SHEET

Issue Date 29-May-2015 Revision Date 29-May-2015 **1. IDENTIFICATION** Product identifier **Product Name** AEROTEX BRITE RED Other means of identification Product Code ATEX3006 ATEX300601, ATEX300603, ATEX300604, ATEX300605, ATEX300607, ATEX300608, ATEX300609, ATEX300610, ATEX300612, ATEX300613, ATEX300614, ATEX300615, ATEX300616, ATEX300617, ATEX300619, ATEX300620, ATEX300621, ATEX300622, Synonyms ATEX300623, ATEX300633, ATEX300635, ATEX300655 Recommended use of the chemical and restrictions on use **Recommended Use** Textile ink. Restricted to professional users. Uses advised against No information available Details of the supplier of the safety data sheet Manufacturer Address **Rutland Group** 10021 Rodney Street Pineville, NC 28134 Tel: 704-553-0046

#### E-mail address

product\_safety@rutlandinc.com

Emergency telephone number **Company Phone Number Emergency Telephone** 

+1 (704) 553-0046 INFOTRAC 1-352-323-3500

### Version 1

#### 2. HAZARDS IDENTIFICATION

#### Classification

OSHA Regulatory Status This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### Label elements

	Emergency Overview	
The product contains no su	bstances which at their given concentration, are considered to b	e hazardous to health
Appearance viscous	Divisional state liquid	Odor Sligh
Appearance viscous	Physical state liquid	Udor Slidr

Hazards not otherwise classified (HNOC) Not applicable

#### Other Information

Not applicable

Unknown acute toxicity

17.21015964% of the mixture has not undergone testing for acute toxicity

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
TITANIUM DIOXIDE	13463-67-7	1 - 5	*
AMMONIUM HYDROXIDE	1336-21-6	0.1 - 1	*
*The exect perceptore (concert	ration) of composition has	hoop withhold op o trodo d	aarat

The exact percentage (concentration) of composition has been withheld as a trade secret.

# **4. FIRST AID MEASURES**

Description of first aid measures				
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.			
Skin contact	Wash skin with soap and water.			
Inhalation	Remove to fresh air.			
Ingestion	Clean mouth with water and drink afterwards plenty of water.			
Most important symptoms and effects, both acute and delayed				
Symptoms	No information available.			
Indication of any immediate medical attention and special treatment needed				
Note to physicians	Treat symptomatically.			

Page 2/9

### **5. FIRE-FIGHTING MEASURES**

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective er	uipment and emergency procedures				
	Ensure adequate ventilation, especially in confined areas.				
Personal precautions	Ensure adequate ventilation, especially in confined areas.				
Environmental precautions					
Environmental precautions	See Section 12 for additional ecological information.				
Methods and material for containm	ent and cleaning up				
Methods for containment	Prevent further leakage or spillage if safe to do so.				
Methods for cleaning up	<b>s for cleaning up</b> Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.				
	7. HANDLING AND STORAGE				
Precautions for safe handling					
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.				
Conditions for safe storage, includ	Conditions for safe storage, including any incompatibilities				
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place Store at temperatures not exceeding 35 °C/ 95 °F				
Incompatible materials	None known based on information supplied.				

### Revision Date 29-May-2015

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines			
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
TITANIUM DIOXIDE	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
13463-67-7	-	(vacated) TWA: 10 mg/m <sup>3</sup> total dust	-
NIOSH IDI H. Immodiatoly Dango	rous to Life or Health		

NIOSH IDLH Immediately Dangerous to Life or Health

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
Chemical Name	Newfoundland OEL	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL

Chemical Name	Ontario OEL	Prince Edward Island OEL	Quebec OEL	Saskatchewan OEL	Yukon OEL
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m³	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>	STEL: 20 mg/m <sup>3</sup> TWA: 30 mppcf TWA: 10 mg/m <sup>3</sup>

Other Information

**Engineering Controls** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

Showers Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance	liquid viscous	Odor	Slight
Color	colored	Odor threshold	No information available
Property	Values	Remarks • Method	
pH	7		
Melting point/freezing point	-2 °C / 28 °F		
Boiling point / boiling range	105 °C / 221 °F		
Flash point	100 °C / 212 °F		
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		
Vapor density	No information available		
Specific Gravity	1.3		
Water solubility	No information available		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature	No information available		
Decomposition temperature	No information available		
Kinematic viscosity	No information available		
Dynamic viscosity	No information available		
Explosive properties	No information available		
Oxidizing properties	No information available		
Other Information			
Softening point	No information available		
Molecular weight	No information available		
VOC Content	25 g/L		
Density	No information available		
Bulk density	No information available		

### **10. STABILITY AND REACTIVITY**

Reactivity No data available

Chemical stability Stable under recommended storage conditions. Possibility of Hazardous Reactions None under normal processing. Conditions to avoid Extremes of temperature and direct sunlight. Incompatible materials None known based on information supplied. Hazardous Decomposition Products None known based on information supplied.

Page 5 of 9

### Revision Date 29-May-2015

Product Information	No data available				
Inhalation	No data available.	No data available.			
Eye contact	No data available.	No data available.			
Skin contact	No data available.				
Ingestion	No data available.				
Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50		
TITANIUM DIOXIDE 13463-67-7	> 10000 mg/kg (Rat)	-	-		
AMMONIUM HYDROXIDE	= 350 mg/kg (Rat)	-	-		

#### Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.			
Germ cell mutagenicity	No information available.			
Carcinogenicity	The table be	The table below indicates whether each agency has listed any ingredient as a carcinogen.		
Chemical Name	ACGIH	IARC	NTP	OSHA
TITANIUM DIOXIDE	-	Group 2B	-	Х
13463-67-7				
IARC (International Ager	ncy for Research on Canc	er)		
Group 2B - Possibly Carci	nogenic to Humans			
OSHA (Occupational Sat	ety and Health Administr	ation of the US Department of	Eabor)	
X - Present				
Reproductive toxicity	No informat	ion available.		
STOT - single exposure No information available.				
STOT - repeated exposure No information available.				
Target Organ Effects lungs, Respiratory system.				
Aspiration hazard				
Numerical measures of to	xicity - Product Inform	nation		
ATEmix (oral)	No information available			
ATEmix (dermal)	No informat	ion available		
ATEmix (inhalation-ga	s) No informat	ion available		
ATEmix (inhalation-du		No information available		
ATEmix (inhalation-va		ion available		

#### 12. ECOLOGICAL INFORMATION

Ecotoxicity

17.21111% of the mixture consists of components(s) of unknown hazards to the aquatic environment

## Persistence and degradability No information available.

Bioaccumulation No information available.

#### Other adverse effects No information available

#### **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods Disposal should be in accordance with applicable regional, national and local laws and **Disposal of wastes** regulations. **Contaminated packaging** Do not reuse container. U122 **US EPA Waste Number Chemical Name** RCRA **RCRA - Basis for Listing RCRA - D Series Wastes RCRA - U Series Wastes** FORMALDEHYDE Included in waste streams: U122 U122 50-00-0 K009, K010, K038, K040,

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
AMMONIUM HYDROXIDE	Toxic
1336-21-6	Corrosive

K156, K157

### 14. TRANSPORT INFORMATION

DOT	Not regulated
TDG	Not regulated
MEX	Not regulated
ICAO (air)	Not regulated
	Not regulated
IMDG	Not regulated
<u>RID</u>	Not regulated
ADR	Not regulated
ADN	Not regulated

#### **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Does not comply
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

Legend: TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances **AICS** - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	
Chronic Health Hazard	

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
AMMONIUM HYDROXIDE 1336-21-6	1000 lb	-	-	Х

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
AMMONIUM HYDROXIDE	1000 lb	-	RQ 1000 lb final RQ
1336-21-6			RQ 454 kg final RQ
UC Ctata Danulatiana			

### US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
FORMALDEHYDE - 50-00-0	Carcinogen	

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
PROPYLENE GLYCOL IND.	Х	-	Х
57-55-6			

#### Revision Date 29-May-2015

TITANIUM DIOXIDE 13463-67-7	Х	Х	Х
AMMONIUM HYDROXIDE 1336-21-6	Х	Х	Х
FORMALDEHYDE 50-00-0	х	Х	Х
MINERAL SPIRITS 8052-41-3	Х	Х	Х
U.S. EPA Label Information			

EPA Pesticide Registration Number Not applicable

16. OTHER INI	FORMATION, INCL	UDING DATE OF I	PREPARATION OF THE	LAST REVISION
NFPA_	Health hazards 0	Flammability 1	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards 1	Flammability 1	Physical hazards 0	Personal protection B
Issue Date Revision Date Revision Note No information available	29-May-2 29-May-2			

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**