

# SAFETY DATA SHEET

Issue Date 29-May-2015 Revision Date 29-May-2015

ATEXM520

Version 1

#### 1. IDENTIFICATION

Product identifier

**Product Name** AEROTEX POWDER BLUE SHIMMER

Other means of identification

**Product Code** 

ATEXM52001, ATEXM52003, ATEXM52004, ATEXM52005, ATEXM52007, ATEXM52008, ATEXM52009, ATEXM52010, ATEXM52012, ATEXM52013, ATEXM52014, ATEXM52015, ATEXM52016, ATEXM52017, ATEXM52019, ATEXM52020, ATEXM52021, ATEXM52022, Synonyms

ATEXM52023, ATEXM52033, ATEXM52035, ATEXM52055

Recommended use of the chemical and restrictions on use

**Recommended Use** Textile ink. Restricted to professional users.

Uses advised against No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** 

Rutland Group 10021 Rodney Street Pineville, NC 28134 Tel: 704-553-0046

E-mail address product\_safety@rutlandinc.com

Emergency telephone number

+1 (704) 553-0046 **Company Phone Number** 

**Emergency Telephone** INFOTRAC 1-352-323-3500

Revision Date 29-May-2015

#### 2. HAZARDS IDENTIFICATION

## Classification

#### **OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### Label elements

#### **Emergency Overview**

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance viscous Physical state liquid Odor Slight

# Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

Not applicable

Unknown acute toxicity 17.21015964% of the mixture has not undergone testing for acute toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

| Chemical Name      | CAS No.    | Weight-% | Trade Secret |
|--------------------|------------|----------|--------------|
| TITANIUM DIOXIDE   | 13463-67-7 | 1 - 5    | *            |
| AMMONIUM HYDROXIDE | 1336-21-6  | 0.1 - 1  | *            |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

#### **Description of first aid measures**

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water.

**Inhalation** Remove to fresh air.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

# Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

## Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Page 2/9

Item Numbers: 43221-5917 Page 2 of 9

Revision Date 29-May-2015

## 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

## Specific hazards arising from the chemical

No information available.

## **Explosion data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

**Environmental precautions** See Section 12 for additional ecological information.

#### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth

or other non-combustible absorbent material. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place

Store at temperatures not exceeding 35 °C/95 °F

Incompatible materials None known based on information supplied.

Revision Date 29-May-2015

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### **Exposure Guidelines**

| Chemical Name    | Chemical Name ACGIH TLV            |                          | NIOSH IDLH                   |
|------------------|------------------------------------|--------------------------|------------------------------|
| TITANIUM DIOXIDE | TWA: 10 mg/m <sup>3</sup>          | TWA: 15 mg/m³ total dust | IDLH: 5000 mg/m <sup>3</sup> |
| 13463-67-7       | (vacated) TWA: 10 mg/m³ total dust |                          |                              |

NIOSH IDLH Immediately Dangerous to Life or Health

| Chemical Name    | Alberta OEL               | British Columbia OEL      | Manitoba OEL              | New Brunswick OEL         |
|------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| TITANIUM DIOXIDE | TWA: 10 mg/m <sup>3</sup> |
| 13463-67-7       |                           | TWA: 3 mg/m <sup>3</sup>  |                           |                           |

| Chemical Name    | Newfoundland OEL          | Northwest Territories OEL | Nova Scotia OEL           | Nunavut OEL               |
|------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| TITANIUM DIOXIDE | TWA: 10 mg/m <sup>3</sup> | TWA: 5 mg/m <sup>3</sup>  | TWA: 10 mg/m <sup>3</sup> | TWA: 5 mg/m <sup>3</sup>  |
| 13463-67-7       | Ĭ                         | TWA: 10 mg/m <sup>3</sup> | •                         | TWA: 10 mg/m <sup>3</sup> |

| Γ | Chemical Name                  | Ontario OEL               | Prince Edward Island      | Quebec OEL                | Saskatchewan OEL                | Yukon OEL  |
|---|--------------------------------|---------------------------|---------------------------|---------------------------|---------------------------------|--|
| L |                                |                           | OEL                       |                           |                                 |  |
| Ī | TITANIUM DIOXIDE<br>13463-67-7 | TWA: 10 mg/m <sup>3</sup> | TWA: 10 mg/m <sup>3</sup> | TWA: 10 mg/m <sup>3</sup> | TWA: 10 mg/m³<br>STEL: 20 mg/m³ | STEL: 20 mg/m <sup>3</sup><br>TWA: 30 mppcf<br>TWA: 10 mg/m <sup>3</sup> |

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

**Appropriate engineering controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems.

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Revision Date 29-May-2015

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical stateliquidAppearanceviscousOdorSlight

Color colored Odor threshold No information available

Property Values Remarks • Method

pH 7

Melting point/freezing point
Boiling point / boiling range
Flash point
Evaporation rate
Flammability (solid, gas)
Flammability Limit in Air

-2 °C / 28 °F
105 °C / 221 °F
100 °C / 212 °F
No information available
No information available

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Specific Gravity 1.3

No information available Water solubility Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available No information available **Decomposition temperature** No information available Kinematic viscosity Dynamic viscosity No information available **Explosive properties** No information available Oxidizing properties No information available

**Other Information** 

Softening point
Molecular weight
VOC Content
Density
No information available
25 g/L
No information available

Density No information available
Bulk density No information available

# 10. STABILITY AND REACTIVITY

## Reactivity

No data available

## **Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions** 

None under normal processing.

# Conditions to avoid

Extremes of temperature and direct sunlight.

## **Incompatible materials**

None known based on information supplied.

# Hazardous Decomposition Products

None known based on information supplied.

Revision Date 29-May-2015

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** No data available Inhalation No data available. Eye contact No data available. No data available. Skin contact Ingestion No data available.

| Chemical Name                   | Oral LD50           | Dermal LD50 | Inhalation LC50 |
|---------------------------------|---------------------|-------------|-----------------|
| TITANIUM DIOXIDE<br>13463-67-7  | > 10000 mg/kg (Rat) | -           | -               |
| AMMONIUM HYDROXIDE<br>1336-21-6 | = 350 mg/kg(Rat)    | -           | -               |

#### Information on toxicological effects

**Symptoms** No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name    | ACGIH | IARC     | NTP | OSHA |
|------------------|-------|----------|-----|------|
| TITANIUM DIOXIDE | -     | Group 2B | -   | X    |
| 13463-67-7       |       | <u> </u> |     |      |

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available. STOT - single exposure STOT - repeated exposure No information available. No information available. **Target Organ Effects** lungs, Respiratory system. Aspiration hazard No information available.

# Numerical measures of toxicity - Product Information

No information available **ATEmix (oral)** ATEmix (dermal) No information available ATEmix (inhalation-gas) No information available ATEmix (inhalation-dust/mist) No information available ATEmix (inhalation-vapor) No information available

Revision Date 29-May-2015

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

17.21111% of the mixture consists of components(s) of unknown hazards to the aquatic environment

#### Persistence and degradability

No information available.

# **Bioaccumulation**

No information available.

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number U122

| Chemical Name | RCRA | RCRA - Basis for Listing   | RCRA - D Series Wastes | RCRA - U Series Wastes |
|---------------|------|----------------------------|------------------------|------------------------|
| FORMALDEHYDE  | U122 | Included in waste streams: | -                      | U122                   |
| 50-00-0       |      | K009, K010, K038, K040,    |                        |                        |
|               |      | K156, K157                 |                        |                        |

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name      | California Hazardous Waste Status |
|--------------------|-----------------------------------|
| AMMONIUM HYDROXIDE | Toxic                             |
| 1336-21-6          | Corrosive                         |

# 14. TRANSPORT INFORMATION

Not regulated DOT <u>TDG</u> Not regulated Not regulated <u>MEX</u> ICAO (air) Not regulated <u>IATA</u> Not regulated <u>IMDG</u> Not regulated Not regulated RID Not regulated ADR <u>ADN</u> Not regulated

Item Numbers: 43221-5917 Page 7 of 9

Revision Date 29-May-2015

#### 15. REGULATORY INFORMATION

International Inventories

**TSCA** Complies DSL/NDSL Does not comply **EINECS/ELINCS** Does not comply **ENCS** Does not comply **IECSC** Does not comply Does not comply **KECL** Does not comply **PICCS AICS** Does not comply

<u>Legend:</u>
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

# **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

| Acute health hazard               | No |
|-----------------------------------|----|
| Chronic Health Hazard             | No |
| Fire hazard                       | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard                   | No |

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name      | CWA - Reportable<br>Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous<br>Substances |
|--------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| AMMONIUM HYDROXIDE | 1000 lb                        | -                      | -                         | X                             |
| 1336-21-6          |                                |                        |                           |                               |

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

|   | Chemical Name      | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---|--------------------|--------------------------|----------------|--------------------------|
| Γ | AMMONIUM HYDROXIDE | 1000 lb                  | =              | RQ 1000 lb final RQ      |
| - | 1336-21-6          |                          |                | RQ 454 kg final RQ       |

#### **US State Regulations**

## **California Proposition 65**

This product contains the following Proposition 65 chemicals

| Chemical Name          | California Proposition 65 |
|------------------------|---------------------------|
| FORMALDEHYDE - 50-00-0 | Carcinogen                |

## U.S. State Right-to-Know Regulations

| Chemical Name         | New Jersey | Massachusetts | Pennsylvania |
|-----------------------|------------|---------------|--------------|
| PROPYLENE GLYCOL IND. | X          | =             | X            |
| 57-55-6               |            |               |              |

Revision Date 29-May-2015

| TITANIUM DIOXIDE<br>13463-67-7  | X | Х | Х |
|---------------------------------|---|---|---|
| AMMONIUM HYDROXIDE<br>1336-21-6 | X | Х | Х |
| FORMALDEHYDE<br>50-00-0         | X | Х | Х |
| MINERAL SPIRITS<br>8052-41-3    | X | Х | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 0 Flammability 1 Instability 0 Physical and Chemical Properties -

HMIS Health hazards 1 Flammability 1 Physical hazards 0 Personal protection B

 Issue Date
 29-May-2015

 Revision Date
 29-May-2015

Revision Note No information available

#### **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Page 9/9