

# SAFETY DATA SHEET

Issue Date 27-Jul-2015	Revision Date 27-Jul-2015	Version 1
	1. IDENTIFICATION	
Product identifier		
Product Name	EF MAXOPAKE LO CROCK FLAG RED	
Other means of identification		
Product Code	PADE3021	
Synonyms	PADE302101, PADE302103, PADE302104, PADE302105, PADE302109, PADE302110, PADE302112, PADE302113, PADE302116, PADE302117, PADE302119, PADE302120, PADE302123, PADE302133, PADE302135, PADE302155	, PADE302114, PADE302115, , PADE302121, PADE302122,
Recommended use of the cher	mical and restrictions on use	
Recommended Use	Textile ink. Restricted to professional users.	
Uses advised against	No information available	
Details of the supplier of the se Manufacturer Address Rutland Group 10021 Rodney Street Pineville, NC 28134 Tel: 704-553-0046	<u>afety data sheet</u>	
	_	

E-mail address

product\_safety@rutlandinc.com

Emergency telephone number Emergency Telephone

INFOTRAC 1-352-323-3500

# 2. HAZARDS IDENTIFICATION

### Classification

OSHA Regulatory Status This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### Label elements

[	Emergency Overview	
The product contains no sub	stances which at their given concentration, are considered to	be hazardous to health
Appearance viscous	Physical state liquid	Odor Low

Hazards not otherwise classified (HNOC) Not applicable

#### Other Information

Not applicable

Unknown acute toxicity

69.1% of the mixture has not undergone testing for acute toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Substance

CAS No.	Weight-%	Trade Secret
9002-86-2	15 - 40	*
1317-65-3	10 - 30	*
13463-67-7	10 - 30	*
	9002-86-2 1317-65-3	9002-86-2         15 - 40           1317-65-3         10 - 30

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# **4. FIRST AID MEASURES**

#### Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water.
Inhalation	Remove to fresh air.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Most important symptoms and effe	ects, both acute and delayed
Symptoms	No information available.
Indication of any immediate medica	al attention and special treatment needed
Note to physicians	Treat symptomatically.

Page 2/9

### **5. FIRE-FIGHTING MEASURES**

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

### Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

E	Personal	precauti	ions, j	protecti	ve equi	ipment	and e	merge	ncy	proced	ures	

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Precautions for safe handling

**Environmental precautions** See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

# 7. HANDLING AND STORAGE

r rooddhorio for oaro handling	
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.
Conditions for safe storage, includ	ing any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place Store at temperatures not exceeding 35 °C/ 95 °F
Incompatible materials	None known based on information supplied.

# Revision Date 27-Jul-2015

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
PVC HOMOPOLYMER RESIN 9002-86-2	TWA: 1 mg/m <sup>3</sup> respirable fraction	-	-
CALCIUM CARBONATE 1317-65-3	-	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m³	TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 10 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL
PVC HOMOPOLYMER RESIN 9002-86-2	-	TWA: 1 mg/m³	TWA: 1 mg/m <sup>3</sup>	-
CALCIUM CARBONATE 1317-65-3	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>	-	TWA: 10 mg/m <sup>3</sup>
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>

Chemical Name	Newfoundland OEL	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL
PVC HOMOPOLYMER RESIN	TWA: 1 mg/m <sup>3</sup>	-	TWA: 1 mg/m <sup>3</sup>	-
9002-86-2				
CALCIUM CARBONATE	-	TWA: 5 mg/m <sup>3</sup>	-	TWA: 5 mg/m <sup>3</sup>
1317-65-3		TWA: 10 mg/m <sup>3</sup>		TWA: 10 mg/m <sup>3</sup>
TITANIUM DIOXIDE	TWA: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
13463-67-7		TWA: 10 mg/m <sup>3</sup>		TWA: 10 mg/m <sup>3</sup>

Chemical Name	Ontario OEL	Prince Edward Island	Quebec OEL	Saskatchewan OEL	Yukon OEL
		OEL			
PVC HOMOPOLYMER	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	-	-	-
RESIN		-			
9002-86-2					
CALCIUM CARBONATE	-	-	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	STEL: 20 mg/m <sup>3</sup>
1317-65-3			•	STEL: 20 mg/m <sup>3</sup>	TWA: 30 mppcf
				-	TWA: 10 mg/m <sup>3</sup>
TITANIUM DIOXIDE	TWA: 10 mg/m <sup>3</sup>	STEL: 20 mg/m <sup>3</sup>			
13463-67-7	C C	°,	0	STEL: 20 mg/m <sup>3</sup>	TWA: 30 mppcf
				J J	TWA: 10 mg/m <sup>3</sup>

#### **Other Information**

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

Engineering Controls Showers Eyewash stations Ventilation systems.

 Individual protection measures, such as personal protective equipment

 Eye/face protection
 Wear safety glasses with side shields (or goggles).

 Skin and body protection
 Wear protective gloves and protective clothing.

 Respiratory protection
 If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

Page 4/9

Item Numbers: 43252-3767

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

liquid

viscous

colored

Values

1.4

50 g/L

No information available

No information available No information available

No information available No information available

No information available

No information available

No information available

No information available

Insoluble in water

232 °C / 450 °F 96 °C / 205 °F

**Physical state** Appearance Color Property pН Melting point/freezing point Boiling point / boiling range Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limit in Air **Upper flammability limit:** Lower flammability limit: Vapor pressure Vapor density **Specific Gravity** Water solubility Solubility in other solvents Partition coefficient Autoignition temperature **Decomposition temperature Kinematic viscosity** Dynamic viscosity **Explosive properties Oxidizing properties** 

#### Other Information

Softening point Molecular weight VOC Content Density Bulk density

No information available No information available

**10. STABILITY AND REACTIVITY** 

Reactivity No data available

<u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Conditions to avoid</u> Extremes of temperature and direct sunlight. <u>Incompatible materials</u> None known based on information supplied. <u>Hazardous Decomposition Products</u> None known based on information supplied. Odor Odor threshold

Low No information available

Remarks • Method

No informatio	lable. lable. lable. lable. <u>50</u> ( Rat ) on available. on available. on available. low indicates w	short and lo	mal LD50	-
No data avail No data avail No data avail No data avail Oral LD5 > 10000 mg/kg No informatic well as chronic No informatic No informatic The table bel	lable. lable. lable. lable. <u>50</u> ( Rat ) on available. on available. on available. low indicates w	short and lo	- ong-term exposure	-
No data avail No data avail No data avail Oral LD5 > 10000 mg/kg S No informatic No informatic No informatic The table bel	lable. lable. lable. 50 g (Rat) on available. on available. on available. low indicates w	short and lo	- ong-term exposure	-
No data avail No data avail Oral LD5 > 10000 mg/kg No informatic No informatic No informatic No informatic The table bel	lable. <b>50</b> ( Rat ) on available. <b>c effects from</b> on available. on available. on available.	short and lo	- ong-term exposure	-
No data avail Oral LD5 > 10000 mg/kg No informatic well as chronic No informatic No informatic The table bel	able. (Rat) (Rat) on available. c effects from on available. on available. low indicates w	short and lo	- ong-term exposure	-
Oral LD5 > 10000 mg/kg No informatic vell as chronic No informatic No informatic The table bel	50 (Rat) on available. c effects from on available. on available. low indicates w	short and lo	- ong-term exposure	-
> 10000 mg/kg No informatic vell as chronic No informatic No informatic The table bel	on available. <b>c effects from</b> on available. on available. low indicates w	short and lo	- ong-term exposure	-
No informatic well as chronic No informatic No informatic The table bel	on available. c effects from on available. on available. low indicates w			-
— No informatic vell as chronic No informatic No informatic The table bel	c effects from on available. on available. low indicates w			-
well as chronic No informatic No informatic The table bel	c effects from on available. on available. low indicates w			-
No informatic No informatic The table bel	on available. on available. low indicates w			-
No information	on available. Iow indicates w	hether each		
		mether each	agoney has listed an	v ingradiant as a carcinogon
	IAR		NTP	OSHA
-		-	-	-
-	Group	2B	-	Х
Humans en		Department of	f Labor)	
		atom Chin		
		Stem, Skin.		
roduct Inform	<u>ation</u>			
	apter 3.1 of the	e GHS docu	ment .	
	n available			
1	earch on Cance fumans n alth Administra No informatic No informatic Eyes, lungs, No informatic roduct Inform 17416 No informatic No informatic No informatic No informatic	- Group earch on Cancer) tumans n alth Administration of the US I No information available. No information available. No information available. Eyes, lungs, Respiratory sy No information available. roduct Information_ based on chapter 3.1 of the	earch on Cancer) fumans n alth Administration of the US Department of No information available. No information available. Eyes, lungs, Respiratory system, Skin. No information available. <b>roduct Information</b> <b>based on chapter 3.1 of the GHS docu</b> 17416 No information available No information available No information available No information available No information available	Group 2B     Group 2B

#### Item Numbers: 43252-3767

Page 7/9

Page	7	of	9
i aye	1	UI.	J

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

69.4% of the mixture consists of components(s) of unknown hazards to the aquatic environment

# Persistence and degradability No information available. Bioaccumulation

No information available.

#### Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS			
Waste treatment methods			
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.		
Contaminated packaging	Do not reuse container.		

# **14. TRANSPORT INFORMATION**

Not regulated
Not regulated

#### **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Does not comply
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

Legend: TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemical Substances **AICS** - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	
Chronic Health Hazard	
Fire hazard	

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
PVC HOMOPOLYMER RESIN 9002-86-2	Х	-	-
CALCIUM CARBONATE 1317-65-3	Х	Х	х
TITANIUM DIOXIDE 13463-67-7	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA_	Health hazards 0	Flammability 1	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards 1	Flammability 1	Physical hazards 0	Personal protection B
Issue Date	27-Jul-201	15		
Revision Date	27-Jul-20'	15		
Revision Note				
No information available				

<u>Disclaimer</u>

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Item Numbers: 43252-3767