Hanco Ink	SAFETY DATA SHEET	
1. IDENTIFICATION		
Product Code: Recommended Use:	CS-902 For use in industrial installations	
Manufacturer:	Hanco Ink, LLC 151 Stanley St. Elk Grove Village, IL 60007 Phone: +1 847-952-1511 Fax: +1 847-952-1515	
Emergency Phone Number:	+1 847-952-1511	
2. HAZARD(S) IDENTIFICATION		
Physical Hazard Classification: Health Hazard Classification:	This product has no physical hazard clas (GHS).	ssification according to the Globally Harmonized System
	Signal Word: Warning Hazard Statements: Contact may cause skin irritation. Contact may cause eye irritation. Contact may cause minor respiratory irr Harmful if swallowed. Very toxic to aquatic life. Toxic to aquatic life with long lasting eff Precautionary Statements: Wear protective gloves/protective cloth Wear protective eyewear. Avoid splashing/splattering. Use with adequate ventilation. Avoid release to the environment.	fects.
Hazards not otherwise classified:	None known.	
3. COMPOSITION/INFORMATIO	ON ON INGREDIENTS	
Material or Component Trade Secret	CAS Number N/A	% 100%
4. FIRST AID MEASURES		
Inhalation: Skin Contact: Eye Contact:	attention.	r for at least 15 minutes. If symptoms persist seek medical or at least 15 minutes while holding eyelids open. If
Ingestion:	Seek medical attention. Do not induce v	
		Page 1 of 4 Page 1 of 4

5. FIRE-FIGHTING MEASURES Suitable Extinguishing Media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam

Suitable Extinguishing Meula.	may cause frothing if liquid is burning but it may still be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot burning liquid/paste.
Not Suitable:	No information available.
Not Suitable:	No information available.
Specific Hazards:	Fire will produce dense black smoke. Exposure may cause a health hazard. May release carbon monoxide, carbon dioxide, nitrogen containing gases, hydrogen chloride, and other toxic fumes.
	Runoff from fire control may cause pollution.
Special Protective Equipment for	Fire-Fighters:
	Fire-fighters should wear appropriate protective equipment and self-contained breathing
	apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Ensure adequate ventilation. Avoid contact with the skin and eyes by wearing recommended personal protective equipment. Wash thoroughly after handling.
Protective Equipment:	Protective clothing, gloves, eyewear, appropriate safety shoes.
Emergency Procedures:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and
	sewers.
Methods for Containment:	Contain spills immediately with spill socks and inert materials (sawdust/sand).
Methods for Cleanup:	Absorb with inert materials. Sweep or scrape up. Place in a container for proper disposal. Rinse affected area(s) with soap and water. Ensure runoff from cleanup is collected.
Methods for Cleanup:	

7. HANDLING AND STORAGE Precautions for Safe Handling: Storage: Avoid contact with the skin and eyes by wearing recommended personal protective equipment. Ensure adequate ventilation. Avoid breathing vapors, mist, or dust. Do not eat, drink, or smoke in the work area. Wash thoroughly after handling. Storage: Keep container tightly closed and store in a cool, dry, well ventilated place. Keep out of direct sunlight. Keep away from food and drink. Open containers must be carefully resealed and kept upright. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Controls:	Component	OSHA PEL	ACGIH TLV
	Manganese Compound	(C) 5 mg/m ³	0.02 mg/m ³ (resp.)
		(-,-,-,	0.1 mg/m^3 (IHL)
	Cobalt	0.1 mg/m ³	0.02 mg/m ³
	Copper	1 mg/m ³	1 mg/m ³
Engineering Controls:		osure. Ventilation should ef	ay be required when handling or using fectively remove and prevent the g this product.
Respiratory Protection:	buildup of any vapor/mist/fu	me generated from handling	
	exceeded or irritation is expe required.	rienced, additional ventilation	on or respiratory protection may be
Eye Protection:	Full coverage safety glasses/g	oggles are recommended.	
Skin and Body Protection:	Wear chemical resistant glove regularly.	es/protective clothing. Clear	n and inspect gloves and clothing
Hygiene Practices:	Wash hands and other expos leaving work. Launder contar	•	water before eating, drinking, and when se.
Special Requirements:	No special requirements und	er normal conditions of use.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Color:	Varies
Odor:	Mild resinous
Odor Threshold:	no data available
pH:	no data available
Melting Point:	no data available
Freezing Point:	no data available
Initial Boiling Point:	no data available
Boiling Range:	no data available
Flash Point:	greater than 200 degrees F
Evaporation Rate:	no data available
Flammability:	no data available
Upper/Lower Flammability:	no data available
Vapor Pressure:	no data available
Vapor Density:	no data available
Relative Density/Specific Gravity:	1.05
Solubility:	Insoluble in water
Partition Coefficient:	no data available
Auto-ignition Temperature:	no data available
Decomposition Temperature:	no data available
Viscosity:	no data available
VOC % by Weight:	8.47

10. STABILITY AND REACTIVITY

Reactivity:
Chemical Stability:
Possibility of Hazardous Reactions:
Conditions to Avoid:
Incompatible Materials:
Hazardous Decomposition Products:

no data available Stable under suggested/recommended storage conditions. Will not occur under suggested/recommended storage conditions. When exposed to high temperatures may produce hazardous decomposition products. Strong oxidizing agents. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Symptoms: Effects From Exposure: Numerical Measure of Toxicity: Carcinogenicity: no data available no data available no data available no data available no data available

15. REGULATORY INFORMATION

FEDERAL REGULATIONS

TSCA (USA TOXIC SUBSTANCE CONTROL ACT)

Components listed

STATE REGULATIONS

This product complies with the US Coalition of Northeast Governors (CONEG). The sum of heavy metals Lead, Cadmium, Mercury, and Hexavalent Chromium is less than 100 ppm.

16. OTHER INFORMATION

Revision Date:

5/1/2015

Page **3** of **4** Page 3 of 4 The information in this Safety Data Sheet should be provided to all who will use, handle, store, transport, or otherwise be exposed to this product. The information presented in this SDS is premised upon proper handling and anticipated uses and is for the material without chemical additions or alterations. We believe this information is up-to-date as of the date of publication and provide it in good faith, but make no warranty of any kind with respect to such information on this product.

Hanco Ink warrants only that its products consist of its published specifications. Hanco Ink does not make any (other) warranty, expressed or implied, including warranty of merchantability or warranty of fitness for a particular purpose and does not assume any liability resulting from the use of its products. Users should make their own investigation to determine the suitability of the information and the products for their particular purpose. We cannot guarantee results on all types of presses, stocks, etc., and we assume no liability in connection with the use of these products. In no event shall Hanco Ink be liable for any claims, losses, or damages of any third party or for any special, indirect, consequential, exemplary or punitive damages (including without limitation, economic loss or loss of profits) of any kind of nature for any reason.