SAFETY DATA SHEET

Issuing Date 25-Mar-2015 Revision Date 25-Mar-2015 Revision Number 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Color Box Pigment Inks

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use For consumer use in arts and crafts. Not intended for use on skin. Should not be

intentionally ingested or inhaled.

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier NameClearsnap Holding, Inc.Supplier Address15218 Josh Wilson RoadBurlington, WA 98233Supplier Phone Number800-448-4862

Supplier Email <u>www.clerarsnap.com</u>

Emergency telephone number 800-448-4862

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity Category 1A

GHS Label elements, including precautionary statements

Emergency Overview
Signal word Danger

Hazard Statements
May cause cancer

Revision Date 25-Mar-2015



Appearance Liquid

Physical State Liquid

Odor No information available

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

205% of the mixture consists of ingredient(s) of unknown toxicity

Other information

May be harmful if swallowed

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS			
Chemical Name	CAS No	Weight-%	Trade Secret
TRADE SECRET	-	30 - 60	*
TRADE SECRET	-	15 - 40	*

TRADE SECRET	-	30 - 60	*
TRADE SECRET	-	15 - 40	*
TRADE SECRET	-	7 - 13	*
TRADE SECRET	-	7 - 13	*
TRADE SECRET	-	7 - 13	*
TRADE SECRET	-	7 - 13	*
TRADE SECRET	-	7 - 13	*
TRADE SECRET	-	7 - 13	*
TRADE SECRET	-	7 - 13	*
TRADE SECRET	-	7 - 13	*
TRADE SECRET	-	7 - 13	*
TRADE SECRET	-	1 - 5	*
TRADE SECRET	-	1 - 5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

Page 2 / 13

Page 2 of 13

1211286 - CB Pigment Inks Revision Date 25-Mar-2015

4. FIRST AID MEASURES

First aid measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist,

call a physician.

Skin Contact Wash with soap and water.

Inhalation Remove to fresh air.

Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth

to an unconscious person.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and No information available.

Effects

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available.

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

1211286 - CS Pigment Inks Revision Date 25-Mar-2015

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergencyprocedures

Personal Precautions Avoid contact with eyes.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental Precautions

Environmental Precautions Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed.

Incompatible Products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
TRADE SECRET	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust	IDLH: 5000 mg/m ³
		(vacated) TWA: 10 mg/m ³ total	
		dust	
TRADE SECRET	TWA: 10 mg/m ³ mist	TWA: 15 mg/m ³ mist, total	
		particulate	
		TWA: 5 mg/m ³ mist, respirable	
		fraction	
		(vacated) TWA: 10 mg/m ³ mist,	
		total particulate	
		(vacated) TWA: 5 mg/m ³ mist,	
		respirable fraction	

Revision Date 25-Mar-2015

TRADE SECRET	TWA: 1 mg/m ³ Cu dust and mist	=	IDLH: 100 mg/m ³ Cu dust and
	_		mist
			TWA: 1 mg/m ³ Cu dust and mist
TRADE SECRET	TWA: 1 mg/m ³ Cu dust and mist	=	IDLH: 100 mg/m ³ Cu dust and
			mist
			TWA: 1 mg/m ³ Cu dust and mist
TRADE SECRET	TWA: 3 mg/m ³ inhalable fraction	TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³
		(vacated) TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³
		, ,	TWA: 0.1 mg/m ³ Carbon black in
			presence of Polycyclic aromatic
			hydrocarbons PAH
TRADE SECRET	TWA: 0.5 mg/m ³ Ba	TWA: 0.5 mg/m ³ Ba (vacated) TWA: 0.5 mg/m ³ Ba	TWA: 0.5 mg/m ³ except Barium
		(vacated) TWA: 0.5 mg/m ³ Ba	sulfate Ba
TRADE SECRET	TWA: 5 mg/m ³	-	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection No special protective equipment required.

Skin and Body Protection Wear protective gloves and protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling

the product.

Revision Date 25-Mar-2015

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical StateLiquidOdorNo information availableAppearanceLiquidOdor ThresholdNo information availableColorNo information availableOdor ThresholdNo information available

Values Remarks Method **Property** UNKNOWN pΗ None known Melting / freezing point No data available None known Boiling point / boiling range No data available None known Flash Point No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) Flammability Limit in Air No data available None known **Upper flammability limit** No data available Lower flammability limit No data available Vapor pressure No data available None known Vapor density No data available None known **Specific Gravity** No data available None known Water Solubility Soluble in water None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known Autoignition temperature No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known **Explosive properties** No data available Oxidizing Properties No data available

Other Information

Softening Point

VOC Content (%)

Particle Size

Particle Size Distribution

No data available
No data available

Revision Date 25-Mar-2015

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye Contact Specific test data for the substance or mixture is not available.

Skin Contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
TRADE SECRET	> 10000 mg/kg (Rat)	-	-
TRADE SECRET	-	> 10 g/kg (Rabbit)	-
TRADE SECRET	= 15000 mg/kg (Rat)	> 20 mL/kg (Rabbit)	-
TRADE SECRET	> 3000 mg/kg (Rat)	-	-
TRADE SECRET	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-
TRADE SECRET	= 20000 mg/kg (Rat)	= 20800 mg/kg (Rabbit)	-
TRADE SECRET	= 4190 mg/kg (Rat)	> 20 mL/kg (Rabbit)	-

Revision Date 25-Mar-2015

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available. **Mutagenic Effects** No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

The classification listed below is for benzidine-based dyes. This classification is relevant for benzidine-based dyes that metabolize to benzidine within the living organism. There is no data to suggest or refute whether the dye listed below will metabolize to benzidine,

and is included as it is part of the benzidine-baseddye group.

Chemical Name	ACGIH	IARC	NTP	OSHA
TRADE SECRET		Group 2B		X
TRADE SECRET	A3	Group 2B		X
TRADE SECRET		Group 1	Known	X
TRADE SECRET		Group 1	Known	X
TRADE SECRET		Group 1	Known	X
TRADE SECRET		Group 1	Known	X
TRADE SECRET		Group 3		

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program) Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive Toxicity No information available. STOT - single exposure STOT - repeated exposure No information available. No information available.

Chronic Toxicity Contains a known or suspected carcinogen. May cause adverse effects on the bone

marrow and blood-forming system. May cause adverse liver effects.

Target Organ Effects Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Bladder. Blood. Kidney. Liver.

Lungs. Lymphatic System.

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 2,222.00 mg/kg ATEmix (dermal) 1,040,000.00 ATEmix (inhalation-gas) 45,000.00 ppm (4 hr) ATEmix (inhalation-dust/mist) 15.00 mg/l ATEmix (inhalation-vapor) 110.00 ATEmix

Revision Date 25-Mar-2015

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)
Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Toxicity No information available. STOT - single exposure No information available. STOT - repeated exposure No information available.

Chronic Toxicity Contains a known or suspected carcinogen. May cause adverse effects on the bone

marrow and blood-forming system. May cause adverse livereffects.
Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Bladder. Blood. Kidney. Liver. **Target Organ Effects**

Lungs. Lymphatic System. **Aspiration Hazard** No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 2,222.00 mg/kg ATEmix (dermal) 1,040,000.00 ATEmix (inhalation-gas) 45,000.00 ppm (4 hr) ATEmix (inhalation-dust/mist) 15.00 mg/l ATEmix (inhalation-vapor) 110.00 ATEmix

Revision Date 25-Mar-2015

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
TRADE SECRET		96h LC50: 51 - 57 mL/L		24h EC50: > 500 mg/L
		(Oncorhynchus mykiss)		
TRADE SECRET		96h LC50: 56200 - 63700	EC50 = 850 mg/L 5 min	48h EC50: = 42426 mg/L
		mg/L (Pimephales promelas)		
		96h LC50: = 10000 mg/L		
		(Lepomis macrochirus) 96h		
		LC50: = 61000 mg/L		
		(Lepomis macrochirus)		
TRADE SECRET		48h LC50: > 100 mg/L		
		(Oryzias latipes)		
TRADE SECRET		96h LC50: = 752.4 mg/L	EC50 > 10000 mg/L 30 min	24h EC50: > 500 mg/L
		(Lepomis macrochirus)		
TRADE SECRET				24h EC50: > 5600 mg/L
TRADE SECRET	96h EC50: = 19000 mg/L	96h LC50: = 51600 mg/L	-	24h EC50: > 10000 mg/L
	(Pseudokirchneriella	(Oncorhynchus mykiss) 96h		48h EC50: > 1000 mg/L
	subcapitata)	LC50: 41 - 47 mL/L		
		(Oncorhynchus mykiss) 96h		
		LC50: = 51400 mg/L		
		(Pimephales promelas) 96h		
		LC50: = 710 mg/L		
		(Pimephales promelas)		
TRADE SECRET	96h EC50: = 169 mg/L	96h LC50: 10600 - 13000		24h EC50: = 1386 mg/L
		mg/L (Pimephales promelas)		
	72h EC50: = 216 mg/L	96h LC50: > 1000 mg/L		
	(Desmodesmus subspicatus)			
		LC50: 450 - 1000 mg/L		
		(Lepomis macrochirus)		

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
TRADE SECRET	-1.76
TRADE SECRET	-1.98
TRADE SECRET	6.6
TRADE SECRET	-2.53

Other adverse effects

No information available.

Revision Date 25-Mar-2015

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods Dispose of contents/containers in accordance with local regulations.

Contaminated Packaging Do not reuse empty containers.

California Hazardous Waste Codes 135

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
TRADE SECRET	Toxic
TRADE SECRET	Toxic
TRADE SECRET	Toxic
	Toxic soluble

14. TRANSPORT INFORMATION

DOT NOT REGULATED

Not regulated

MEX
Not regulated

ICAO
Not regulated

IATA
Not regulated

IMDG/IMO
Not regulated

Not regulated

Not regulated

Not regulated

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

Revision Date 25-Mar-2015

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
TRADE SECRET	-	7 - 13	1.0
TRADE SECRET	-	7 - 13	1.0
TRADE SECRET	-	7 - 13	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard Yes
Fire Hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
TRADE SECRET		X		
TRADE SECRET		X		

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
TRADE SECRET	Carcinogen

Page 12 of 13

Revision Date 25-Mar-2015

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
TRADE SECRET	X	X	Х		
TRADE SECRET	×	Х	Х	Х	
TRADE SECRET	Х	Х	Х		Х
TRADE SECRET	Х		Х		
TRADE SECRET	X	X	×		

International Regulations

Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
TRADE SECRET		Mexico: TWA= 10 mg/m ³ Mexico: STEL= 20 mg/m ³
TRADE SECRET	-	10mg/m³ (mist) TWA
TRADE SECRET		Mexico: TWA 3.5 mg/m ³ Mexico: STEL 7 mg/m ³
TRADE SECRET		Mexico: TWA 0.5 mg/m ³

Mexico - Occupational Exposure Limits - Carcinogens

Canada WHMIS Hazard Class D2A - Very toxic materials



16. OTHER INFORMATION

NFPA Health Hazards 1 Flammability 0 Instability 0 Physical and Chemical Hazards HMIS Health Hazards 1* Flammability 0 Physical Hazard 0 Personal Protection

Chronic Hazard Star Legend * = Chronic Health Hazard

Issuing Date 25-Mar-2015 **Revision Date** 25-Mar-2015

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet