

# SAFETY DATA SHEET

Issuing Date 25-Mar-2015

Revision Date 25-Mar-2015

Revision Number 2

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

Product Name Color Box Pigment Inks

### Other means of identification

Synonyms None

### Recommended use of the chemical and restrictions on use

**Recommended Use** For consumer use in arts and crafts. Not intended for use on skin. Should not be intentionally ingested or inhaled.

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

**Supplier Name** Clearsnap Holding, Inc.  
**Supplier Address** 15218 Josh Wilson Road  
Burlington, WA 98233  
**Supplier Phone Number** 800-448-4862  
**Supplier Email** [www.clerarsnap.com](http://www.clerarsnap.com)  
**Emergency telephone number** 800-448-4862

## 2. HAZARDS IDENTIFICATION

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity	Category 1A
-----------------	-------------

### GHS Label elements, including precautionary statements

#### Emergency Overview

<b>Signal word</b>	Danger
--------------------	--------

<b>Hazard Statements</b>
May cause cancer

1211286 - CB Pigment Inks

Revision Date 25-Mar-2015

**Appearance** Liquid**Physical State** Liquid**Odor** No information available**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Unknown Toxicity**

205% of the mixture consists of ingredient(s) of unknown toxicity

**Other information**

May be harmful if swallowed

**Interactions with Other Chemicals**

No information available.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
TRADE SECRET	-	30 - 60	*
TRADE SECRET	-	15 - 40	*
TRADE SECRET	-	7 - 13	*
TRADE SECRET	-	7 - 13	*
TRADE SECRET	-	7 - 13	*
TRADE SECRET	-	7 - 13	*
TRADE SECRET	-	7 - 13	*
TRADE SECRET	-	7 - 13	*
TRADE SECRET	-	7 - 13	*
TRADE SECRET	-	7 - 13	*
TRADE SECRET	-	7 - 13	*
TRADE SECRET	-	1 - 5	*
TRADE SECRET	-	1 - 5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

1211286 - CB Pigment Inks

Revision Date 25-Mar-2015

**4. FIRST AID MEASURES****First aid measures**

<b>Eye Contact</b>	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.
<b>Skin Contact</b>	Wash with soap and water.
<b>Inhalation</b>	Remove to fresh air.
<b>Ingestion</b>	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person.

**Most important symptoms and effects, both acute and delayed**

**Most Important Symptoms and Effects** No information available.

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media**

CAUTION: Use of water spray when fighting fire may be inefficient.

**Specific Hazards Arising from the Chemical**

No information available.

**Hazardous Combustion Products**

Carbon oxides.

**Explosion Data**

**Sensitivity to Mechanical Impact** No.

**Sensitivity to Static Discharge** No.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

1211286 - CS Pigment Inks

Revision Date 25-Mar-2015

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Avoid contact with eyes.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

### Environmental Precautions

**Environmental Precautions** Refer to protective measures listed in Sections 7 and 8.

### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

### Conditions for safe storage, including any incompatibilities

**Storage** Keep container tightly closed.

**Incompatible Products** None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
TRADE SECRET	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 10 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
TRADE SECRET	TWA: 10 mg/m <sup>3</sup> mist	TWA: 15 mg/m <sup>3</sup> mist, total particulate TWA: 5 mg/m <sup>3</sup> mist, respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> mist, total particulate (vacated) TWA: 5 mg/m <sup>3</sup> mist, respirable fraction	

1211286 - CS Pigment Inks

Revision Date 25-Mar-2015

TRADE SECRET	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	-	IDLH: 100 mg/m <sup>3</sup> Cu dust and mist TWA: 1 mg/m <sup>3</sup> Cu dust and mist
TRADE SECRET	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	-	IDLH: 100 mg/m <sup>3</sup> Cu dust and mist TWA: 1 mg/m <sup>3</sup> Cu dust and mist
TRADE SECRET	TWA: 3 mg/m <sup>3</sup> inhalable fraction	TWA: 3.5 mg/m <sup>3</sup> (vacated) TWA: 3.5 mg/m <sup>3</sup>	IDLH: 1750 mg/m <sup>3</sup> TWA: 3.5 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> Carbon black in presence of Polycyclic aromatic hydrocarbons PAH
TRADE SECRET	TWA: 0.5 mg/m <sup>3</sup> Ba	TWA: 0.5 mg/m <sup>3</sup> Ba (vacated) TWA: 0.5 mg/m <sup>3</sup> Ba	TWA: 0.5 mg/m <sup>3</sup> except Barium sulfate Ba
TRADE SECRET	TWA: 5 mg/m <sup>3</sup>	-	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

**Appropriate engineering controls**

**Engineering Measures** Showers  
Eyewash stations  
Ventilation systems

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** No special protective equipment required.

**Skin and Body Protection** Wear protective gloves and protective clothing.

**Respiratory Protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

1211286 - CS Pigment Inks

Revision Date 25-Mar-2015

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and Chemical Properties

<b>Physical State</b>	Liquid	<b>Odor</b>	No information available
<b>Appearance</b>	Liquid	<b>Odor Threshold</b>	No information available
<b>Color</b>	No information available		

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
<b>pH</b>	UNKNOWN	None known	
<b>Melting / freezing point</b>	No data available	None known	
<b>Boiling point / boiling range</b>	No data available	None known	
<b>Flash Point</b>	No data available	None known	
<b>Evaporation Rate</b>	No data available	None known	
<b>Flammability (solid, gas)</b>	No data available	None known	
<b>Flammability Limit in Air</b>			
<b>Upper flammability limit</b>	No data available		
<b>Lower flammability limit</b>	No data available		
<b>Vapor pressure</b>	No data available	None known	
<b>Vapor density</b>	No data available	None known	
<b>Specific Gravity</b>	No data available	None known	
<b>Water Solubility</b>	Soluble in water	None known	
<b>Solubility in other solvents</b>	No data available	None known	
<b>Partition coefficient: n-octanol/water</b>	No data available	None known	
<b>Autoignition temperature</b>	No data available	None known	
<b>Decomposition temperature</b>	No data available	None known	
<b>Kinematic viscosity</b>	No data available	None known	
<b>Dynamic viscosity</b>	No data available	None known	
<b>Explosive properties</b>	No data available	None known	
<b>Oxidizing Properties</b>	No data available		

### Other Information

<b>Softening Point</b>	No data available
<b>VOC Content (%)</b>	No data available
<b>Particle Size</b>	No data available
<b>Particle Size Distribution</b>	

1211286 - CS Pigment Inks

Revision Date 25-Mar-2015

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Hazardous Polymerization

Hazardous polymerization does not occur.

### Conditions to avoid

None known based on information supplied.

### Incompatible materials

None known based on information supplied.

### Hazardous Decomposition Products

Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	Specific test data for the substance or mixture is not available.
<b>Eye Contact</b>	Specific test data for the substance or mixture is not available.
<b>Skin Contact</b>	Specific test data for the substance or mixture is not available.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
TRADE SECRET	> 10000 mg/kg ( Rat )	-	-
TRADE SECRET	-	> 10 g/kg ( Rabbit )	-
TRADE SECRET	= 15000 mg/kg ( Rat )	> 20 mL/kg ( Rabbit )	-
TRADE SECRET	> 3000 mg/kg ( Rat )	-	-
TRADE SECRET	> 15400 mg/kg ( Rat )	> 3 g/kg ( Rabbit )	-
TRADE SECRET	= 20000 mg/kg ( Rat )	= 20800 mg/kg ( Rabbit )	-
TRADE SECRET	= 4190 mg/kg ( Rat )	> 20 mL/kg ( Rabbit )	-

1211286 - CS Pigment Inks

Revision Date 25-Mar-2015

**Information on toxicological effects****Symptoms** No information available.**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Sensitization** No information available.**Mutagenic Effects** No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen. The classification listed below is for benzidine-based dyes. This classification is relevant for benzidine-based dyes that metabolize to benzidine within the living organism. There is no data to suggest or refute whether the dye listed below will metabolize to benzidine, and is included as it is part of the benzidine-based dye group.

Chemical Name	ACGIH	IARC	NTP	OSHA
TRADE SECRET		Group 2B		X
TRADE SECRET	A3	Group 2B		X
TRADE SECRET		Group 1	Known	X
TRADE SECRET		Group 1	Known	X
TRADE SECRET		Group 1	Known	X
TRADE SECRET		Group 1	Known	X
TRADE SECRET		Group 3		

**ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

**NTP (National Toxicology Program)**

Known - Known Carcinogen

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present

**Reproductive Toxicity** No information available.**STOT - single exposure** No information available.**STOT - repeated exposure** No information available.**Chronic Toxicity**

Contains a known or suspected carcinogen. May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects.

**Target Organ Effects**

Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Bladder. Blood. Kidney. Liver. Lungs. Lymphatic System.

**Aspiration Hazard** No information available.**Numerical measures of toxicity Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)**

2,222.00 mg/kg

**ATEmix (dermal)**

1,040,000.00

**ATEmix (inhalation-gas)**

45,000.00 ppm (4 hr)

**ATEmix (inhalation-dust/mist)**

15.00 mg/l

**ATEmix (inhalation-vapor)**

110.00 ATEmix



1211286 - CS Pigment Inks

Revision Date 25-Mar-2015

**ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

**NTP (National Toxicology Program)**

Known - Known Carcinogen

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present

**Reproductive Toxicity**

No information available.

**STOT - single exposure**

No information available.

**STOT - repeated exposure**

No information available.

**Chronic Toxicity**

Contains a known or suspected carcinogen. May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects.

**Target Organ Effects**

Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Bladder. Blood. Kidney. Liver. Lungs. Lymphatic System.

**Aspiration Hazard**

No information available.

**Numerical measures of toxicity Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)**

2,222.00 mg/kg

**ATEmix (dermal)**

1,040,000.00

**ATEmix (inhalation-gas)**

45,000.00 ppm (4 hr)

**ATEmix (inhalation-dust/mist)**

15.00 mg/l

**ATEmix (inhalation-vapor)**

110.00 ATEmix

1211286 - CS Pigment Inks

Revision Date 25-Mar-2015

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
TRADE SECRET		96h LC50: 51 - 57 mL/L (Oncorhynchus mykiss)		24h EC50: > 500 mg/L
TRADE SECRET		96h LC50: 56200 - 63700 mg/L (Pimephales promelas) 96h LC50: = 10000 mg/L (Lepomis macrochirus) 96h LC50: = 61000 mg/L (Lepomis macrochirus)	EC50 = 850 mg/L 5 min	48h EC50: = 42426 mg/L
TRADE SECRET		48h LC50: > 100 mg/L (Oryzias latipes)		
TRADE SECRET		96h LC50: = 752.4 mg/L (Lepomis macrochirus)	EC50 > 10000 mg/L 30 min	24h EC50: > 500 mg/L
TRADE SECRET				24h EC50: > 5600 mg/L
TRADE SECRET	96h EC50: = 19000 mg/L (Pseudokirchneriella subcapitata)	96h LC50: = 51600 mg/L (Oncorhynchus mykiss) 96h LC50: 41 - 47 mL/L (Oncorhynchus mykiss) 96h LC50: = 51400 mg/L (Pimephales promelas) 96h LC50: = 710 mg/L (Pimephales promelas)	-	24h EC50: > 10000 mg/L 48h EC50: > 1000 mg/L
TRADE SECRET	96h EC50: = 169 mg/L (Desmodesmus subspicatus) 72h EC50: = 216 mg/L (Desmodesmus subspicatus)	96h LC50: 10600 - 13000 mg/L (Pimephales promelas) 96h LC50: > 1000 mg/L (Pimephales promelas) 96h LC50: 450 - 1000 mg/L (Lepomis macrochirus)		24h EC50: = 1386 mg/L

### Persistence and Degradability

No information available.

### Bioaccumulation

Chemical Name	Log Pow
TRADE SECRET	-1.76
TRADE SECRET	-1.98
TRADE SECRET	6.6
TRADE SECRET	-2.53

### Other adverse effects

No information available.

1211286 - CS Pigment Inks

Revision Date 25-Mar-2015

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Disposal methods** Dispose of contents/containers in accordance with local regulations.

**Contaminated Packaging** Do not reuse empty containers.

**California Hazardous Waste Codes** 135

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
TRADE SECRET	Toxic
TRADE SECRET	Toxic
TRADE SECRET	Toxic Toxic soluble

### 14. TRANSPORT INFORMATION

**DOT** NOT REGULATED

**TDG** Not regulated

**MEX** Not regulated

**ICAO** Not regulated

**IATA** Not regulated

**IMDG/IMO** Not regulated

**RID** Not regulated

**ADR** Not regulated

**ADN** Not regulated

### 15. REGULATORY INFORMATION

#### International Inventories

**TSCA** Complies  
**DSL** All components are listed either on the DSL or NDSL.

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

1211286 - CS Pigment Inks

Revision Date 25-Mar-2015

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
TRADE SECRET	-	7 - 13	1.0
TRADE SECRET	-	7 - 13	1.0
TRADE SECRET	-	7 - 13	1.0

**SARA 311/312 Hazard Categories**

Acute Health Hazard	No
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
TRADE SECRET		X		
TRADE SECRET		X		

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
TRADE SECRET	Carcinogen
TRADE SECRET	Carcinogen
TRADE SECRET	Carcinogen
TRADE SECRET	Carcinogen
TRADE SECRET	Carcinogen
TRADE SECRET	Carcinogen
TRADE SECRET	Carcinogen

1211286 - CS Pigment Inks

Revision Date 25-Mar-2015

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
TRADE SECRET	X	X	X		
TRADE SECRET	X	X	X	X	
TRADE SECRET	X	X	X		X
TRADE SECRET	X		X		
TRADE SECRET	X	X	X		

**International Regulations**

**Mexico National occupational exposure limits**

Component	Carcinogen Status	Exposure Limits
TRADE SECRET		Mexico: TWA= 10 mg/m <sup>3</sup> Mexico: STEL= 20 mg/m <sup>3</sup>
TRADE SECRET	-	10mg/m <sup>3</sup> (mist) TWA
TRADE SECRET		Mexico: TWA 3.5 mg/m <sup>3</sup> Mexico: STEL 7 mg/m <sup>3</sup>
TRADE SECRET		Mexico: TWA 0.5 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

**Canada WHMIS Hazard Class**  
D2A - Very toxic materials



**16. OTHER INFORMATION**

<b>NFPA</b>	<b>Health Hazards</b> 1	<b>Flammability</b> 0	<b>Instability</b> 0	<b>Physical and Chemical Hazards</b> -
<b>HMIS</b>	<b>Health Hazards</b> 1*	<b>Flammability</b> 0	<b>Physical Hazard</b> 0	<b>Personal Protection</b> X

**Chronic Hazard Star Legend** \* = Chronic Health Hazard

**Issuing Date** 25-Mar-2015  
**Revision Date** 25-Mar-2015  
**Revision Note** No information available  
**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**