# CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

SYNONYMS : NONE PRODUCT NAME : GLITTER GLUE PRODUCT TYPE : GLUE FORMULA : PI FORMULA : PROPRIETARY

### HAZARD RATINGS\*

HEALTH : 0 0	NPCA/HMIS NFPA 704	HAZARD RATINGS*
1 = SI,TGHT	0 = MINIMAL	RATINGS KEY

REACTIVITY FLAMMABILITY: 0000 0000 H 11 MODERATE SEVERE SERIOUS SLIGHT IINIMAL

SEE SECTION 16 FOR DESIGNATIONS OF ABBREVIATIONS USED IN THIS

LEJA VILLAGE, ZHANGQI TOWN SHENLE EDUCATION MATERIAL CO. MANUFACTURER

CIXI CITY

ZHEJIANG, CHINA

DISTRIBUTOR
FAR EASTERN SOURCE EMPIRE
527 3RD AVENUE, SUITE 230 NEW YORK, NY 10016 CORP

TEL: (001) 212-4470440

TEL: (86) 574-63754856

### Ņ COMPOSITION/ INFORMATION ON INGREDIENTS

COMMUNICATION STANDARD 29 CFR 1910). THE FOLLOWING INGREDIENTS IS CONSIDERED TO BE HAZARDOUS ВY INHALATION ATNO (AS DEFINED H HHI OSHA BY THE HAZARD

#### EXPOSURE LIMITS

GLYCERIN (MIST) INGREDIENT 56-81-5 CASRN 8.00 % WT. OSHA PEL 15mg/m<sup>3</sup> ACGIH TLV 10mg/m³

EXPECTED HAZARDOUS. SINCE SIGNIFICANT AMOUNT Ö BE INHALED, OF GLYCERIN THIS GLUE IS NOT CONSIDERED IN THIS PRODUCT ARE NOT TO

Item Numbers: 61759-1006

NON-FLAMMABLE LIQUID : THIS MATERIAL WILL NOT BURN

### ROUTES OF ENTRY

INHALATION : NO ADVERSE RESPIRABLE. EFFECTS EXPECTED. THIS MATERIAL  $\mathbf{S}$ TON

EYE CONTACT : NO ADVERSE EFFECTS EXPECTED. INGESTION: NO ADVERSE EFFECTS EXPECTED. SKIN CONTACT: NO ADVERSE EFFECTS EXPECTED.

CARCINOGENIC : IARC - NO, NTP - NO, OSHA -S

#### FIRST AID

INGESTION : NONE REQUIRED. INHALATION : NONE REQUIRED.

EYE CONTACT: NONE REQUIRED. SKIN CONTACT : NONE REQUIRED.

#### Çī FIRE-FIGHTING MEASURES

THIS MATERIAL WILL NOT BURN

EXTINGUISHING MEDIA : WHATEVER IS APPROPRIATE FOR SURROUNDING

SPECIAL FIRE-FIGHTING PROCEDURES OR EQUIPMENT : NONE

MATERIAL

HAZARDOUS COMBUSTION PRODUCTS NONE.

UNUSUAL FIRE/EXPLOSION HAZARDS : NONE KNOWN

<u>ق</u> ACCIDENTAL RELEASE MEASURES

ABSORBENT MATERIAL, PICK

ΠЪ

AND

PLACE

Z

APPROPRIATE

PAGE

Intertek Testing Services Hong Kong Ltd.
2/F., Garment Centre, 576 Castle Peak Road, Kowtoon, Hong Kong.
Tel: (852) 2173 8888 Fax: (852) 2766 1903 Websile: www.intertek.com

2 OF

ഗ

# EXPOSURE CONTROL/PERSONAL PROTECTION

STORE PRODUCT AWAY FROM HEAT

NONE REQUIRED.

# PHYSICAL AND CHEMICAL PROPERTIES

9

APPEARANCE/STATE : LIQUID ODOR : NONE

SOLUBILITY: (WATER) - SOLUBLE (ORGANICS) - INSOLUBLE

## 10. STABILITY AND REACTIVITY

THIS PRODUCT IS STABLE AND NON-REACTIVE WITH MOST MATERIALS

## 11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY : THIS PRODUCT IS NOT EXPECTED TO CAUSE ACUTE TOXICITY VIA ORAL OR DERMAL CONTACT OR BE CORROSIVE OR IRRITATING

TO THE SKIN, EYES AND MUCOUS MEMBRANES.

CHRONIC TOXICITY: THIS PRODUCT IS NOT EXPECTED TO CAUSE CHRONIC TOXICITY VIA ORAL OR DERMAL CONTACT.

## 12. ECOLOGICAL INFORMATION

THIS PRODUCT IS NOT EXPECTED TO CAUSE ANY SIGNIFICANT ADVERSE EFFECTS ON THE ENVIRONMENT WHEN IT IS USED AS INTENDED AND/OR PROPERLY DISPOSED OF. COMPONENTS OF THIS MATERIAL ARE NOT BIOMAGNIFIED OR BIOCONCENTRATED IN THE ENVIRONMENT.

\*

PAGE 3 OF

ഗ

Item Numbers: 61759-1006

## 14. TRANSPORT INFORMATION

THIS PRODUCT MAY BE SAFELY DISPOSED OF IN A MUNICIPAL LANDFILL.

THIS PRODUCT IS NOT REGULATED BY THE USDOT.

## REGULATORY INFORMATION

15.

NOTE: THE NECESSARILY BE CONSIDERED ALL-INCLUSIVE. REGULATORY INFORMATION INCLUDED HERE SHOULD

NOT

NONE OF THE INGREDIENTS IN THIS PRODUCT IS SUBJECT TO THE REPORTING REQUIREMENTS OF THE COMPREHENSIVE ENVIRONMENTAL RESPONSE FORMULATION PROCESSES RECOVERY ACT, THE CLEAN AIR ACT OR THE CLEAN WATER ACT (US). THIS COMPENSATION LIABILITY ACT HAZARDOUS SUBSTANCE LIST, THE SUPERFUND DEPLETING SUBSTANCES. REAUTHORIZATION NOT FORMULATED WITH, UTILIZE ANY CLASS THE RESOURCE CONSERVATION AND NOR DO THE MANUFACTURING OR I OR CLASS II OZONE

Intertek Testing Services Hong Kong Ltd.
2/F., Garment Centre, 576 Castle Peak Road, Kowkoon, Hong Kong.
Tek (852) 2173 8888 Fax: (852) 2766 1903 Website: www.intertek.com

Item Numbers: 61759-1006

APPROPRIATE, INCLUDING THE APPLICABLE AND RELEVANT WORKPLACE ENVIRONMENTAL PRODUCT IS TO BE USED IN LARGE AMOUNTS AND/OR AN UNUSUAL MANNER, AS TO THE CORRECTNESS OR SUFFICIENCY OF THIS INFORMATION. OF THIS PRODUCT PROVIDES ANY WARRANTY, GUARANTY OR REPRESENTATION PREPARED. REASONABLE BEEN COMPILED THE RECOMMENDATIONS AND INFORMATION CONTAINED IN THIS MSDS HOWEVER, NEITHER THE MANUFACTURER NOR THE DISTRIBUTOR CURRENT OPINION ON THE SUBJECT OBLIGATED TO REGULATIONS SOURCES PERTAINING DETERMINE BELIEVED TO WHAT SAFETY MEASURES REPRESENT HANDLING, WHEN THE THE MSDS IF THIS HAVE MOST ARE AND

ABBREVIATIONS USED Ĭ THIS MSDS TON FULLY DESCRIBED N

ACGIH |1 AMERICAN CONFERENCE 유 GOVERNMENTAL INDUSTRIAL

HYGIENISTS

CFR = CODE OF FEDERAL REGULATIONS (US) CASRN = CHEMICAL ABSTRACTS SERVICES REGISTRATION NUMBER

IARC = INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

NFPA = NATIONAL FIRE PROTECTION ASSOCIATION (US) NPCA / HMIS = NATIONAL PAINT AND COATINGS ASSOCIATION'S

= NATIONAL TOXICOLOGY PROGRAM (US) HAZARDOUS MATERIALS INFORMATION SYSTEM (US)

OSHA = OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (US)

PERMISSIBLE EXPOSURE LIMIT

= THRESHOLD LIMIT VALUE

USDOT = UNITED STATES DEPARTMENT OF TRANSPORTATION

DATE OF ISSUE : NOV 19, 2007

Intertek Testing Services Hong Kong Ltd.
2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong.
Tet. (852) 2173 8888 Fax: (852) 2786 1903 Website: www.inlertek.com

PAGE

ഗ

엁

ഗ

KAREN S.C. NG

GENERAL MANAGER

INTERTEK TESTING SERVICES HK LTD.

FOR AND ON BEHALF OF :

CHINA. ZHEJIANG,

SAMPLE DESCRIPTION: ONE (1) SUBMITTED SAMPLE SAID TO BE GLITTER GLUE.

COUNTRY OF ORIGIN : CHINA.

TESTS CONDUCTED:
AS REQUESTED BY THE APPLICANT, FOR DETAILS REFER TO ATTACHED PAGE(S)

PAGE 1 OF N

Item Numbers: 61759-1006

Page 6 of 7

Intertek Testing Services Hong Kong Ltd.
2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong.
Tel: (852) 2173 8888 Fax: (852) 2786 1903 Website: www.intertek.com

THE MATERIAL SAFETY DATA SHEET (MSDS) FOR THE SUBMITTED SAMPLE WAS PREPARED BY A TOXICOLOGIST. THE LISTED SAFETY DATA WAS ONLY FOR THOSE INGREDIENTS DECLARED BY THE MANUFACTURER.

THE COMPLETED MSDS WAS AS ATTACHED.

ASSESSMENT PERIOD: NOV 16, 2007 TO NOV 20, 2007 DATE SAMPLE RECEIVED: NOV 16, 2007

\* END OF REPORT

Intertek Testing Services Hong Kong Ltd.
2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong.
Tel: (852) 2173 8888 Fax: (852) 2766 1903 Website: www.intertek.com

Page 7 of 7

Item Numbers: 61759-1006

PAGE 2 OF 2