

TOMBOW PENCIL CO., LTD.

1/3

No.SDS-E070920-0-6 XAPT-WPN

SAFETY DATA SHEET

Prepared date: Sep. 20, 2007

Revised date: May 27, 2015

1. PRODUCT & COMPANY IDENTIFICATION

Product name : CRAFT GLUE PEN

Product code : 62175

Company name : TOMBOW PENCIL CO., LTD.

Address : 6-10-12, Toshima Kita-Ku Tokyo 114-8583, Japan

Department : Environment Group

Phone : +81-3-3912-1308

FAX : +81-3-3912-8009

Use of the product: Glues to paper and cardstock.

2. HAZARDS IDENTIFICATION**GHS Classification** : "Not applied" or "Classification not possible" (No specific information.)**3. COMPOSITION / INFORMATION ON INGREDIENTS**

Common name : glue

<u>Parts</u>	<u>Ingredients</u>
--------------	--------------------

Body/Cap	PS/PP
----------	-------

Ink (glue)	Water, Polyurethane, Glycerin, Preservative, Coloring Agent, others
------------	---

4. FIRST-AID MEASURES

Inhalation : Remove victim to fresh air.

Skin contact : Wash with soap and water.

Eye contact : Rinse cautiously with water for several minutes.
Get medical advice/attention.

Ingestion : Rinse mouth. Get medical advice/attention.

5. FIRE-FIGHTING MEASURESSuitable extinguishing media: dry chemical powder, CO₂, foam, sands, water spray

Specific hazards arising from the chemical : May produce hazardous gas on combustion.

Protection for fire-fighters : Wear the protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Avoid contact with skin and eyes. Ensure adequate ventilation.

Protective equipment and emergency procedures: Gloves and goggles

Environmental precautions: Avoid discharge into water courses or onto the ground.

Methods and materials for containment and cleaning up: Wipe off with waste cloths.

7. HANDLING AND STORAGE

TOMBOW PENCIL CO., LTD.

2/3

No.SDS-E070920-0-6 XAPT-WPN

Precautions for safe handling: Keep away from heat, sparks and open flame.

Conditions for safe storages: Put the cap. Avoid high temperature.

Keep away from heat, sparks and open flame.

Keep it where children can't get at it.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Occupational exposure limit : ACGIH TWA 10mg/m³ (Glycerin mist)

Appropriate engineering controls : Usually, it's unnecessary.

Individual protection measures : Usually, it's unnecessary.

9. PHYSICAL AND CHEMICAL PROPERTIES (Information about Ink)

Appearance

Physical state : Liquid

Color : Pale Blue

Odour : Little

pH : 7.0~8.5

Melting point/freezing point : no data

Initial boiling point & boiling range : None (not flammable)

Flammability (solid, gas) : NA

Relative density : No data

Solubility(ies) : Can be diluted with water.

Viscosity : No data

10. STABILITY AND REACTIVITY

Reactivity : Stable usually.

Chemical stability : Stable usually.

Conditions to avoid : Heat, sparks and open flame

Incompatible materials : Oxidizer

Hazardous decomposition products : May produce hazardous gas on combustion.

11. TOXICOLOGICAL INFORMATION

Acute toxicity : Oral LD₅₀ > 20,000mg/kg (Polyurethane Emulsion)
12,600mg/kg (Glycerin)

12. ECOLOGICAL INFORMATION

No information

13. DISPOSAL CONSIDERATIONS

Observe the law and/or regulation of your country about this product.

14. TRANSPORT INFORMATION

UN number : NA

UN proper shipping name : NA

TOMBOW PENCIL CO., LTD.

3/3

No.SDS-E070920-0-6 XAPT-WPN

15. REGULATORY INFORMATION

Observe the law and/or regulation of your country about this product.

16. OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
