

**MATERIAL SAFETY DATA SHEET**

6/23/2014

MANUFACTURER OR DISTRIBUTOR: **Chartpak Inc.  
1 River Road  
Leeds, Massachusetts 01053**

INFORMATION TELEPHONE NUMBER:  
EMERGENCY TELEPHONE NUMBER: **1-888-786-0972**

**SECTION I - PRODUCT IDENTIFICATION**

PRODUCT NAME: **URBAN FINE-ART SPECIAL  
SERIES TRANSPARENT** PRODUCT NUMBER: **TRANSPARNT**

PRODUCT SIZES: **400** BRAND NAME: **URBAN FINE-ART SPECIAL  
SERIES TRANSPARENT**

PRODUCT CLASS: **SPRAY PAINT**

**SECTION II - POTENTIAL HEALTH EFFECTS**

PERMISSIBLE EXPOSURE LEVEL: SEE SECTION III FOR COMPONENT PEL/TLVs  
PRIMARY ROUTES OF ENTRY: INHALATION, EYE, SKIN

EFFECTS AND SYMPTOMS OF ACUTE EXPOSURE: EYE IRRITANT. Exposure may result in nausea, headache, confusion or instability. VAPOR HARMFUL. CONTACT MAY RESULT IN REDNESS OR PAIN OF THE EYES. EXPOSURE MAY RESULT IN SHORTNESS OF BREATH, CHEST PAIN, CHEST TIGHTNESS, WHEEZING AND A COUGH.

EFFECTS AND SYMPTOMS OF CHRONIC EXPOSURE: INHALATION MAY CAUSE RESPIRATORY ALLERGIES. EXPOSURE MAY CAUSE ALLERGIC REACTIONS. EXPOSURE MAY CAUSE ITCHINESS OF THE SKIN WITH HIVES OR ECZEMA.

CARCINOGEN LISTING: NTP: NO IARC: NO OSHA: NO

SEE SECTION III FOR COMPONENTS AFFECTED

MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVER EXPOSURE TO THIS PRODUCT: ASTHMA.

**SECTION III - HAZARDOUS INGREDIENTS**

<b>Ingredient</b>	<b>CAS #</b>	<b>PEL/TLV (MG/M#)</b>	<b>Max % Weight</b>	<b>NTP</b>	<b>IARC</b>
ACETONE	67-64-1	1187.00	30.69000	N	N
SOY LECITHIN	8002-43-5	N/A	0.34850	N	N
PHTHALIC ANYDRIDE	85-44-9	6.10	2.54800	N	N

**SECTION IV - FIRST AID**

FIRST AID MEASURES: If eye contact occurs, rinse with tap water for 5-10 minutes. If irritation persists, seek medical care. If inhalation symptoms occur, move to fresh air. If symptoms persist, see a physician.

**SECTION V - FIRE FIGHTING MEASURES**

FLASH POINT (METHOD): N/A AUTOIGNITION TEMPERATURE: N/A  
EXPLOSION LIMITS IN AIR (% BY VOLUME): NOT EXPLOSIVE  
EXTINGUISHING MEDIA: NO SPECIAL MEDIA REQUIRED

COMPANY: Chartpak Inc.  
PRODUCT: TRANSPARNT  
BRAND NAME: URBAN FINE-ART SPECIAL SERIES TRANSPARENT

6/23/2014

**FIRE FIGHTING PROCEDURES:** Wear self-contained breathing apparatus.  
**UNUSUAL FIRE & EXPLOSION HAZARDS:** EXTREMELY FLAMMABLE.

## SECTION VI - SPILL AND LEAK PROCEDURES

**STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED:** Clean up in accordance with all applicable regulations. Absorb spillage with non-combustible, absorbent material. For waste disposal, see Section XIII

## SECTION VII - HANDLING AND STORAGE

**PRECAUTIONS TO BE TAKEN DURING STORAGE AND HANDLING:** Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

## SECTION VIII - EXPOSURE CONTROLS

**RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS:** Use NIOSH-certified respirator with an organic vapor cartridge. For situations where vapor levels can build up to explosion limits, use with an explosion-proof fan motor and switches. Use NIOSH-certified mask for dusts or mists. Use only with adequate ventilation.

**OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC):** NONE REQUIRED

**WORK/HYGIENE PRACTICES:** Avoid prolonged contact with skin. Do not spray apply. Wash hands immediately after use. Do not smoke when using. Keep away from eyes.

**ENGINEERING CONTROLS:** Avoid contact with heat, sparks and open flame. Vapors can ignite explosively. If using indoors turn off all pilot lights. Do not store or use near heat or flame. Prevent buildup of vapors—open all windows and doors—use only with cross-ventilation.

**CONTENTS UNDER PRESSURE.** Do not puncture or incinerate or expose to temperatures above 120o F (50o C). **KEEP OUT OF REACH OF CHILDREN. KEEP OUT OF REACH OF CHILDREN.**

## SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

**BOILING POINT:** N/A

**MELTING POINT:** N/A

**VAPOR PRESSURE:** N/A

**SPECIFIC VAPOR DENSITY (AIR=1):** N/A

**SPECIFIC GRAVITY:** N/A

**SOLUBILITY IN WATER:** N/A

**REACTIVITY IN WATER:** NON-REACTIVE

## SECTION X - STABILITY AND REACTIVITY

**HAZARDOUS POLYMERIZATION PRODUCTS:** NONE

**STABILITY: STABLE CONDITIONS TO AVOID:** NONE

**INCOMPATIBILITY (MATERIALS TO AVOID):** NONE

**HAZARDOUS DECOMPOSITION PRODUCTS:** NONE

## SECTION XI - TOXICOLOGICAL INFORMATION

**ACUTE EFFECTS ASSOCIATED WITH USE OF THIS MATERIAL:** EYE IRRITANT. Exposure may result in nausea, headache, confusion or instability. **VAPOR HARMFUL. CONTACT MAY RESULT IN REDNESS OR PAIN OF THE EYES. EXPOSURE MAY RESULT IN SHORTNESS OF BREATH, CHEST PAIN, CHEST TIGHTNESS, WHEEZING AND A COUGH.**

The summated LD50 is >50000 mg/kg.

This product is/is not considered to be a known or suspected human carcinogen by NTP, IARC or OSHA (see section III)

## SECTION XII - ECOLOGICAL INFORMATION

**NO HARMFUL EFFECTS KNOWN OTHER THAN THOSE ASSOCIATED WITH SUSPENDED INERT SOLIDS IN WATER.**

COMPANY: Chartpak Inc.  
PRODUCT: TRANSPARNT  
BRAND NAME: URBAN FINE-ART SPECIAL SERIES TRANSPARENT

6/23/2014

### SECTION XIII - DISPOSAL CONSIDERATIONS

RCRA HAZARD CLASS (40 CFR 261): THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS WASTE.  
WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.


### SECTION XIV - TRANSPORTATION INFORMATION

For aerosol cans shipped by ground or ocean, a limited quantity "Y" marking, 4" square, must be applied. This marking is also required for air shipments but, in addition, there must be a 4" square hazard warning marking, identified as class 9, with the following information adjacent to the marking:

ID8000

CONSUMER

COMMODITY



### SECTION XV - REGULATORY INFORMATION

CONTENTS OF THIS MSDS COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200  
EPA SARA TITLE III CHEMICAL LISTINGS  
NONE

SECTION 302.4 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):  
NONE

SECTION 313 TOXIC CHEMICALS (40 CFR 372):  
NONE

#### INTERNATIONAL REGULATIONS

CANADIAN WHMIS: THIS PRODUCT IS A CONTROLLED PRODUCT UNDER CANADA'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. IT CONTAINS THE FOLLOWING TOXIC OR HIGHLY TOXIC MATERIALS:  
NONE

#### SUPPLEMENTAL STATE COMPLIANCE INFORMATION:

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN THE STATE OF CALIFORNIA UNDER THEIR SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986 (PROPOSITION 65) AS BEING KNOWN TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM:  
NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED UNDER NEW JERSEY'S RIGHT TO KNOW PROGRAM:  
NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) REQUIRING NOTIFICATION TO THE STATE OF WASHINGTON UNDER THEIR CHILDREN'S SAFE PRODUCTS ACT:  
NONE

COMPANY: Chartpak Inc.  
PRODUCT: TRANSPARNT  
BRAND NAME: URBAN FINE-ART SPECIAL SERIES TRANSPARENT

---

6/23/2014

## SECTION XVI - OTHER INFORMATION

THIS INFORMATION SHEET IS FOR CONSUMER USE ONLY.

COMPANY: Chartpak Inc.  
 PRODUCT: TRANSPARNT  
 BRAND NAME: URBAN FINE-ART SPECIAL SERIES TRANSPARENT

6/23/2014

### COLOR INFORMATION

THIS MSDS APPLIES TO THE FOLLOWING COLORS WHICH ARE ASSOCIATED WITH HAZARDOUS AND/OR NON-HAZARDOUS INGREDIENTS

<b>Product Color</b>	<b>SKU</b>	<b>Hazardous Ingredient</b>
BLACK TRANSPARENT	337317	ACETONE
	337317	PHTHALIC ANYDRIDE
	337317	SOY LECITHIN
BLUE TRANSPARENT	337316	ACETONE
	337316	PHTHALIC ANYDRIDE
	337316	SOY LECITHIN
RED TRANSPARENT	337315	ACETONE
	337315	PHTHALIC ANYDRIDE
	337315	SOY LECITHIN
WHITE TRANSPARENT	337318	ACETONE
	337318	PHTHALIC ANYDRIDE
	337318	SOY LECITHIN
YELLOW TRANSPARENT	337314	ACETONE
	337314	PHTHALIC ANYDRIDE
	337314	SOY LECITHIN


COMPANY: Chartpak Inc.  
PRODUCT: TRANSPARNT  
BRAND NAME: URBAN FINE-ART SPECIAL SERIES TRANSPARENT

6/23/2014

**BRAND NAMES**

THIS MSDS APPLIES TO THE FOLLOWING BRAND NAMES

<u>Brand Name</u>	<u>SKU</u>
URBAN FINE-ART SPECIAL SERIES TRANSPARENT	



Woodhall Stopford, MD, MSPH  
Signed on 06/23/2014

Woodhall Stopford, MD, MSPH      6/23/2014