
## SAFETY DATA SHEET



#### 1. Identification

**Product identifier Envirotex Lite Hardener** 

Other means of identification

SDS number 7511900

02008, 02016, 02032, 02064, 02128, MICHAELS SKU's: 178979, 178982, 178984 **Product code** 

Recommended use **High Gloss Coating** Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Environmental Technology, Inc. Company name

Address 300 S. Bay Depot Road

Fields Landing CA 95537

707-443-9323 Telephone number Telephone

mail@eti-usa.com E-mail

**Technical Director** Contact person

Emergency phone number CHEMTREC 800-424-9300

### 2. Hazard(s) identification

Physical hazards Not classified.

Category 4 **Health hazards** Acute toxicity, oral Skin corrosion/irritation Category 1

Serious eye damage/eye irritation Category 1 Sensitization, skin Category 1

Reproductive toxicity (fertility, the unborn Category 2

child)

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin

reaction. Suspected of damaging fertility. Suspected of damaging the unborn child.

Precautionary statement

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink

or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

Response If swallowed: Rinse mouth. Do not induce vomiting. If on skin (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see this label).

Storage Store locked up.

None known.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Supplemental information

None known.

### 3. Composition/information on ingredients

Mixtures

Envirotex Lite	Hardener				SDS US
903574 Ver	rsion #: 01	Revision date: -	Issue date: 17-April-2014	?	1/7

Chemical name	CAS number	%	
Polyoxypropylenediamine	Proprietary	20-60	
Nonyl phenol	Proprietary	10-60	
Alkyl Ether Amine	Proprietary	1-25	
N-Aminoethylpiperazine	Proprietary	1-25	

The identities of the materials in this product are withheld as a trade secret (29CFR1910.1210(i)) and are available to a physician or paramedical personnel in a emergency situation.

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

Inhalation

If inhaled, remove to fresh air. For breathing difficulties, oxygen may be necessary. Get medical attention immediately.

Skin contact

Wash contaminated clothing before reuse. Rinse skin thoroughly with lukewarm water for at least 15 minutes. Call a physician or poison control center immediately.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes, lifting upper and lower eyelids occasionally. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician

or poison control center immediately.

Ingestion

Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Call a physician or Poison Control Center immediately.

Most important symptoms/effects, acute and delayed

Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract. May cause an allergic skin reaction. Dermatitis. Rash. Contact can cause corrosive burns, corneal damage, and blindness. Itching, redness, swelling, burning or blistering of

Indication of immediate medical attention and special treatment needed

Exposure may aggravate pre-existing skin disorders. Treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

### 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media

Water fog. Foam, Dry chemical powder, Carbon dioxide (CO2).

Water. Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment/instructions

Move container from fire area if it can be done without risk.

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe mist or vapor. Avoid contact with skin and eyes. Keep unnecessary personnel away. Keep out of low areas. Local authorities should be advised it significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Keep unnecessary personnel away. This product is miscible in water. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Collect and dispose of spillage as indicated in section 13 of the SDS. Prevent entry into waterways, sewer, basements or confined areas.

Never return spills to original containers for re-use.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground. Contact local authorities in case of spillage to drain/aquatic environment.

Envirotex Lite Hardener				SDS US
903574	Version #: 01	Revision date: -	Issue date: 17-April-2014	2/7

### 7. Handling and storage

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Do not get this material in your eyes, on your skin, or on your clothing. Avoid contact during pregnancy/while nursing. Provide adequate ventilation. Use personal protective equipment as required. Wash contaminated clothing before reuse. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Store locked up. Store in tightly closed original container in a dry, cool and well-ventilated place. Store away from incompatible materials, see Section 10 of the SDS.

#### 8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

No exposure standards allocated. Use personal protective equipment as required. Keep working

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

#### Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection

Chemical resistant gloves.

Other

Wear appropriate chemical resistant clothing. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material. Wear appropriate chemical resistant clothing to prevent any possibility of skin contact.

Respiratory protection Thermal hazards

If ventilation is insufficient, suitable respiratory protection must be provided. Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Wash at the end of each work shift and before eating, smoking and using the toilet.

### 9. Physical and chemical properties

**Appearance** Viscous liquid.

Physical state Liquid.

Liquid. Pourable liquid.

Clear. Color

Odor Minimal. Not distinct. Ammonia-like.

Not available.

**Odor threshold** Not available. >= 11 7 Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range Flash point

> 249.8 °F (> 121.0 °C) Closed Cup

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit - upper (%) Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. > 1 ( Air=1) Vapor density Not available. Relative density

**Envirotex Lite Hardener** Version #: 01 Revision date: -Issue date: 17-April-2014 SDS US 3/7

;,

Solubility(ies)

Solubility (water) Partition coefficient

Slightly solube

(n-octanol/water)

Not available.

**Auto-ignition temperature** Decomposition temperature Not available. Not available Not available.

10. Stability and reactivity

Reactivity

Viscosity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Read and follow manufacturer's recommendations.

**Chemical stability** Possibility of hazardous Stable under normal temperature conditions and recommended use.

reactions

Hazardous polymerization does not occur.

Conditions to avoid

Avoid temperatures exceeding the flash point. Reacts violently with strong acids. This product may react with oxidizing agents. Do not mix with other chemicals. Contact with incompatible materials.

Avoid incompatible materials and intense heat.

Incompatible materials Hazardous decomposition

products

Acids. Strong oxidizing agents. Oxidizing agents. None expected under normal conditions of use.

### 11. Toxicological information

## Information on likely routes of exposure

Ingestion Under normal conditions of intended use, this material does not pose a risk to health. Harmful if

swallowed. Causes digestive tract burns.

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Inhalation

When heated, the vapors/fumes given off may cause respiratory tract irritation.

Causes severe skin burns. May cause an allergic skin reaction. May be harmful if absorbed Skin contact

through skin.

Eye contact Causes eye burns. Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract. May cause an allergic skin reaction. Dermatitis. Rash. Contact can cause corrosive burns, corneal damage, and blindness. Itching, redness, swelling, burning or blistering

of skin.

Information on toxicological effects

**Acute toxicity** Harmful if swallowed. May be harmful if absorbed through skin. May cause digestive tract burns.

Components Species **Test Results** 

N-Aminoethylpiperazine (CAS Proprietary)

Acute Dermal

LD50 Rabbit 880 mg/kg

\* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation

Corrosive to skin and eyes.

Serious eye damage/eye

Causes eye burns. Causes serious eye damage.

irritation

Respiratory or skin sensitization

Respiratory sensitization

Due to partial or complete lack of data the classification is not possible.

Skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Reproductive toxicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Possible reproductive hazard. Possible risk of harm to the unborn child. Possible risk of impaired fertility.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Due to the high viscosity the product is not an aspiration hazard.

**Envirotex Lite Hardener** Version #: 01 Issue date: 17-April-2014 SDS US 4/7

Prolonged exposure may cause chronic effects. Possible adverse reproductive and developmental Chronic effects

### 12. Ecological information

**Ecotoxicity** Expected to be very toxic to aquatic organisms. May cause long-term adverse effects in the

	Species	Test Results
Proprietary)		
LC50	Fathead minnow (Pimephales promelas)	1950 - 2460 mg/l, 96 hours
у)		
EC50	Clam (Mulinia lateralis)	0.0379 mg/l, 48 hours
LC50	Winter flounder (Pleuronectes americanus)	0.017 mg/l, 96 hours
S Proprietary	)	
NOEC	Algae	0.32 mg/l, 72 hours
e based on ac	Iditional component data not shown.	$\dot{z}$
No data is a	vailable on the degradability of this product.	
No data ava	ilable on bioaccumulation.	
	LC50 y) EC50 LC50 AS Proprietary NOEC e based on ac No data is a	EC50 Fathead minnow (Pimephales promelas)  EC50 Clam (Mulinia lateralis)  LC50 Winter flounder (Pleuronectes americanus)  AS Proprietary)

### 13. Disposal considerations

Mobility in soil

Other adverse effects

Disposal instructions Dispose in accordance with applicable federal, state, and local regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

No data available.

None known.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused Dispose of in accordance with local regulations. Empty containers or liners may retain some products

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions). Do not allow this material to drain into sewers/water supplies. Dispose in accordance with applicable federal, state, and local regulations. Contaminated packaging

### 14. Transport information

**UN** number UN1760 UN proper shipping name Corrosive liquids, n.o.s. Transport hazard class(es) 8 Class Subsidiary risk Packing group Special precautions for user Not available. Special provisions IB3, T7, TP1, TP28

Packaging exceptions Packaging non bulk 203 Packaging bulk 241 IATA

> UN1760 **UN** number

UN proper shipping name Corrosive liquids, n.o.s.

Transport hazard class(es) 8 Class Subsidiary risk Label(s) 8 Packing group 111 Packaging exceptions 2.7.2.1 **Environmental hazards** Yes

Special precautions for user Not available.

**UN number** UN1760

UN proper shipping name Corrosive liquids, n.o.s.

SDS US Envirotex Lite Hardener

Transport hazard class(es)

 Class
 8

 Subsidiary risk

 Label(s)
 8

 Packing group
 III

 Special Provisions
 223, 274

 Packaging exceptions
 3.4.1

**Environmental hazards** 

Marine pollutant Yes
EmS No: F-A, S-B.
Special precautions for user
Not available.
Annex II of MARPOL 73/78 and the IBC Code

### 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Yes

SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

### **US** state regulations

### US. Massachusetts RTK - Substance List

N-Aminoethylpiperazine (CAS Proprietary)

US. New Jersey Worker and Community Right-to-Know Act

N-Aminoethylpiperazine (CAS Proprietary)

US. Pennsylvania Worker and Community Right-to-Know Law

N-Aminoethylpiperazine (CAS Proprietary)

US. Rhode Island RTK

Not regulated.

# US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

lesue date: 17-April-2014

### International Inventories

203574 Version #: 01

Country(s) or region
Australia Inventory of Chemical Substances (AICS)

Envirotex Lite Hardener

Inventory name
Australian Inventory of Chemical Substances (AICS)

On Inventory (yes/no)\*
No

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
	implies with the inventory requirements administered by the governing country(s) components of the product are not listed or exempt from listing on the inventory	


### 16. Other information, including date of preparation or last revision

17-April-2014 Issue date

Revision date Version # 01

NFPA Ratings

country(s).



References

ACGIH
EPA: AQUIRE database
NLM: Hazardous Substances Data Base
US. IARC Monographs on Occupational Exposures to Chemical Agents...
HSDB® - Hazardous Substances Data Bank
IARC Monographs. Overall Evaluation of Carcinogenicity
National Toxicology Program (NTP) Report on Carcinogens
ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

The information in the sheet was written based on the best knowledge and experience currently Disclaimer

available.

				 200.110
Envirote:	x Lite Hardener			SDS US
003574	Version # 01	Perision date: -	Leeua data: 17-April-2014	717

### SAFETY DATA SHEET

1. Identification

Product identifier Envirotex Lite Resin

Other means of identification

SDS number 7511940

Product code 02008, 02016, 02032, 02064, 02128, MICHAELS SKU's: 178979, 178982, 178984

Recommended use High Gloss Coating

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name Environmental Technology, Inc.

Address 300 S. Bay Depot Road

Fields Landing CA 95537

Telephone Telephone number

E-mail mail@eti-usa.com

Contact person Technical Director

Emergency phone number CHEMTREC 800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/imitation Category 2

Serious eye damage/eye irritation Category 2A
Sensitization, skin Category 1

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

Precautionary statement

Prevention Avoid breathing mist or vapor. Wear protective gloves/eye protection/face protection.

Contaminated work clothing must not be allowed out of the workplace. Wash thoroughly after

handli

Response If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

707-443-9323

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Specific

treatment (see this label). Take off contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

Not applicable.

# 3. Composition/information on ingredients

# Mixtures

Chemical name	CAS number	%	
Epoxy Resin	Proprietary		
C2 and C14 Alkyl Glycidyl Ethers	Proprietary	1-40	

E-vi-at-	. t ia - Danie			<del></del>	
Envirolex	cLite Resin				SDS US
903592	Version #: 01	Revision date: -	Issue date: 17-April-2014		1/6

The identities of the materials in this product are withheld as a trade secret (29CFR1910.1210(i)) and are available to a physician or paramedical personnel in a emergency situation.

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist. Get medical attention if any

discomfort continues

Skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water for several minutes. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and

Eye contact

Most important

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Never give anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention if symptoms occur.

Contact may produce eye imitation with associated redness, swelling, tears and pain. Contact causes skin irritation. May cause sensitization by skin contact. Symptoms include redness, itching

symptoms/effects, acute and delayed

Indication of immediate medical attention and special

and pain. Rash. Dermatitis.

treatment needed General information Exposure may aggravate pre-existing skin disorders. Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

#### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire-fighting equipment/instructions Specific methods

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Water. Do not use water jet as an extinguisher, as this will spread the fire,

Move container from fire area if it can be done without risk.

During fire, gases hazardous to health may be formed.

Cool containers exposed to flames with water until well after the fire is out. Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up Avoid contact with skin and eyes. Avoid inhalation of vapors or mists. Ensure adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet. Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained.

Keep unnecessary personnel away. This product is miscible in water. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Never return spills in original containers for re-use.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground. Avoid discharge into storm drains, water courses or onto the ground.

### 7. Handling and storage

Precautions for safe handling

Avoid breathing mists or vapors. Avoid contact with eyes, skin, and clothing. Keep out of reach of children. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage including any incompatibilities

Store away from incompatible materials (see Section 10 of the SDS). Store in tightly closed original container in a dry, cool and well-ventilated place. Read and follow manufacturer's recommendations.

#### 8. Exposure controls/personal protection

Occupational exposure limits

Version #: 01

No exposure limits noted for ingredient(s).

**Biological limit values** Exposure guidelines

903592

No biological exposure limits noted for the ingredient(s).

No exposure standards allocated. Use personal protective equipment as required. Keep working clothes separately

**Envirotex Lite Resin** 

Revision date: - Issue date: 17-April-2014

SDS US 2/6 Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

Chemical resistant gloves.

Other

Wear appropriate chemical resistant clothing. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material. Wear appropriate chemical resistant clothing to prevent any possibility of skin contact. No specific recommendation made, but respiratory protection may still be required under

Respiratory protection

exceptional circumstances when excessive air contamination exists.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Wash at the end of each work shift and before eating, smoking and using the toilet.

#### 9. Physical and chemical properties

Appearance Viscous liquid.

Physical state Liquid.
Form Liquid.
Color Clear.

Odor Minimal, Not distinct.

Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

ange

Flash point > 392.0 °F (> 200.0 °C) Seta Closed Cup

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.
Explosive limit - upper (%) Not available.
Vapor pressure < 1.33 mbar
Vapor density > 1 ( Air=1)
Relative density Not available.

Solubility(ies)

Solubility (water)

Partition coefficient (n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Percent volatile 0 % (VOC)

#### 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Read and follow manufacturer's recommendations.

Chemical stability Stable under normal temperature conditions and recommended use.

Envirotex Lite Resin

SDS US

903592 Version # 01 Revision date: - Issue date: 17-April-2014

3 / 6

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid

Contact with incompatible materials. Avoid high temperatures.

Incompatible materials

Strong oxidizing agents. Reacts violently with strong acids. Reacts violently with strong bases. Avoid contact with water and liquids. Do not allow molten product to contact water or other liquids.

This can cause violent reactions.

Hazardous decomposition

products

No hazardous decomposition products are known.

#### 11. Toxicological information

Information on likely routes of exposure

Under normal conditions of intended use, this material does not pose a risk to health. May be Ingestion

harmful if swallowed.

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Inhalation

Inhalation of vapors or mists of the product may be irritating to the respiratory system.

Causes skin imitation. May cause sensitization by skin contact.

Skin contact **Eve contact** 

Causes eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Contact may produce eye irritation with associated redness, swelling, tears and pain. Causes skin irritation. May cause sensitization by skin contact. Symptoms include redness, itching and pain

Rash. Dermatitis.

Information on toxicological effects

Not expected to be a hazard under normal conditions of intended use. May be harmful if **Acute toxicity** 

swallowed.

Skin corrosion/irritation Serious eye damage/eye Causes skin irritation. Causes eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization

Due to partial or complete lack of data the classification is not possible.

Skin sensitization

May cause sensitization by skin contact.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Resins of this type, liquid resins based on BisPhenolA/Epichlorohydrin (Epoxy Resin), have proved

to be inactive when tested by in vivo mutagenicity assays.

Carcinogenicity Reproductive toxicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Not classified.

Specific target organ toxicity -

single exposure

Not classified

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard **Chronic effects** 

Due to the high viscosity the product is not an aspiration hazard. Based on available data, the classification criteria are not met.

#### 12. Ecological information

**Ecotoxicity** 

Expected to be toxic to aquatic organisms. May cause long-term adverse effects in the

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available on bioaccumulation.

Mobility in soil Other adverse effects No data available. None known.

# 13. Disposal considerations

Disposal instructions

Dispose of in accordance with federal, provincial and local regulations. Do not discharge into drains, water courses or onto the ground.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

Not regulated.

Waste from residues / unused

Dispose of in accordance with local regulations.

products

Contaminated packaging Dispose in accordance with applicable federal, state, and local regulations.

Envirotex Lite Resin

SDS US 4/6

.

Revision date: - Issue date: 17-April-2014 903592 Version # 01

### 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable.

**General information** 

the IBC Code

This material is regulated only in bulk (> 119 Gallons/450 L) sizes. Non-bulk (<=119 Gallons/450

L) shipments can be reclassified to "not regulated" for transportation.

### 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical

SARA 313 (TRI reporting) Not regulated.

### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.

### US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

### US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed

#### International Inventories

Country(s) or region Inventory name On inventory (yes/no)\* Australian Inventory of Chemical Substances (AICS) Yes Australia

SDS US **Envirotex Lite Resin** Revision date: - Issue date: 17-April-2014 5/6 Version #: 01

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
"A "Yes" indicates this product co	emplies with the inventory requirements administered by the governing country(s).	

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing


## 16. Other information, including date of preparation or last revision

Issue date 17-April-2014

Revision date Version #

01

**NFPA Ratings** 



References

Disclaimer

ACGIH
EPA: AQUIRE database
NLM: Hazardous Substances Data Base
US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank
IARC Monographs. Overall Evaluation of Carcinogenicity
National Toxicology Program (NTP) Report on Carcinogens
ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

The information in the sheet was written based on the best knowledge and experience currently available.

Envirotex Lite Resin

SDS US