

MATERIAL SAFETY DATA SHEET	Page : ¼
	Revision n° : 1
	Date : 10/05/2011
	Supersedes : 04/11/2005
Pastels	BL01

1. Identification of the product

Identification of the product

Pastel Identical material safety data sheets for all the shades (except for the colours containing zinc oxide : Zinc white reference I.2.812).

Producer : J. BLOCKX Fils S.A.
Le Tombeu 10
B – 4550 NANDRIN
Phone : +32.85.41.11.62
Fax : +32.85.41.25.35

Type of product : Artists' colour.

Use : Do it yourself. Professional users.

Emergency phone nr : UK : 0044 870 600 6266
Belgique : 0032 70 245 245
France : 0033 1 45 42 59 59

2. Informations on ingrédients

This preparation does not contain any dangerous substances within the meaning of the Dangerous Substances Directive 67/548/EEC.

3. Hazards identification

Risk Phrases : No significant hazards.

Symptoms relating to use

- Inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
- Skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal use.
- Eye contact : Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
- Ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

Note : This preparation is not classified as dangerous according to EC Directive 1999/45/EC.

4. First aid measures

First aid measures

- Inhalation : Assure fresh air breathing.
- Skin contact : Wash skin thoroughly with mild soap and water.
- Eye contact : Rinse immediately with plenty of water.
- Ingestion : Rinse mouth with water.

J. BLOCKX Fils S.A.

10 Le Tombeu – 4550 Nandrin Belgique Tel. : +32.85.41.11.62

Centre anti-poison -Tel. : 070/245.245

MATERIAL SAFETY DATA SHEET	Page : 2/4
	Revision n° : 1
	Date : 10/05/2011
	Supersedes : 04/11/2005
Pastels	BL01

5. Fire-fighting measures

Extinguishing media : All extinguishing media can be used.
Surrounding fires : Use water spray or fog for cooling exposed containers.
Specific hazards : When heated to decomposition, emits dangerous fumes.
Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures
 Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

6. Accidental release measures

Personal precautions : Equip cleanup crew with proper protection.
Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
Clean up methods : Clean up any spills as soon as possible, using an absorbent material to collect it. Use suitable disposal containers.

7. Handling and storage

Storage : Keep container closed when not in use.
Handling
 Do not breathe gas, fumes, vapour or spray. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.

8. Exposure controls/personal protection

Personal protection
 - Respiratory protection : No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.
 - Skin protection : No special clothing/skin protection equipment is recommended under normal conditions of use.
 - Eye protection : Eye protection should only be necessary where liquid could be splashed or sprayed.
 - Ingestion : When using, do not eat, drink or smoke.
Industrial hygiene : Either local exhaust or general room ventilation is usually required.

9. Physical and chemical properties

Physical state at 20 °C : Solid.
Colour : See the color card
Odour : None.

J. BLOCKX Fils S.A.

10 Le Tombeu – 4550 Nandrin Belgique Tel. : +32.85.41.11.62

Centre anti-poison -Tel. : 070/245.245

Item Numbers: 21918-1802, 21918-2701, 21918-2702, 21918-2703, 21918-2704, 21918-2705, 21918-2711, 21918-2712, 21918-2713, 21918-2714, 21918-2715, 21918-2721, 21918-2722, 21918-2723, 21918-2724, 21918-2725, 21918-2731, 21918-2732, 21918-2733, 21918-2734, 21918-2735, 21918-2742, 21918-2752, 21918-3151, 21918-3152, 21918-3153, 21918-3154, 21918-3155, 21918-3201, 21918-3202, 21918-3203, 21918-3204, 21918-3205, 21918-3211, 21918-3212, 21918-3213, 21918-3214, 21918-3215, 21918-3221, 21918-3222, 21918-3223, 21918-3224, 21918-3225, 21918-3231, 21918-3232, 21918-3233, 21918-3234, 21918-3235, 21918-3241, 21918-3242, 21918-3243, 21918-3244, 21918-3245, 21918-3251, 21918-3252, 21918-3253, 21918-3254, 21918-3255, 21918-3261, 21918-3262, 21918-3263, 21918-3264, 21918-3265, 21918-3271, 21918-3272, 21918-3273, 21918-3274, 21918-3275, 21918-3311, 21918-3312, 21918-3313, 21918-3314, 21918-3315, 21918-3361, 21918-3362, 21918-3363, 21918-3364, 21918-3365, 21918-3761, 21918-3762, 21918-3763, 21918-3764, 21918-3765, 21918-4101, 21918-4102, 21918-4103, 21918-4104, 21918-4105, 21918-4111, 21918-4112, 21918-4113, 21918-4114, 21918-4115, 21918-4121, 21918-4122, 21918-4123, 21918-4124, 21918-4125, 21918-4141, 21918-4142, 21918-4143, 21918-4144, 21918-4145, 21918-4171, 21918-4172, 21918-4173, 21918-4174, 21918-4175, 21918-5501, 21918-5502, 21918-5503, 21918-5504, 21918-5505, 21918-5511, 21918-5512, 21918-5513, 21918-5514, 21918-5515, 21918-5521, 21918-5522, 21918-5523, 21918-5524, 21918-5525, 21918-5531, 21918-5532, 21918-5533, 21918-5534, 21918-5535, 21918-6301, 21918-6302, 21918-6303, 21918-6304, 21918-6305, 21918-6351, 21918-6352, 21918-6353, 21918-6354, 21918-6355, 21918-7601, 21918-7602, 21918-7603, 21918-7604, 21918-7605, 21918-7611, 21918-7612, 21918-7613, 21918-7614, 21918-7615, 21918-7621, 21918-7622, 21918-7623, 21918-7624, 21918-7625, 21918-7631, 21918-7632, 21918-7633, 21918-7634, 21918-7635, 21918-7641, 21918-7642, 21918-7643, 21918-7644, 21918-7645, 21918-7651, 21918-7652, 21918-7653, 21918-7654, 21918-7655, 21918-7661, 21918-7662, 21918-7663, 21918-7664, 21918-7665, 21918-7671, 21918-7672, 21918-7673, 21918-7674, 21918-7675, 21918-8401, 21918-8402, 21918-8403, 21918-8404, 21918-8405, 21918-8421, 21918-8422, 21918-8423, 21918-8424, 21918-8425, 21918-8431, 21918-8432, 21918-8433, 21918-8434, 21918-8435, 21918-8441, 21918-8442, 21918-8443, 21918-8444, 21918-8445, 21918-9161, 21918-9162, 21918-9163, 21918-9164, 21918-9165

MATERIAL SAFETY DATA SHEET	Page : 3/4
	Revision n° : 1
	Date : 10/05/2011
	Supersedes : 04/11/2005
Pastels	BL01

10. Stability and reactivity

Hazardous reactions : Stable under recommended storage and handling conditions (see section 7). When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc.. Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

11. Toxicological information

On product : This preparation is not classified as dangerous according to EC Directive 1999/45/EC

12. Ecological information

On product : This preparation is not classified as dangerous according to EC Directive 1999/45/EC.

13. Disposal considerations

General : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.

14. Transport information

General information : Not classified

15. Regulatory information

Symbol(s) : None.
R Phrase(s) : None.
S Phrase(s) : S2 : Keep out of the reach of children.

16. Other information

Further information : Specifications and technical informations on the product may be obtained from your supplier.

J. BLOCKX Fils S.A.

10 Le Tombeu – 4550 Nandrin Belgique Tel. : +32.85.41.11.62

Centre anti-poison -Tel. : 070/245.245

Item Numbers: 21918-1802, 21918-2701, 21918-2702, 21918-2703, 21918-2704, 21918-2705, 21918-2711, 21918-2712, 21918-2713, 21918-2714, 21918-2715, 21918-2721, 21918-2722, 21918-2723, 21918-2724, 21918-2725, 21918-2731, 21918-2732, 21918-2733, 21918-2734, 21918-2735, 21918-2742, 21918-2752, 21918-3151, 21918-3152, 21918-3153, 21918-3154, 21918-3155, 21918-3201, 21918-3202, 21918-3203, 21918-3204, 21918-3205, 21918-3211, 21918-3212, 21918-3213, 21918-3214, 21918-3215, 21918-3221, 21918-3222, 21918-3223, 21918-3224, 21918-3225, 21918-3231, 21918-3232, 21918-3233, 21918-3234, 21918-3235, 21918-3241, 21918-3242, 21918-3243, 21918-3244, 21918-3245, 21918-3251, 21918-3252, 21918-3253, 21918-3254, 21918-3255, 21918-3261, 21918-3262, 21918-3263, 21918-3264, 21918-3265, 21918-3271, 21918-3272, 21918-3273, 21918-3274, 21918-3275, 21918-3311, 21918-3312, 21918-3313, 21918-3314, 21918-3315, 21918-3361, 21918-3362, 21918-3363, 21918-3364, 21918-3365, 21918-3761, 21918-3762, 21918-3763, 21918-3764, 21918-3765, 21918-4101, 21918-4102, 21918-4103, 21918-4104, 21918-4105, 21918-4111, 21918-4112, 21918-4113, 21918-4114, 21918-4115, 21918-4121, 21918-4122, 21918-4123, 21918-4124, 21918-4125, 21918-4141, 21918-4142, 21918-4143, 21918-4144, 21918-4145, 21918-4171, 21918-4172, 21918-4173, 21918-4174, 21918-4175, 21918-5501, 21918-5502, 21918-5503, 21918-5504, 21918-5505, 21918-5511, 21918-5512, 21918-5513, 21918-5514, 21918-5515, 21918-5521, 21918-5522, 21918-5523, 21918-5524, 21918-5525, 21918-5531, 21918-5532, 21918-5533, 21918-5534, 21918-5535, 21918-6301, 21918-6302, 21918-6303, 21918-6304, 21918-6305, 21918-6351, 21918-6352, 21918-6353, 21918-6354, 21918-6355, 21918-7601, 21918-7602, 21918-7603, 21918-7604, 21918-7605, 21918-7611, 21918-7612, 21918-7613, 21918-7614, 21918-7615, 21918-7621, 21918-7622, 21918-7623, 21918-7624, 21918-7625, 21918-7631, 21918-7632, 21918-7633, 21918-7634, 21918-7635, 21918-7641, 21918-7642, 21918-7643, 21918-7644, 21918-7645, 21918-7651, 21918-7652, 21918-7653, 21918-7654, 21918-7655, 21918-7661, 21918-7662, 21918-7663, 21918-7664, 21918-7665, 21918-7671, 21918-7672, 21918-7673, 21918-7674, 21918-7675, 21918-8401, 21918-8402, 21918-8403, 21918-8404, 21918-8405, 21918-8421, 21918-8422, 21918-8423, 21918-8424, 21918-8425, 21918-8431, 21918-8432, 21918-8433, 21918-8434, 21918-8435, 21918-8441, 21918-8442, 21918-8443, 21918-8444, 21918-8445, 21918-9161, 21918-9162, 21918-9163, 21918-9164, 21918-9165

MATERIAL SAFETY DATA SHEET	Page : 4/4
	Revision n° : 1
	Date : 10/05/2011
	Supersedes : 04/11/2005
Pastels	BL01

The contents and format of this SDS are in accordance with EEC Commission Directive 91/155/EEC including addition 2001/58/EC.

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document

Item Numbers: 21918-1802, 21918-2701, 21918-2702, 21918-2703, 21918-2704, 21918-2705, 21918-2711, 21918-2712, 21918-2713, 21918-2714, 21918-2715, 21918-2721, 21918-2722, 21918-2723, 21918-2724, 21918-2725, 21918-2731, 21918-2732, 21918-2733, 21918-2734, 21918-2735, 21918-2742, 21918-2752, 21918-3151, 21918-3152, 21918-3153, 21918-3154, 21918-3155, 21918-3201, 21918-3202, 21918-3203, 21918-3204, 21918-3205, 21918-3211, 21918-3212, 21918-3213, 21918-3214, 21918-3215, 21918-3221, 21918-3222, 21918-3223, 21918-3224, 21918-3225, 21918-3231, 21918-3232, 21918-3233, 21918-3234, 21918-3235, 21918-3241, 21918-3242, 21918-3243, 21918-3244, 21918-3245, 21918-3251, 21918-3252, 21918-3253, 21918-3254, 21918-3255, 21918-3261, 21918-3262, 21918-3263, 21918-3264, 21918-3265, 21918-3271, 21918-3272, 21918-3273, 21918-3274, 21918-3275, 21918-3311, 21918-3312, 21918-3313, 21918-3314, 21918-3315, 21918-3361, 21918-3362, 21918-3363, 21918-3364, 21918-3365, 21918-3761, 21918-3762, 21918-3763, 21918-3764, 21918-3765, 21918-4101, 21918-4102, 21918-4103, 21918-4104, 21918-4105, 21918-4111, 21918-4112, 21918-4113, 21918-4114, 21918-4115, 21918-4121, 21918-4122, 21918-4123, 21918-4124, 21918-4125, 21918-4141, 21918-4142, 21918-4143, 21918-4144, 21918-4145, 21918-4171, 21918-4172, 21918-4173, 21918-4174, 21918-4175, 21918-5501, 21918-5502, 21918-5503, 21918-5504, 21918-5505, 21918-5511, 21918-5512, 21918-5513, 21918-5514, 21918-5515, 21918-5521, 21918-5522, 21918-5523, 21918-5524, 21918-5525, 21918-5531, 21918-5532, 21918-5533, 21918-5534, 21918-5535, 21918-6301, 21918-6302, 21918-6303, 21918-6304, 21918-6305, 21918-6351, 21918-6352, 21918-6353, 21918-6354, 21918-6355, 21918-7601, 21918-7602, 21918-7603, 21918-7604, 21918-7605, 21918-7611, 21918-7612, 21918-7613, 21918-7614, 21918-7615, 21918-7621, 21918-7622, 21918-7623, 21918-7624, 21918-7625, 21918-7631, 21918-7632, 21918-7633, 21918-7634, 21918-7635, 21918-7641, 21918-7642, 21918-7643, 21918-7644, 21918-7645, 21918-7651, 21918-7652, 21918-7653, 21918-7654, 21918-7655, 21918-7661, 21918-7662, 21918-7663, 21918-7664, 21918-7665, 21918-7671, 21918-7672, 21918-7673, 21918-7674, 21918-7675, 21918-8401, 21918-8402, 21918-8403, 21918-8404, 21918-8405, 21918-8421, 21918-8422, 21918-8423, 21918-8424, 21918-8425, 21918-8431, 21918-8432, 21918-8433, 21918-8434, 21918-8435, 21918-8441, 21918-8442, 21918-8443, 21918-8444, 21918-8445, 21918-9161, 21918-9162, 21918-9163, 21918-9164, 21918-9165