

~~Brevillier Urban & Sachs GmbH CoKG~~

## Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Aquarelle Oil Pastels ten colors 450 10/Aqua Stic

Date: 18.12.2014

Revision Date :

Seite 1 von 4

## 1. PRODUCT NAME AND CODE

Product Name:	Aquarelle Oil Pastels 10 colors 450 .. Single colors: 451 01, 451 07, 451 11, 451 15, 451 17, 451 61, 451 58, 451 82, 452 11, 452 50
Intended use:	Artist material/Water soluble colored sticks.
Company Identification:	Brevillier-Urban & Sachs GmbH & CoKG Am Anger 1 A-7024 Hirm Phone: +43(0)2687 54245-0 Fax: +43(0)2687 54245-549
Person responsible for safety data sheet:	Brigitte Heilmayer
Email:	<a href="mailto:heilmayer@brevillier.com">heilmayer@brevillier.com</a>
Emergency Telephone no.:	+43 2687 54245-0

## 2. HAZARDS IDENTIFICATION

Directive 67/548/EEC	Not hazardous
Physical hazardous	
Carcinogen status:	OSHA : no NTP: no IARC: no
Preparation Classification:	This preparation has not to be labelled due to the last valid standard.

## 3. COMPOSITION/INFORMATION OF INGREDIENTS

Chemical characterization	Mixture of the following substances, containing non-hazardous substances and colouring agents
Description	Mixture of substances listed below with non hazardous additions Titanium dioxide: CAS 13463-67-7; EINECS 236-675-5 Kaolin: CAS 1332-58-7; EINECS 310-194-1 Talcum: CAS 14807-96-6; EINECS 238-194-1 Vaseline: CAS 8009-03-8; EINECS 232-373-2 Polyethylene glycol: CAS 25322-68-3; EINECS 500-038-2 Ceresin wax Alcohols C16-C18, ethoxylated: CAS 68439-49-6; EINECS 500-212-8 Pigment yellow 154: CAS 68134-22-5; EINECS 268-734-6 Pigment red 254: CAS 84632-65-5; EINECS 401-540-3 Pigment yellow 83: CAS 5567-15-7; EINECS 226-939-8 Pigment red 101: CAS 1309-37-1; EINECS 215-168-2 Pigment blue: CAS 147-14-8; EINECS 205-685-1 Pigment green 7: CAS 1328-53-6; EINECS 215-524-7 Pigment black 11

## Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Aquarelle Oil Pastels ten colors 450 10/Aqua Stic

Date: 18.12.2014

Revision Date :

Seite 2 von 4

	Carbon black: CAS 1333-86-4; EINECS 215-609-9
Dangerous components	None

## 4. FIRST AID MEASURES

First Aid	
Skin Contact	Remove any contaminated clothing. Wash with soap & flowing water for 15 minutes. If irritation occurs consult a physician.
Eye Contact	Irrigate with a suitable eye solution or water for ten minutes – obtain medical attention.
Inhalation	
Ingestion	Give plenty to drink if ingestion is suspected. DO NOT induce vomiting and consult a physician.

## 5. FIRE-FIGHTING MEASURES

Hazard	Explosive Limits: none
Extinguishing Media	Alcohol resistance foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Media to avoid	
Hazardous Combustion Products	Carbon Monoxide (co) can form with incomplete combustion. Some Oxides of Nitrogen (NOx) and Sulphur (SOx) could be formed. Complete combustion will yield primarily Carbon Dioxide (CO2) and Water.
Protective Equipment	Fire fighters should wear proper protective equipment and self-contained breathing apparatus with full face-piece
Additional Information	Move exposed containers from fire area if it can be done without risk. Use water to keep fire-exposed containers cool.

## 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Avoid contact with skin and eyes.
Environmental Precautions	Prevent contamination of soil and water. Refer to Sections 8.0 and 13.0 for additional information on Exposure and Disposal.

## 7. HANDLING AND STORAGE

Handling	Avoid contact with eyes, skin and clothing, avoid ingestion and inhalation.
----------	---

## Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Aquarelle Oil Pastels ten colors 450 10/Aqua Stic

Date: 18.12.2014

Revision Date :

Seite 3 von 4

Storage	Keep away from direct sunlight and other sources of heat. Keep away from oxidizing agents. Do not smoke in storage areas.
Product	Do not empty into drains. Store at 25° C under dry conditions.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limit Values	Not available
Exposure control	Not available
Personal Protection	
Hand Protection	
Eye Protection	
Skin Protection	
Additional	Do not permit smoking whilst product is used.
Environmental Exposure	See Section 12 for detailed information

## 9. PHYSIKAL AND CHEMICAL PROPERTIES

Odour Ethereal Appearance	Colored solid
Colour	As per color
Ph Value	Not applicable
Boiling Point /Range	Not applicable
Flash Point	Not applicable
Auto-ignition	
Explosive Properties	This preparation is not considered explosive
Explosive Limits :	Not applicable
Vapour Pressure	None
Relative Density	-
Solubility	Dispersible
Viscosity	Not applicable
Water Solubility	Dispersible

## 10. STABILITY AND REACTIVITY

Conditions to Avoid	Considered a Stable Product.
Materials to Avoid	Can also react with acid chlorides, acid anhydrides.
Hazardous Decomposition	May give of irritant / toxic fumes if involved in a fire. Primarily forms oxides of carbon during combustion.

## 11. TOXIOLOGICAL INFORMATION

Acute Effects	Eyes may cause Lacrimation, Redness, Pain, Blurred Vision Ingestion may cause abdominal Pain, Sore Throat, Drowsiness, Headache
Target Organ Effects	Sensitisation Allergic skin reaction / dermatitis could occur with misuse of this preparation.

## Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Aquarelle Oil Pastels ten colors 450 10/Aqua Stic

Date: 18.12.2014

Revision Date :

Seite 4 von 4

## 12. ECOLOGICAL INFORMATION

Ecotoxicity	Not applicable
Mobility	Not applicable
Persistence and Degradability	Biodegradable
Bio accumulative potential	Not applicable
Other Adverse effects	Not applicable

## 13. DISPOSAL CONSIDERATIONS

Dispose of spilled material and containers in accordance with State and Local regulations for waste. State or Local regulations are complex and subject to change so should be consulted by the owner of the waste prior to disposal.

## 14. TRANSPORT INFORMATION

UN No:	
Proper Shipping Name:	
ADR, IATA, IMDG	Not classified as dangerous in the meaning of transport

## 15. REGULATORY INFORMATION

Hazard Symbol	None
-H-phrases	None
-P-Phrases	None

## 16. OTHER INFORMATIONS

**Short cuts und Acronyms:**

ATE = appraised value of the acute toxicity

CLP =VEU Regulation (EC) No 1272/2008 on Classification, Labeling and Packaging of Substances and Mixtures,

DNEL = Derived No Effect Level

EUH-Satz = CLP-spezifische warnings

PNEC = predicted no effect concentration

RRN = REACH Registrationnummer

n.a. not available

The information contained herein does not constitute the user's own assessment of workplace risk as required by other health and safety legislation. The above information is provided in good faith and is based on our present knowledge. It shall not constitute a guarantee for any specific product feature and shall not establish a legally valid contractual arrangement.

~~Brevillier Urban & Sachs GmbH CoKG~~

## Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Metallic Aquarelle Oil Pastels ten colors 450 11/Aqua Stic Metallic

Date: 07.01.2015

Revision Date :

Seite 1 von 5

## 1. PRODUCT NAME AND CODE

Product Name:	Aquarelle Oil Pastels Metallic 10 colors 450 .. Single colors: 451 01, 452 55, 452 54 , 452 56, 452 57, 452 61, 452 62, 452 63, 452 64, 452 50
Intended use:	Artist material/Water soluble colored sticks.
Company Identification:	Brevillier-Urban & Sachs GmbH & CoKG Am Anger 1 A-7024 Hirm Phone: +43(0)2687 54245-0 Fax: +43(0)2687 54245-549
Person responsible for safety data sheet:	Brigitte Heilmayer
Email:	<a href="mailto:heilmayer@brevillier.com">heilmayer@brevillier.com</a>
Emergency Telephone no.:	+43 2687 54245-0

## 2. HAZARDS IDENTIFICATION

Directive 67/548/EEC	Not hazardous
Physical hazardous	
Carcinogen status:	OSHA : no NTP: no IARC: no
Preparation Classification:	This preparation has not to be labelled due to the last valid standard.

## 3. COMPOSITION/INFORMATION OF INGREDIENTS

Chemical characterization	Mixture of the following substances, containing non-hazardous substances and colouring agents
Description	Mixture of substances listed below with non hazardous additions Titanium dioxide: CAS 13463-67-7; EINECS 236-675-5 Kaolin: CAS 1332-58-7; EINECS 310-194-1 Talcum: CAS 14807-96-6; EINECS 238-194-1 Vaseline: CAS 8009-03-8; EINECS 232-373-2 Alcohols C16-C18, ethoxylated: CAS 68439-49-6; EINECS 500-212-8 Ceresin wax Polyethylene glycol: CAS 25322-68-3; EINECS 500-038-2 Pigment red 101: CAS 1309-37-1; EINECS 215-168-2 Pigment red 254: CAS 84632-65-5; EINECS 401-540-3 Pigment red 122: CAS 980-26-7; EINECS 213-561-3 Pigment yellow 83: CAS 5567-15-7; EINECS 226-939-8 Pigment yellow 42: CAS 20344-49-4; EINECS 243-746-4 Pigment blue: CAS 147-14-8; EINECS 205-685-1 Pigment green 7: CAS 1328-53-6; EINECS 215-524-7

## Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Metallic Aquarelle Oil Pastels ten colors 450 11/Aqua Stic Metallic

Date: 07.01.2015

Revision Date :

Seite 2 von 5

	Metallic pigments Aluminium powder: CAS 7429-90-5; EINECS 231-072-3 Metallic pigments: Copper (CAS 7440-50-8)/zinc (CAS 7440-66-6) Carbon black: CAS 1333-86-4; EINECS 215-609-9
Dangerous components	None

## 4. FIRST AID MEASURES

First Aid	
Skin Contact	Remove any contaminated clothing. Wash with soap & flowing water for 15 minutes. If irritation occurs consult a physician.
Eye Contact	Irrigate with a suitable eye solution or water for ten minutes – obtain medical attention.
Inhalation	
Ingestion	Give plenty to drink if ingestion is suspected. DO NOT induce vomiting and consult a physician.

## 5. FIRE-FIGHTING MEASURES

Hazard	Explosive Limits: none
Extinguishing Media	Alcohol resistance foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Media to avoid	
Hazardous Combustion Products	Carbon Monoxide (co) can form with incomplete combustion. Some Oxides of Nitrogen (NOx) and Sulphur (SOx) could be formed. Complete combustion will yield primarily Carbon Dioxide (CO2) and Water.
Protective Equipment	Fire fighters should wear proper protective equipment and self-contained breathing apparatus with full face-piece
Additional Information	Move exposed containers from fire area if it can be done without risk. Use water to keep fire-exposed containers cool.

## 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Avoid contact with skin and eyes.
Environmental Precautions	Prevent contamination of soil and water. Refer to Sections 8.0 and 13.0 for additional information on Exposure and Disposal.

## Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Metallic Aquarelle Oil Pastels ten colors 450 11/Aqua Stic Metallic

Date: 07.01.2015

Revision Date :

Seite 3 von 5

## 7. HANDLING AND STORAGE

Handling	Avoid contact with eyes, skin and clothing, avoid ingestion and inhalation.
Storage	Keep away from direct sunlight and other sources of heat. Keep away from oxidizing agents. Do not smoke in storage areas.
Product	Do not empty into drains. Store at 25° C under dry conditions.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limit Values	Not available
Exposure control	Not available
Personal Protection	
Hand Protection	
Eye Protection	
Skin Protection	
Additional	Do not permit smoking whilst product is used.
Environmental Exposure	See Section 12 for detailed information

## 9. PHYSIKAL AND CHEMICAL PROPERTIES

Odour Ethereal Appearance	Colored solid
Colour	As per color
Ph Value	Not applicable
Boiling Point /Range	Not applicable
Flash Point	Not applicable
Auto-ignition	
Explosive Properties	This preparation is not considered explosive
Explosive Limits :	Not applicable
Vapour Pressure	None
Relative Density	-
Solubility	Dispersible
Viscosity	Not applicable
Water Solubility	Dispersible

## 10. STABILITY AND REACTIVITY

Conditions to Avoid	Considered a Stable Product.
Materials to Avoid	Can also react with acid chlorides, acid anhydrides.
Hazardous Decomposition	May give of irritant / toxic fumes if involved in a fire. Primarily forms oxides of carbon during combustion.

## 11. TOXIOLOGICAL INFORMATION

~~Brevillier Urban & Sachs GmbH CoKG~~

## Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Metallic Aquarelle Oil Pastels ten colors 450 11/Aqua Stic Metallic

Date: 07.01.2015

Revision Date :

Seite 4 von 5

Acute Effects	Eyes may cause Lacrimation, Redness, Pain, Blurred Vision Ingestion may cause abdominal Pain, Sore Throat, Drowsiness, Headache
Target Organ Effects	Sensitisation Allergic skin reaction / dermatitis could occur with misuse of this preparation.

## 12. ECOLOGICAL INFORMATION

Ecotoxicity	Not applicable
Mobility	Not applicable
Persistence and Degradability	Biodegradable
Bio accumulative potential	Not applicable
Other Adverse effects	Not applicable

## 13. DISPOSAL CONSIDERATIONS

Dispose of spilled material and containers in accordance with State and Local regulations for waste. State or Local regulations are complex and subject to change so should be consulted by the owner of the waste prior to disposal.

## 14. TRANSPORT INFORMATION

UN No:	
Proper Shipping Name:	
ADR, IATA, IMDG	Not classified as dangerous in the meaning of transport

## 15. REGULATORY INFORMATION

Hazard Symbol	None
-H-phrases	None
-P-Phrases	None

## 16. OTHER INFORMATIONS

**Short cuts und Acronyms:**

ATE = appraised value of the acute toxicity

CLP =VEU Regulation (EC) No 1272/2008 on Classification, Labeling and Packaging of Substances and Mixtures,

DNEL = Derived No Effect Level

EUH-Satz = CLP-spezifische warnings

PNEC = predicted no effect concentration

RRN = REACH Registrierungnummer

n.a. not available



## Safety Data Sheet in Accordance with 1907/2006/EG

Product Name: Metallic Aquarelle Oil Pastels ten colors 450 11/Aqua Stic Metallic

Date: 07.01.2015

Revision Date :

Seite 5 von 5

The information contained herein does not constitute the user's own assessment of workplace risk as required by other health and safety legislation. The above information is provided in good faith and is based on our present knowledge. It shall not constitute a guarantee for any specific product feature and shall not establish a legally valid contractual arrangement.