



1336 N. Mason * Portland, OR 97217 * Ph.503.253.7308 * Fx.503.253.0721
e-mail: info@iwata-medea.com * website: www.iwata-medea.com

25300-XXX
All colors

Material Safety Data Sheet

Section I Product Identification

Product: Jurek Professional Textile Colors
- Various Colors

Manufacturer: Iwata Medea
1336 N. Mason
Portland, OR 97217

Section II Hazardous Ingredients

This material is not considered hazardous under OSHA hazard communication standard CFR title 29 1910.1200.

Section III Physical Data

Boiling Range: 212 F
Odor: Ammoniacal
Appearance: Various, pasty
Volatile by Weight: 63.6%
Volatile by Volume: 63.3%

Vapor Density: Heavier than air
Evaporation Rate: Slower than ether
Solubility: Dispersable
Product Density: 8.4 LBS/GAL

Section IV Fire and Explosion Hazards

Flammability Classification:
OSHA- Combustible liquid- Class IIIB
DOT- Not required

Extinguishing Media: Unknown
Flashpoint: N/A (Cleveland open cup)
Unusual Fire and Explosion Hazards: N/A
Special Firefighting Procedures: N/A

Section V Health Hazard Data**Effects of Over Exposure:**

Inhalation: Irritation to respiratory tract, headache, dizziness, and nausea.

Skin Contact: Primary irritation.

Eye Contact: Primary irritation.

Medical Conditions Aggravated by Exposure: None recognized.

Primary Route of Entry: Dermal, inhalation.

Emergency and First Aid Procedures:

Inhalation: Remove to fresh air. Restore breathing. Consult physician.

Skin/Eye Contact: Flush immediately with water. If in eyes consult a physician.

Section VI Reactivity Data

Stability: This product is stable under normal storage conditions.

Hazardous Polymerization: Will not occur under normal conditions.

Hazardous Decomposition Products: None known.

Conditions to Avoid: None known.

Incompatibility: None known.

Section VII Spill or Leak Procedure

Steps to be Taken in Case Material is Released or Spilled: Soak liquids with dry absorbent and ventilate area. No ignition sources. Keep away from sewers and water systems by diking. Spill may be slippery

Waste Disposal Method: Collect dry refuse into a suitable container for disposal.

Dispose in accordance with federal and local regulations.

Section VIII Safe Handling and Use Information

Respiratory Protection: NIOSH/OSHA approved respirator types suitable for materials in Section II recommended. Approved chemical/mechanical filters recommended when ventilation is restricted.

Ventilation: Sufficient ventilation, in volume and in pattern, should be provided to keep air contamination below current applicable OSHA permissible exposure limit or ACGHI's TLV limit.

Protective Gloves: The gloves listed below may provide protection against permeation. Gloves of other chemically resistant materials may not provide adequate protection:
Neoprene.

Eye Protection: Chemical goggles with side shields or face shield recommended.

Other Protective Equipment: Use protective creams where skin contact is likely. Remove and wash contaminated clothing before reuse.

Section IX Special Precautions

Precautions to be Taken in Handling and Storage: Store in a cool dry area with ventilation suitable for storing materials shown in Section II.

Other Precautions: Provide respiratory protection against fumes generated during burning.

Section X Ratings

Health: 0

Reactivity: 0

Flammability: 0

Personal Protection: 0