

Prepared according to U.S. OSHA, CMA, ANSI, Canadian WHMIS regulations

Tailor's Chalk

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: PRODUCT DESCRIPTION: SKU PRODUCT NUMBER: UPC CODE: U.N. NUMBER: U.N. DANGEROUS GOODS CLASS: SUPPLIER/MANUFACTURER'S NAME: ADDRESS: BUSINESS PHONE: BUSINESS FAX: DATE OF PREPARATION: DATE OF LAST REVISION: Tailor's Chalk Tailor's chalk in plastic holder 642-66, 748 (Prym Consumer Item#s) 0-72879-11068-5, 0-72879-11106-4 None Non-Regulated Material Prym Consumer USA 950 Brisack Road, Spartanburg SC 29303 864-576-5050 (For product information) 864-587-3353 (Fax) December 11, 2014

SECTION 2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: This product is a solid plastic holder containing white/yellow/blue chalk with no odor. No known health hazards with normal use. It is a Non-flammable solid. The Environmental effects of this product have not been investigated.

US DOT SYMBOLS

CANADA (WHMIS) SYMBOLS

New

GHS PICTOGRAMS:

Non-Regulated

"Not Controlled"

None

NOTE: This product has been evaluated as an article which has been manufactured to a specific design and application. As a manufactured article, exposure to hazardous ingredients is not expected with normal use. This battery is an article pursuant to 29 CFR 1910.1200 and as such is not subject to the OSHA Hazard Communication Standard requirements. The information contained in this material safety data sheet contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

COMPONENTS DETERMINING HAZARDS: All Ingredients GHS HAZARD CLASSIFICATION(S): None SIGNAL WORD: None HAZARD STATEMENTS: None **PRECAUTIONARY STATEMENTS:** Avoid exposure HEALTH HAZARDS OR RISKS FROM EXPOSURE: ACUTE: INHALATION: Not expected to be an inhalation hazard when used as directed. Nuisance dust may cause respiratory irritation EYE CONTACT: Not expected to be an eye hazard when used as directed. Dust may cause mechanical irritation. SKIN CONTACT: Not expected to be a skin irritant. **INGESTION:** Not expected to be a normal route of entry. Extremely large dosages may produce gastrointestinal irritation. CHRONIC: None Known TARGET ORGANS: ACUTE: None known CHRONIC: None known

December 2012

Page 1 of 5

Rev 1

Page 1 of 5



Tailor's Chalk

SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS

HAZARDS DISCLOSURE: This product does not contain known hazardous materials in reportable levels as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200. As defined under Sara 311 and 312, this product contains not known hazardous materials.

| CHALK INGREDIENTS: | CAS # | EINECS # | ICSC # | WT % | HAZARD CLASSIFICATION; RISK PHRASES |
|---|--------------|-----------------------|------------|----------|---|
| Kaolin | 1332-58-7 | 310-194-1 | 1144 | 40 - 60% | HAZARD CLASSIFICATION: None RISK PHRASES: None |
| Talc Powder | 14807-96-6 | 238-877-9 | 0329 | 30 - 40% | HAZARD CLASSIFICATION: None RISK PHRASES: None |
| Wax | 8002-74-2 | 232-315-6 | Not Listed | 1 – 3% | HAZARD CLASSIFICATION: None RISK PHRASES: None |
| Pigment | Not Assigned | Not Listed in ESIS | Not Listed | 1 - 2% | HAZARD CLASSIFICATION: None RISK PHRASES: None |
| Each of the other components present are less than 1 percent concentration (0.1% concentration for potential carcinogens, reproductive toxins, respiratory tract sensitizers, and mutagens) | | | | | |

NOTE: ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format.

SECTION 4 - FIRST-AID MEASURES

Contaminated individuals of chemical exposure must be taken for medical attention if any adverse effect occurs. Rescuers should be taken for medical attention, if necessary. Take copy of label and MSDS to health professional with contaminated individual.

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation persists.

SKIN CONTACT: Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists.

- **INHALATION:** If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention immediately.
- **INGESTION:** If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or MSDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known

RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and reduce over-exposure.

SECTION 5 - FIRE-FIGHTING MEASURES

| FLASH POINT: AUTOIGNITION TEMPERATURE: FLAMMABLE LIMITS (in air by volume, %): FIRE EXTINGUISHING MATERIALS: UNUSUAL FIRE AND EXPLOSION HAZARDS: Explosion Sensitivity to Mechanical Impact: Explosion Sensitivity to Static Discharge: SPECIAL FIRE-FIGHTING PROCEDURES: NFPA Rating System | Not Applicable Not Applicable Lower (LEL): NA Upper (UEL): NA Use extinguishing media appropriate for surrounding fire. This product is non-flammable Not Sensitive. Not Sensitive Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of |
|--|---|
| - | possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas. |

December 2014

Rev 1



Tailor's Chalk

SECTION 6 - ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK RESPONSE: Personnel should be trained for spill response operations. Contain spill if safe to do so. Pick- up and place in an appropriate closed container for re-use or disposal. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations)

SECTION 7 - HANDLING and STORAGE

WORK PRACTICES AND HYGIENE PRACTICES: As with all chemicals, avoid getting this product on you. Use good hygiene practices.

STORAGE AND HANDLING PRACTICES: Store containers in a cool, dry location. Protect from physical damage.

SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION

EXPOSURE LIMITS/GUIDELINES:

| Chemical Name | CAS# | ACGIH TWA | OSHA TWA |
|---------------|--------------|------------|----------------------|
| Kaolin | 1332-58-7 | 2 mg/m³ | Not Listed |
| Talc Powder | 14807-96-6 | 2 mg/m³ | 5 mg/m³ (Resp. Dust) |
| Wax | 8002-74-2 | 2 mg/m³ | 2 mg/m³ |
| Pigment | Not Assigned | Not Listed | Not Listed |

Currently, International exposure limits are not established for all the components of this product. Please check with competent authority in each country for the most recent limits in place.

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Not normally required with this product. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93.

EYE PROTECTION: Not normally required when using this product. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Canadian Standards.

HAND PROTECTION: Not normally required when using this product. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standards of Canada.

SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

PHYSICAL STATE: APPEARANCE & ODOR: ODOR THRESHOLD (PPM): VAPOR PRESSURE (mmHg): VAPOR DENSITY (AIR=1): EVAPORATION RATE (nBuAc = 1): BOILING POINT (C°): FREEZING POINT (C°): pH: SPECIFIC GRAVITY 20°C: (WATER =1) SOLUBILITY IN WATER (%) VOC: Solid White/yellow/blue Not Applicable Not Available Non-soluble Not Applicable

December 2014

Page 3 of 5

Rev 1



Tailor's Chalk

SECTION 10 - STABILITY and REACTIVITY

STABILITY: Product is stable

DECOMPOSITION PRODUCTS: When heated to decomposition this product produces Oxides of carbon MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: None known HAZARDOUS POLYMERIZATION: Will not occur. CONDITIONS TO AVOID: None known

SECTION 11 - TOXICOLOGICAL INFORMATION

TOXICITY DATA: Toxicity data is available for the following components: No LD50 Data Available

SUSPECTED CANCER AGENT: None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore is not considered to be, nor suspected to be a cancer-causing agent by these agencies. **IRRITANCY OF PRODUCT:** Contact with this product is not irritating to exposed skin.

SENSITIZATION OF PRODUCT: Ingredients in this product are not considered a sensitizer.

REPRODUCTIVE TOXICITY INFORMATION: No information concerning the effects of this product and its components on the human reproductive system.

SECTION 12 - ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

ENVIRONMENTAL STABILITY: No Data available at this time.

EFFECT OF MATERIAL ON PLANTS or ANIMALS: No evidence is currently available on this product's effects on plants or animals.

EFFECT OF CHEMICAL ON AQUATIC LIFE: No evidence is currently available on this product's effects on aquatic life.

SECTION 13 - DISPOSAL CONSIDERATIONS

PREPARING WASTES FOR DISPOSAL: Disposal must be in accordance with appropriate Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

SECTION 14 - TRANSPORTATION INFORMATION

US DOT; IATA; IMO; ADR:

THIS PRODUCT IS NOT HAZARDOUS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION. PROPER SHIPPING NAME: Non-Regulated Material

HAZARD CLASS NUMBER and DESCRIPTION: None

UN IDENTIFICATION NUMBER: None

PACKING GROUP: None

DOT LABEL(S) REQUIRED: None

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2004): None

MARINE POLLUTANT: None of the ingredients are classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:

This product is not classified as dangerous goods, per U.S. DOT regulations, under 49 CFR 172.101.

TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:

This product is not classified as Dangerous Goods, per regulations of Transport Canada.

INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):

This product is not classified as Dangerous Goods, by rules of IATA:

INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:

This product is not classified as Dangerous Goods by the International Maritime Organization.

Rev 1



Tailor's Chalk

SECTION 15 - REGULATORY INFORMATION

UNITED STATES REGULATIONS

SARA REPORTING REQUIREMENTS: This product is not subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows: None

TSCA: All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

SARA 311/312:

Acute Health: No Chronic Health: No Fire: No Reactivity: No

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) may apply, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): None of the ingredients are on the California Proposition 65 lists.

CANADIAN REGULATIONS:

CANADIAN DSL/NDSL INVENTORY STATUS: All of the components of this product are on the DSL Inventory

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: No component of this product is on the CEPA First Priorities Substance Lists.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: This is considered to be a hazardous material under the Hazardous Products Act as defined by the Controlled Products Regulations and is therefore subject to the labeling and MSDS requirements of the Workplace Hazardous Materials Information System (WHMIS). "Not Controlled"

. . . . _

INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

| Asia-Pac: | Listed or Exempt |
|---|------------------|
| Australian Inventory of Chemical Substances (AICS): | Listed or Exempt |
| Korean Existing Chemicals List (ECL): | Listed or Exempt |
| Japanese Existing National Inventory of Chemical Substances (ENCS): | Listed or Exempt |
| Philippines Inventory if Chemicals and Chemical Substances (PICCS): | Listed or Exempt |
| Swiss Giftliste List of Toxic Substances: | Listed or Exempt |
| U.S. TSCA: | Listed |

SECTION 16 - OTHER INFORMATION

PREPARED BY: Paul Eigbrett

MSDS Authoring PLUS

Disclaimer:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Footnote: Based on WX2007