

75732-1003



**MSDS Report**

**No. SHAML1015118901**

**Date: Sep.01, 2012**

**Page 1 of 1**

**Client's name:**  
**Client's address:**

**International Arrivals LLC.**  
**3921 Oceanic Drive, Suite 801**  
**Oceanside, CA 92056 U.S.A.**

**SGS Ref No. :**  
**Product Name:**  
**End Uses:**  
**Composition/Ingredient:**

**SC101004103-SH**  
**Intl. Arrivals Ergonomic Erasable Crayons**  
**Art Painting**  
**See section 2 *Composition/ data on components on***  
**second page of the text**

**Job Receiving Date:**  
**Preparation Period:**

**Aug.21, 2012**  
**Aug.21~29, 2012**

**Service Requested**  
**Material Safety Data Sheet for the Product**

**SUMMARY**

The contents and format of this MSDS are in accordance with 29 CFR 1910.1200(g).

\*\*\*\*\*

Signed for and on behalf of  
SGS-CSTC Chemical Laboratory

*Lindy Liu*

Lindy Liu  
Lab Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or at: [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm) and for electronic form of documents subject to Terms and Conditions for Electronic Documents at: [www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability and the disclaimer of warranty contained therein. Any holder of this document is advised that information contained herein reflects the Company's knowledge at the time of its preparation and is not intended to constitute a contract. The Company's sole responsibility is to its Client and the document does not constitute a contract or any other legal relationship. The Company's liability and obligations under the transaction documents. This document cannot be reproduced or used in full or abstract without the approval of the Company. Any unauthorized use, copying or falsification of the content or appearance of this document is prohibited and offenders may be prosecuted to the fullest extent of the law. Please refer to the disclaimer on the reverse side of this document for further details.



**Material Safety Data Sheet**  
29 CFR 1910.1200

Printing date 09/01/2012

Reviewed on 09/02/2012

**1 Identification of substance**

- **Product details**
- **Trade name:** Intl. Arrivals Ergonomic Erasable Crayons
- **Application of the substance / the preparation:** Art Painting
- **Manufacturer/Supplier:**  
International Arrivals LLC  
3921 Oceanic Drive, Suite 801 / Oceanside, CA 92056 U.S.A.  
Tel: 1 760 231 7603  
Fax: 1 760 231 7604
- **Information department:** International Arrivals LLC
- **Information in case of emergency:**  
Carol Pankiw Tynor  
Tel: 1 760 231 7603
- **Email:** carol@intlarrivals.com
- **Reference Number:** SC101004103-SH: SHAMLJ015118901

**2 Composition/Data on components**

- **Chemical characterization**
- **Description:** Mixture: consisting of the following components.

• **Dangerous components:**

8002-74-2	Paraffin waxes and Hydrocarbon waxes	33.0%
14807-96-6	Talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )	18.0%
8009-03-8	Petrolatum	4.5%
64742-55-8	Distillates (petroleum), hydroreated light paraffinic	2.5%

• **Non dangerous components:**

57-11-4	stearic acid, pure	25.0%
68514-74-9	Hydrogenated palm oil	8.0%
13007-86-8	benzenamine, oxidized	6.0%
8012-89-3	beeswax	3.0%

• **Remark:**

Paraffin waxes and Hydrocarbon waxes (CAS No.8002-74-2)  
Synonym: Paraffin wax

Petrolatum (CAS No.8009-03-8)  
Synonym: Vaseline

Distillates (petroleum), hydroreated light paraffinic (CAS No.64742-55-8)  
Synonym: Petroleum Hydrocarbons

Benzenamine, oxidized (13007-86-8)  
Synonym: Pigment black 1

**3 Hazards identification**

- **Hazard description:** Not applicable.
- **Information pertaining to particular dangers for man and environment:**  
The product is not classified as dangerous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).
- **Classification system:**  
The classification is according to the latest edition of OSHA Hazard Communication Standard (29 CFR 1910.1200), and extended by company and literature data.

(Contd. on page 2)

USA

**Material Safety Data Sheet**  
29 CFR 1910.1200

Printing date 09/01/2012

Reviewed on 09/02/2012

Trade name: Intl. Arrivals Ergonomic Erasable Crayons

(Contd. of page 1)

· **NFPA ratings (scale 0 - 4)**

Health = 0  
Fire = 1  
Reactivity = 0

· **HMS-ratings (scale 0 - 4)**

Health = 0  
Fire = 1  
Reactivity = 0

· **Additional information:**

The product contains dangerous substance *Petrolatum/Vaseline* (CAS No. 8009-03-8), it is classified as *Canc. cat. 2*, except if the full refining history is known and it can be shown that the substance from which it is produced is not a carcinogen.

The information of another dangerous substance *Disillates (petroleum), hydrotreated light paraffinic* (CAS No. 64742-55-8) is referred to its MSDS provided by client.

**4 First aid measures**

- **After inhalation:** Supply fresh air; consult doctor in case of complains.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Rinse out mouth with water.  
If symptoms persist consult doctor.

**5 Fire fighting measures**

- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Protective equipment:**  
Wear fully protective suit.  
Mouth respiratory protective device.

**6 Accidental release measures**

- **Person-related safety precautions:**  
Ensure adequate ventilation.  
Keep away from ignition sources.  
Wear protective equipment. Keep unprotected persons away.
- **Measures for environmental protection:**  
Do not allow to enter sewers/ surface or ground water.  
Inform respective authorities in case of seepage into water course or sewage system.
- **Measures for cleaning/collecting:** Pick up mechanically.

**7 Handling and storage**

- **Handling:**
- **Information for safe handling:**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.

(Contd. on page 3)

**Material Safety Data Sheet**  
**29 CFR 1910.1200**

Printing date 09/01/2012

Reviewed on 09/02/2012

Trade name: Intl. Arrivals Ergonomic Erasable Crayons

(Contd. of page 2)

Normal measures for preventive fire protection.

- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in a cool location.  
Keep container tightly closed in a dry and well-ventilated place.
- **Information about storage in one common storage facility:**  
Store away from foodstuffs.  
Store away from flammable substances.  
Store away from oxidizing agents.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed receptacles.  
Store under lock and key and out of the reach of children.

### 8 Exposure controls and personal protection

- Additional information about design of technical systems: No further data: see item 7.

- Components with limit values that require monitoring at the workplace:

8002-74-2 Paraffin waxes and Hydrocarbon waxes

REL (USA)	2 mg/m <sup>3</sup>
TLV (USA)	2 mg/m <sup>3</sup>
WEL (Great Britain)	Short-term value: 6 mg/m <sup>3</sup> Long-term value: 2 mg/m <sup>3</sup>

14807-96-6 Talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>)

PEL (USA)	20 mppcf ppm (containing <1% Quartz)
REL (USA)	2* mg/m <sup>3</sup> *respirable dust
TLV (USA)	2* mg/m <sup>3</sup> *as respirable fraction: Withdrawn from NIC; E
WEL (Great Britain)	1 mg/m <sup>3</sup>

- Additional information: The lists that were valid during the creation were used as basis.
- Based on the composition shown in section 2, the following measures are suggested for occupational safety measure

- **Personal protective equipment**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.
- **Breathing equipment:** Suitable respiratory protective device recommended.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves:**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

USA

**Material Safety Data Sheet**  
29 CFR 1910.1200

Printing date 09/01/2012

Reviewed on 09/02/2012

Trade name: Intl. Arrivals Ergonomic Erasable Crayons

(Contd. of page 3)

- **Penetration time of glove material:**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

### 9 Physical and chemical properties

#### General Information

<b>Form:</b>	Solid
<b>Color:</b>	Black
<b>Odor:</b>	Odorless

- **Change in condition**  
Melting point/Melting range: Not available.  
Boiling point/Boiling range: Not available.

- **Flash point:** Not available.

- **Flammability (solid, gaseous):** Not available.
- **Ignition temperature:** Not available.

- **Auto igniting:** Product is not selfigniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**  
Lower: Not available.  
Upper: Not available.
- **Oxidizing properties:** Not available.

- **Vapor pressure:** Not available.

- **Density:** Not available.
- **Relative density** Not available.
- **Vapour density** Not available.
- **Evaporation rate** Not available.

- **Solubility in / Miscibility with**  
Water: Not available.

- **pH-value:** Not available.

- **Viscosity:**  
Dynamic: Not available.

- **Additional information:** Not available.

### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Dangerous reactions:** No dangerous reactions known.
- **Dangerous products of decomposition:** No dangerous decomposition products known.

(Contd. on page 5)

**Material Safety Data Sheet**  
**29 CFR 1910.1200**

Printing date 09/01/2012

Reviewed on 09/02/2012

Trade name: Intl. Arrivals Ergonomic Erasable Crayons

(Contd. of page 4)

**11 Toxicological information**· **Acute toxicity**· **LD/LC50 values that are relevant for classification:****57-11-4 stearic acid, pure**

Dermal LD50 &gt;5000 mg/kg (rabbit)

**8002-74-2 Paraffin waxes and Hydrocarbon waxes**

Oral LD50 &gt;5000 mg/kg (rat)

Dermal LD50 &gt;2000 mg/kg (rabbit)

· **Primary irritant effect**· **on the skin:** Irritating effect possible.· **on the eye:** Irritating effect possible.· **Sensitization:** Sensitization possible.· **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

**12 Ecological information**· **Additional ecological information:**· **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**13 Disposal considerations**· **Product**· **Recommendation:** Smaller quantities can be disposed of with household waste.· **Uncleaned packagings**· **Recommendation:** Disposal must be made according to official regulations.**14 Transport information**· **DOT regulations**· **Hazard class:** -· **Identification number:** -· **Packing group:** -· **Hazardous substance:** -· **Poison inhalation hazard:** -· **Proper shipping name (technical name):** -· **Label:** -· **Land transport ADR/RID (cross-border)**· **ADR/RID class:** -· **Danger code (Kemler):** -· **UN-Number:** -· **Packaging group:** -· **Label:** -· **Special marking:** -

(Contd. on page 6)

USA

**Material Safety Data Sheet**  
29 CFR 1910.1200

Printing date 09/01/2012

Reviewed on 09/02/2012

Trade name: Intl. Arrivals Ergonomic Erasable Crayons

(Contd. of page 5)

- Description of goods: -
- Maritime transport IMDG
- IMDG Class: -
- UN Number: -
- Label: -
- Packaging group: -
- EMS Number: -
- Marine pollutant: No
- Proper shipping name: -

- Air transport ICAO-T1 and IATA-DGR:
- ICAO/IATA Class: -
- UN/ID Number: -
- Label: -
- Special marking: -
- Packaging group: -
- Proper shipping name: -

**15 Regulations**

· *Sara*

· Section 355 (extremely hazardous substances):  
None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):  
None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

8002-74-2	Paraffin waxes and Hydrocarbon waxes
57-11-4	stearic acid, pure
14807-96-6	Talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )
68514-74-9	Hydrogenated palm oil
8009-03-8	Petrolatum
8012-89-3	beeswax
64742-55-8	Disillates (petroleum), hydroreated ligh paraffinic

· Proposition 65

· Chemicals known to cause cancer:  
None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:  
None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:  
None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:  
None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency):  
None of the ingredients is listed.

· IARC (International Agency for Research on Cancer):

14807-96-6	Talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )	3
------------	---	---

· NTP (National Toxicology Program):  
None of the ingredients is listed.

(Contd. on page 7)

USA

**Material Safety Data Sheet**  
**29 CFR 1910.1200**

Printing date 09/01/2012

Reviewed on 09/02/2012

**Trade name:** Intl. Arrivals Ergonomic Erasable Crayons

(Contd. of page 6)

· <b>TLV (Threshold Limit Value established by ACGIH):</b>	
14807-96-6 Talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )	A4
· <b>NIOSH-Ca (National Institute for Occupational Safety and Health):</b>	
None of the ingredients is listed.	
· <b>OSHA-Ca (Occupational Safety &amp; Health Administration):</b>	
None of the ingredients is listed.	

- **Product related hazard informations:**  
Observe the general safety regulations when handling chemicals.  
This material (or substance or mixture) is not considered hazardous by OSHA Hazard Communication Standard (29 CFR 1910.1200).
- **National regulations**
- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

**16 Other information**

.....  
The contents and format of this MSDS/SDS are in accordance with 29 CFR 1910.1200(r)

**DISCLAIMER OF LIABILITY :**  
The information in this MSDS/SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS/SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS/SDS information may not be applicable.

.....  
End of document

LSA