



WINSOR & NEWTON PROFESSIONAL WATERCOLOURS (TUBE)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Revision date: 12/22/2020 Supersedes: 10/06/2015 Version: 7.0

00319-XXXX

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Trade name : WINSOR & NEWTON PROFESSIONAL WATERCOLOURS (TUBE)

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Artists', craft and hobby paints
Recommended use : Artists', craft and hobby paints, Consumer uses: Private households (= general public = consumers)

1.3. Supplier

Manufacturer

Colart France
+33 2 43 83 83 00 Zone Industrielle Nord
5 Rue René Panhard
Le Mans, - France
r.enquiries@colart.co.uk

Distributor

ColArt Americas Inc.
2 Corporate Place South, Piscataway
New Jersey, USA
NJ 08855
T +1 888 422 7954
r.enquiries@colart.co.uk

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Not classified

2.2. GHS Label elements, including precautionary statements

GHS US labeling

No labeling applicable

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
WINSOR & NEWTON PROFESSIONAL WATERCOLOURS (TUBE)			Not classified

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

12/22/2020

EN (English US)

Page 1

Item Numbers: 00319-0004, 00319-0120, 00319-0121, 00319-1001, 00319-1011, 00319-1012, 00319-1051, 00319-1052, 00319-1059, 00319-2011, 00319-2012, 00319-2021, 00319-2022, 00319-2041, 00319-2042, 00319-2251, 00319-2252, 00319-2551, 00319-2552, 00319-2561, 00319-2562, 00319-2563, 00319-2611, 00319-2612, 00319-2631, 00319-2632, 00319-3001, 00319-3011, 00319-3012, 00319-3021, 00319-3061, 00319-3062, 00319-3063, 00319-3131, 00319-3132, 00319-3241, 00319-3251, 00319-3252, 00319-3261, 00319-3262, 00319-3263, 00319-3271, 00319-3272, 00319-3391, 00319-3392, 00319-3393, 00319-3411, 00319-3412, 00319-3491, 00319-3492, 00319-3621, 00319-3622, 00319-3702, 00319-3711, 00319-3712, 00319-3721, 00319-3722, 00319-3731, 00319-3733, 00319-3741, 00319-3742, 00319-3743, 00319-3752, 00319-3761, 00319-3762, 00319-3771, 00319-3772, 00319-3871, 00319-3872, 00319-4001, 00319-4002, 00319-4003, 00319-4041, 00319-4042, 00319-4043, 00319-4101, 00319-4102, 00319-4141, 00319-4142, 00319-4161, 00319-4162, 00319-4211, 00319-4271, 00319-4272, 00319-4273, 00319-4411, 00319-4412, 00319-4521, 00319-4522, 00319-4542, 00319-4551, 00319-4552, 00319-4611, 00319-4612, 00319-4801, 00319-4802, 00319-4811, 00319-4812, 00319-4813, 00319-4821, 00319-4822, 00319-4841, 00319-4842, 00319-4881, 00319-4891, 00319-4892, 00319-4901, 00319-4902, 00319-4921, 00319-4922, 00319-5161, 00319-5162, 00319-5163, 00319-5171, 00319-5172, 00319-5181, 00319-5182, 00319-5183, 00319-5201, 00319-5202, 00319-5221, 00319-5222, 00319-5231, 00319-5232, 00319-5271, 00319-5272, 00319-5273, 00319-5331, 00319-5332, 00319-5341, 00319-5342, 00319-5371, 00319-5372, 00319-5421, 00319-5422, 00319-5481, 00319-5482, 00319-5483, 00319-5631, 00319-5632, 00319-5633, 00319-5901, 00319-5902, 00319-5911, 00319-5912, 00319-5913, 00319-5921, 00319-5922, 00319-6510, 00319-6512, 00319-6651, 00319-6652, 00319-6701, 00319-6702, 00319-6731, 00319-6732, 00319-6741, 00319-6742, 00319-6743, 00319-7071, 00319-7072, 00319-7092, 00319-7101, 00319-7102, 00319-7103, 00319-7110, 00319-7111, 00319-7112, 00319-7121, 00319-7122, 00319-7131, 00319-7132, 00319-7161, 00319-7162, 00319-7170, 00319-7371, 00319-7372, 00319-7391, 00319-7392, 00319-7393, 00319-7591, 00319-7592, 00319-7851, 00319-7852, 00319-7891, 00319-7892, 00319-8011, 00319-8031, 00319-8041, 00319-8042, 00319-8043, 00319-8051, 00319-8052, 00319-8053, 00319-8061, 00319-8062, 00319-8063, 00319-8071, 00319-8072, 00319-8073, 00319-8081, 00319-8082, 00319-8201, 00319-8202, 00319-8211, 00319-8212, 00319-8213, 00319-8311, 00319-8312, 00319-8441, 00319-8442, 00319-8911, 00319-8912, 00319-8961, 00319-9031, 00319-9032, 00319-9061, 00319-9062, 00319-9091, 00319-9092, 00319-9093, 00319-9411, 00319-9412

WINSOR & NEWTON PROFESSIONAL WATERCOLOURS (TUBE)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth out with water. In all cases of doubt, or when symptoms persist, seek medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	: No fire hazard.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
-------------------------	--

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
-------------------------------	---

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

12/22/2020

EN (English US)

2/6

Item Numbers: 00319-0004, 00319-0120, 00319-0121, 00319-1001, 00319-1011, 00319-1012, 00319-1051, 00319-1052, 00319-1059, 00319-2011, 00319-2012, 00319-2021, 00319-2022, 00319-2041, 00319-2042, 00319-2251, 00319-2252, 00319-2551, 00319-2552, 00319-2561, 00319-2562, 00319-2563, 00319-2611, 00319-2612, 00319-2631, 00319-2632, 00319-3001, 00319-3011, 00319-3012, 00319-3021, 00319-3061, 00319-3062, 00319-3063, 00319-3131, 00319-3132, 00319-3133, 00319-3241, 00319-3251, 00319-3252, 00319-3261, 00319-3262, 00319-3263, 00319-3271, 00319-3272, 00319-3391, 00319-3392, 00319-3393, 00319-3411, 00319-3412, 00319-3491, 00319-3492, 00319-3621, 00319-3622, 00319-3702, 00319-3711, 00319-3712, 00319-3721, 00319-3722, 00319-3731, 00319-3733, 00319-3741, 00319-3742, 00319-3743, 00319-3752, 00319-3761, 00319-3762, 00319-3771, 00319-3772, 00319-3871, 00319-3872, 00319-4001, 00319-4002, 00319-4003, 00319-4041, 00319-4042, 00319-4043, 00319-4101, 00319-4102, 00319-4141, 00319-4142, 00319-4161, 00319-4162, 00319-4211, 00319-4271, 00319-4272, 00319-4273, 00319-4411, 00319-4412, 00319-4521, 00319-4522, 00319-4542, 00319-4551, 00319-4552, 00319-4611, 00319-4612, 00319-4801, 00319-4802, 00319-4811, 00319-4812, 00319-4813, 00319-4821, 00319-4822, 00319-4841, 00319-4842, 00319-4881, 00319-4891, 00319-4892, 00319-4901, 00319-4902, 00319-4921, 00319-4922, 00319-5161, 00319-5162, 00319-5163, 00319-5171, 00319-5172, 00319-5181, 00319-5182, 00319-5183, 00319-5201, 00319-5202, 00319-5221, 00319-5222, 00319-5231, 00319-5232, 00319-5271, 00319-5272, 00319-5273, 00319-5331, 00319-5332, 00319-5341, 00319-5342, 00319-5371, 00319-5372, 00319-5421, 00319-5422, 00319-5481, 00319-5482, 00319-5483, 00319-5631, 00319-5632, 00319-5633, 00319-5901, 00319-5902, 00319-5911, 00319-5912, 00319-5913, 00319-5921, 00319-5922, 00319-6510, 00319-6512, 00319-6651, 00319-6652, 00319-6701, 00319-6702, 00319-6731, 00319-6732, 00319-6741, 00319-6742, 00319-6743, 00319-7071, 00319-7072, 00319-7092, 00319-7101, 00319-7102, 00319-7103, 00319-7110, 00319-7111, 00319-7112, 00319-7121, 00319-7122, 00319-7131, 00319-7132, 00319-7161, 00319-7162, 00319-7170, 00319-7371, 00319-7372, 00319-7391, 00319-7392, 00319-7393, 00319-7591, 00319-7592, 00319-7851, 00319-7852, 00319-7891, 00319-7892, 00319-8011, 00319-8031, 00319-8041, 00319-8042, 00319-8043, 00319-8051, 00319-8052, 00319-8053, 00319-8061, 00319-8062, 00319-8063, 00319-8071, 00319-8072, 00319-8073, 00319-8081, 00319-8082, 00319-8201, 00319-8202, 00319-8211, 00319-8212, 00319-8213, 00319-8311, 00319-8312, 00319-8441, 00319-8442, 00319-8911, 00319-8912, 00319-8961, 00319-9031, 00319-9032, 00319-9061, 00319-9062, 00319-9091, 00319-9092, 00319-9093, 00319-9411, 00319-7172

WINSOR & NEWTON PROFESSIONAL WATERCOLOURS (TUBE)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Additional information : There exist no exposure limits for this material

8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

Eye protection:

Avoid contact with eyes

Other information:

Do not eat, drink or smoke during use. Ensure there is adequate ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Solid. : Various Colours : characteristic
Odor threshold	: No data available
pH	: 6 – 8
Melting point	: No data available
Freezing point	: No data available
Boiling point	: > 100 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: > 1
Relative density	: No data available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

12/22/2020

EN (English US)

3/6

Item Numbers: 00319-0004, 00319-0120, 00319-0121, 00319-1001, 00319-1011, 00319-1012, 00319-1051, 00319-1052, 00319-1059, 00319-2011, 00319-2012, 00319-2021, 00319-2022, 00319-2041, 00319-2042, 00319-2251, 00319-2252, 00319-2551, 00319-2552, 00319-2561, 00319-2562, 00319-2563, 00319-2611, 00319-2612, 00319-2631, 00319-2632, 00319-3001, 00319-3011, 00319-3012, 00319-3021, 00319-3061, 00319-3062, 00319-3063, 00319-3131, 00319-3132, 00319-3241, 00319-3251, 00319-3252, 00319-3261, 00319-3262, 00319-3263, 00319-3271, 00319-3272, 00319-3391, 00319-3392, 00319-3393, 00319-3411, 00319-3412, 00319-3491, 00319-3492, 00319-3621, 00319-3622, 00319-3702, 00319-3711, 00319-3712, 00319-3721, 00319-3722, 00319-3731, 00319-3733, 00319-3741, 00319-3742, 00319-3743, 00319-3752, 00319-3761, 00319-3762, 00319-3771, 00319-3772, 00319-3871, 00319-3872, 00319-4001, 00319-4002, 00319-4003, 00319-4041, 00319-4042, 00319-4043, 00319-4101, 00319-4102, 00319-4141, 00319-4142, 00319-4161, 00319-4162, 00319-4211, 00319-4271, 00319-4272, 00319-4273, 00319-4411, 00319-4412, 00319-4521, 00319-4522, 00319-4542, 00319-4551, 00319-4552, 00319-4611, 00319-4612, 00319-4801, 00319-4802, 00319-4811, 00319-4812, 00319-4813, 00319-4821, 00319-4822, 00319-4841, 00319-4842, 00319-4881, 00319-4891, 00319-4892, 00319-4901, 00319-4902, 00319-4921, 00319-4922, 00319-5161, 00319-5162, 00319-5163, 00319-5171, 00319-5172, 00319-5181, 00319-5182, 00319-5183, 00319-5201, 00319-5202, 00319-5221, 00319-5222, 00319-5231, 00319-5232, 00319-5271, 00319-5272, 00319-5273, 00319-5331, 00319-5332, 00319-5341, 00319-5342, 00319-5371, 00319-5372, 00319-5421, 00319-5422, 00319-5481, 00319-5482, 00319-5483, 00319-5631, 00319-5632, 00319-5633, 00319-5901, 00319-5902, 00319-5911, 00319-5912, 00319-5913, 00319-5921, 00319-5922, 00319-6510, 00319-6512, 00319-6651, 00319-6652, 00319-6701, 00319-6702, 00319-6731, 00319-6732, 00319-6741, 00319-6742, 00319-6743, 00319-7071, 00319-7072, 00319-7092, 00319-7101, 00319-7102, 00319-7103, 00319-7110, 00319-7111, 00319-7112, 00319-7121, 00319-7122, 00319-7131, 00319-7132, 00319-7161, 00319-7162, 00319-7170, 00319-7371, 00319-7372, 00319-7391, 00319-7392, 00319-7393, 00319-7591, 00319-7592, 00319-7851, 00319-7852, 00319-7891, 00319-7892, 00319-8011, 00319-8031, 00319-8041, 00319-8042, 00319-8043, 00319-8051, 00319-8052, 00319-8053, 00319-8061, 00319-8062, 00319-8063, 00319-8071, 00319-8072, 00319-8073, 00319-8081, 00319-8082, 00319-8201, 00319-8202, 00319-8211, 00319-8212, 00319-8213, 00319-8311, 00319-8312, 00319-8441, 00319-8442, 00319-8911, 00319-8912, 00319-8961, 00319-9031, 00319-9032, 00319-9061, 00319-9062, 00319-9091, 00319-9092, 00319-9093, 00319-9411, 00319-7172

WINSOR & NEWTON PROFESSIONAL WATERCOLOURS (TUBE)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
 Acute toxicity (dermal) : Not classified
 Acute toxicity (inhalation) : Not classified
 Skin corrosion/irritation : Not classified
 pH: 6 – 8
 Serious eye damage/irritation : Not classified
 pH: 6 – 8
 Respiratory or skin sensitization : Not classified
 Germ cell mutagenicity : Not classified
 Carcinogenicity : Not classified

Reproductive toxicity : Not classified
 STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified
 Viscosity, kinematic : No data available
 Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.
 Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information

12.1. Toxicity

12.2. Persistence and degradability

WINSOR & NEWTON PROFESSIONAL WATERCOLOURS (TUBE)

Persistence and degradability	Not established.
-------------------------------	------------------

12.3. Bioaccumulative potential

WINSOR & NEWTON PROFESSIONAL WATERCOLOURS (TUBE)

Bioaccumulative potential	Not established.
---------------------------	------------------

12.4. Mobility in soil

No additional information available

12/22/2020

EN (English US)

4/6

Item Numbers: 00319-0004, 00319-0120, 00319-0121, 00319-1001, 00319-1011, 00319-1012, 00319-1051, 00319-1052, 00319-1059, 00319-1059, 00319-2011, 00319-2012, 00319-2021, 00319-2022, 00319-2041, 00319-2042, 00319-2251, 00319-2252, 00319-2551, 00319-2552, 00319-2561, 00319-2562, 00319-2563, 00319-2611, 00319-2612, 00319-2631, 00319-2632, 00319-3001, 00319-3011, 00319-3012, 00319-3021, 00319-3061, 00319-3062, 00319-3063, 00319-3131, 00319-3132, 00319-3241, 00319-3251, 00319-3252, 00319-3261, 00319-3262, 00319-3263, 00319-3271, 00319-3272, 00319-3391, 00319-3392, 00319-3393, 00319-3411, 00319-3412, 00319-3491, 00319-3492, 00319-3621, 00319-3622, 00319-3702, 00319-3711, 00319-3712, 00319-3721, 00319-3722, 00319-3731, 00319-3733, 00319-3741, 00319-3742, 00319-3743, 00319-3752, 00319-3761, 00319-3762, 00319-3771, 00319-3772, 00319-3871, 00319-3872, 00319-4001, 00319-4002, 00319-4003, 00319-4041, 00319-4042, 00319-4043, 00319-4101, 00319-4102, 00319-4141, 00319-4142, 00319-4161, 00319-4162, 00319-4211, 00319-4271, 00319-4272, 00319-4273, 00319-4411, 00319-4412, 00319-4521, 00319-4522, 00319-4542, 00319-4551, 00319-4552, 00319-4611, 00319-4612, 00319-4801, 00319-4802, 00319-4811, 00319-4812, 00319-4813, 00319-4821, 00319-4822, 00319-4841, 00319-4842, 00319-4881, 00319-4891, 00319-4892, 00319-4901, 00319-4902, 00319-4921, 00319-4922, 00319-5161, 00319-5162, 00319-5163, 00319-5171, 00319-5172, 00319-5181, 00319-5182, 00319-5183, 00319-5201, 00319-5202, 00319-5221, 00319-5222, 00319-5231, 00319-5232, 00319-5271, 00319-5272, 00319-5273, 00319-5331, 00319-5332, 00319-5341, 00319-5342, 00319-5371, 00319-5372, 00319-5421, 00319-5422, 00319-5481, 00319-5482, 00319-5483, 00319-5631, 00319-5632, 00319-5633, 00319-5901, 00319-5902, 00319-5911, 00319-5912, 00319-5913, 00319-5921, 00319-5922, 00319-6510, 00319-6512, 00319-6651, 00319-6652, 00319-6701, 00319-6702, 00319-6731, 00319-6732, 00319-6741, 00319-6742, 00319-6743, 00319-7071, 00319-7072, 00319-7092, 00319-7101, 00319-7102, 00319-7103, 00319-7110, 00319-7111, 00319-7112, 00319-7121, 00319-7122, 00319-7131, 00319-7132, 00319-7161, 00319-7162, 00319-7170, 00319-7371, 00319-7372, 00319-7391, 00319-7392, 00319-7393, 00319-7591, 00319-7592, 00319-7851, 00319-7852, 00319-7891, 00319-7892, 00319-8011, 00319-8031, 00319-8041, 00319-8042, 00319-8043, 00319-8051, 00319-8052, 00319-8053, 00319-8061, 00319-8062, 00319-8063, 00319-8071, 00319-8072, 00319-8073, 00319-8081, 00319-8082, 00319-8201, 00319-8202, 00319-8211, 00319-8212, 00319-8213, 00319-8311, 00319-8312, 00319-8441, 00319-8442, 00319-8911, 00319-8912, 00319-8961, 00319-9031, 00319-9032, 00319-9061, 00319-9062, 00319-9091, 00319-9092, 00319-9093, 00319-9411, 00319-7172

WINSOR & NEWTON PROFESSIONAL WATERCOLOURS (TUBE)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

Transportation of Dangerous Goods

Not regulated

Transport by sea


Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations



This product has been evaluated by a toxicologist and labelled for acute and chronic health hazards in accordance with the Labelling of Hazardous art materials Regulation and Federal Regulation 16 CFR 1500.14 of the Federal Hazardous Substance Act. This product conforms to ASTM D-4236 Standard Practice for Labelling Art Materials.

This product has been certified by ACMI (Artist Craft Material Institute, Inc.) to carry the AP (Approved) seal, meaning this product bears no chronic or acute human health hazards.

WINSOR & NEWTON PROFESSIONAL WATERCOLOURS (TUBE)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 12/22/2020
 Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 Other information : None.

US SDS LHAMA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.