



Trade name: Watercolor Paint Box 12/24 and Spare Paint

Current version : 2.0.1, issued: 19.12.2016

Replaced version: 2.0.0, issued: 05.10.2015

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Watercolor Paint Box 12/24 and Spare Paint

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture
paint

Uses advised against
No data available.

1.3 Details of the supplier of the safety data sheet

Address

Pelikan Vertriebsgesellschaft mbH & Co. KG
Postfach 11 07 55
30102 Hannover
GERMANY

Telephone no. +49 (0) 511 69 69 - 0

Information provided by / telephone

Chemical Laboratory
Tel.: +49 (0) 5171 - 299 - 0
Fax.: +49 (0) 5171 - 299 - 249

Advice on Safety Data Sheet
sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):
+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification information

This product does not meet the classification and labelling criteria given in the Regulation (EC) No 1272/2008 (CLP).

2.2 Label elements

Not relevant

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Box: Polystyrene

Little basins: Polystyrene

Cakes: Mixture of carbohydrates, polydiols, synthetic resins, inorganic white pigments, inorganic and organic colour pigments

Trade name: Watercolor Paint Box 12/24 and Spare Paint

Current version : 2.0.1, issued: 19.12.2016

Replaced version: 2.0.0, issued: 05.10.2015

Region: GB

Hazardous ingredients

No	Substance name CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Additional information Concentration	%
1	Dodecan-1-ol, ethoxylated 9002-92-0 500-002-6 - -	Aquatic Acute 1; H400 Eye Dam. 1; H318	< 2.50	%-b.w.
2	2-phenylphenol, sodium salt, sodium 2-biphenylate 132-27-4 205-055-6 604-021-00-1 -	Acute Tox. 4*; H302 Aquatic Acute 1; H400 Eye Dam. 1; H318 Skin Irrit. 2; H315 STOT SE 3; H335	< 0.50	%-b.w.
3	Limestone 1317-65-3 215-279-6 - -	-	>= 0.00 - < 50.00	%-b.w.
4	Kaolin 1332-58-7 310-194-1 - -	-	>= 0.00 - < 25.00	%-b.w.
5	CARBON BLACK 1333-86-4 215-609-9 - 01-2119384822-32	-	>= 0.00 - <= 15.00	%-b.w.
6	sucrose 57-50-1 200-334-9 - -	-	>= 0.00 - <= 15.00	%-b.w.
7	titanium-dioxide 13463-67-7 236-675-5 - 01-2119489379-17	-	>= 0.00 - < 25.00	%-b.w.
8	diiron trioxide 1309-37-1 215-168-2 - -	-	>= 0.00 - < 25.00	%-b.w.

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*, **, ***, ****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

3.3 Other information

Concentration data refers to the individual colors.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes and launder thoroughly before reusing.

After inhalation

Not relevant due to the compact form of the product.

After skin contact

When in contact with the skin, clean with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.



Trade name: Watercolor Paint Box 12/24 and Spare Paint

Current version : 2.0.1, issued: 19.12.2016

Replaced version: 2.0.0, issued: 05.10.2015

Region: GB

After ingestion

Rinse mouth thoroughly with water. Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder; Foam; Carbon dioxide; Water mist

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide, carbon dioxide and smoke.

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically. Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Keep away from foodstuffs and beverages.

Advice on protection against fire and explosion

No special measures necessary.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep dry in a cool, well-ventilated place.

Advice on storage assembly

Do not store together with: Oxidizing agents

7.3 Specific end use(s)

No data available.

Trade name: Watercolor Paint Box 12/24 and Spare Paint

Current version : 2.0.1, issued: 19.12.2016

Replaced version: 2.0.0, issued: 05.10.2015

Region: GB

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	Limestone	1317-65-3	215-279-6
	List of approved workplace exposure limits (WELs) / EH40		
	Calcium carbonate		
	total inhalable dust		
	TWA	10	mg/m ³
	List of approved workplace exposure limits (WELs) / EH40		
	Calcium carbonate		
	respirable dust		
	TWA	4	mg/m ³
2	Kaolin	1332-58-7	310-194-1
	List of approved workplace exposure limits (WELs) / EH40		
	Kaolin		
	respirable dust		
	TWA	2	mg/m ³
3	CARBON BLACK	1333-86-4	215-609-9
	List of approved workplace exposure limits (WELs) / EH40		
	Carbon black		
	STEL		
	TWA	7	mg/m ³
	TWA	3.5	mg/m ³
4	sucrose	57-50-1	200-334-9
	List of approved workplace exposure limits (WELs) / EH40		
	Sucrose		
	STEL		
	TWA	20	mg/m ³
	TWA	10	mg/m ³
5	titanium-dioxide	13463-67-7	236-675-5
	List of approved workplace exposure limits (WELs) / EH40		
	Titanium dioxide		
	total inhalable dust		
	TWA	10	mg/m ³
	List of approved workplace exposure limits (WELs) / EH40		
	Titanium dioxide		
	respirable dust		
	TWA	4	mg/m ³
6	diiron trioxide	1309-37-1	215-168-2
	List of approved workplace exposure limits (WELs) / EH40		
	Iron oxide		
	fume		
	Fe		
	STEL	10	mg/m ³
	TWA	5	mg/m ³
	List of approved workplace exposure limits (WELs) / EH40		
	Rouge		
	total inhalable dust		
	TWA	10	mg/m ³
	List of approved workplace exposure limits (WELs) / EH40		
	Rouge		
	respirable dust		
	TWA	4	mg/m ³

8.2 Exposure controls**Appropriate engineering controls**

No data available.

Personal protective equipment**Respiratory protection**

Under normal working conditions no personal respiratory protection is necessary.

Eye / face protection

No special measures required.

Trade name: Watercolor Paint Box 12/24 and Spare Paint

Current version : 2.0.1, issued: 19.12.2016

Replaced version: 2.0.0, issued: 05.10.2015

Region: GB

Hand protection

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Form/Colour			
solid			
product specific			
Odour			
odourless			
Odour threshold			
No data available			
pH value			
Value	appr.	8	
Boiling point / boiling range			
Not applicable			
Melting point / melting range			
No data available			
Decomposition point / decomposition range			
No data available			
Flash point			
Not applicable			
Ignition temperature			
Not applicable			
Auto-ignition temperature			
No data available			
Oxidising properties			
No data available			
Explosive properties			
No data available			
Flammability (solid, gas)			
No data available			
Lower flammability or explosive limits			
Not applicable			
Upper flammability or explosive limits			
Not applicable			
Vapour pressure			
No data available			
Vapour density			
No data available			
Evaporation rate			
No data available			
Relative density			
No data available			
Density			
Value	appr.	2	g/cm ³
Reference temperature		20	°C



Trade name: Watercolor Paint Box 12/24 and Spare Paint

Current version : 2.0.1, issued: 19.12.2016

Replaced version: 2.0.0, issued: 05.10.2015

Region: GB

Solubility in water	
Reference temperature	20 °C
Remarks	dissolvable
Solubility(ies)	
No data available	
Partition coefficient: n-octanol/water	
No data available	
Viscosity	
Not applicable	

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity**
No data available.
- 10.2 Chemical stability**
Stable under recommended storage and handling conditions (See section 7).
- 10.3 Possibility of hazardous reactions**
None, if handled according to order.
- 10.4 Conditions to avoid**
None known
- 10.5 Incompatible materials**
strong oxidizing agents
- 10.6 Hazardous decomposition products**
No hazardous decomposition products known.

**Trade name:** Watercolor Paint Box 12/24 and Spare Paint**Current version :** 2.0.1, issued: 19.12.2016**Replaced version:** 2.0.0, issued: 05.10.2015**Region:** GB**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

Acute oral toxicity
No data available
Acute dermal toxicity
No data available
Acute inhalational toxicity
No data available
Skin corrosion/irritation
No data available
Serious eye damage/irritation
No data available
Respiratory or skin sensitisation
No data available
Germ cell mutagenicity
No data available
Reproduction toxicity
No data available
Carcinogenicity
No data available
STOT-single exposure
No data available
STOT-repeated exposure
No data available
Aspiration hazard
No data available



Trade name: Watercolor Paint Box 12/24 and Spare Paint

Current version : 2.0.1, issued: 19.12.2016

Replaced version: 2.0.0, issued: 05.10.2015

Region: GB

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)

No data available

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)

No data available

Toxicity to Daphnia (chronic)

No data available

Toxicity to algae (acute)

No data available

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Smaller quantities can be disposed with household garbage.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.



Trade name: Watercolor Paint Box 12/24 and Spare Paint

Current version : 2.0.1, issued: 19.12.2016

Replaced version: 2.0.0, issued: 05.10.2015

Region: GB

SECTION 14: Transport information

- 14.1 Transport ADR/RID/ADN**
The product is not subject to ADR/RID/ADN regulations.
- 14.2 Transport IMDG**
The product is not subject to IMDG regulations.
- 14.3 Transport ICAO-TI / IATA**
The product is not subject to ICAO-TI / IATA regulations.
- 14.4 Other information**
No data available.
- 14.5 Environmental hazards**
Information on environmental hazards, if relevant, please see 14.1 - 14.3.
- 14.6 Special precautions for user**
No data available.
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**
Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Directive 1999/13/EC on the limitation of emissions of volatile organic compounds due to the use of organic solvents (VOC Directive)

VOC content	0	%
-------------	---	---

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

For this mixture a chemical safety assessment has not been carried out.

SECTION 16: Other information

Further information

Not suitable for children under 3 years.

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.



Trade name: Watercolor Paint Box 12/24 and Spare Paint

Current version : 2.0.1, issued: 19.12.2016

Replaced version: 2.0.0, issued: 05.10.2015

Region: GB

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.

Department issuing safety data sheet

UMCO GmbH
Georg-Wilhelm-Str. 187, D-21107 Hamburg
Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.