

00456-1504



SAFETY DATA SHEET

1. Identification

Product identifier Galkyd Gel, Neo Megilp
Other means of identification None.
Recommended use Mixing agent for artist's oil colors.
Recommended restrictions Keep out of reach of children.
Manufacturer/Importer/Supplier/Distributor information
Manufacturer/Supplier Gamblin Artists Colors
 2734 SE Raymond St.
 Portland, OR 97202
 USA
Telephone number +1 503-235-1945
Website www.gamblincolors.com
Emergency Telephone Number For Chemical Emergency ONLY, call:
 +1 503-235-1945

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
OSHA defined hazards Not classified.
Label elements
Hazard symbol None.
Signal word None.
Hazard statement The mixture does not meet the criteria for classification.
Precautionary statement
Prevention Observe good industrial hygiene practices.
Response Wash hands after handling.
Storage Store away from incompatible materials.
Disposal Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC) None known.
Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Alkyd Resin	Proprietary	45 - 55
Petroleum Naptha	64742-48-9	40 - 60
Silica, amorphous, fumed, cryst.-free	112945-52-5	3 - 6
Propylene Glycol	57-55-6	1 - 3

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Galkyd Gel, Neo Megilp

SDS US

953395 Version #: 04 Revision date: 03-May-2023 Issue date: 22-September-2020
 Item Numbers: 00456-1504, 00456-1605, 00456-1606

Page 1 of 7

Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Alcohol resistant foam. Powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted. The product is combustible.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Use water spray to reduce vapors or divert vapor cloud drift. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.
Environmental precautions	

7. Handling and storage

Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value
Silica, amorphous, fumed, cryst.-free (CAS 112945-52-5)	TWA	0.8 mg/m ³
		20 mppcf

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Silica, amorphous, fumed, cryst.-free (CAS 112945-52-5)	TWA	6 mg/m ³

US. Workplace Environmental Exposure Level (WEEL) Guides			
Components	Type	Value	Form
Propylene Glycol (CAS 57-55-6)	TWA	10 mg/m ³	Aerosol.
Biological limit values	No biological exposure limits noted for the ingredient(s).		
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Individual protection measures, such as personal protective equipment			
Eye/face protection	Wear safety glasses with side shields (or goggles).		
Skin protection			
Hand protection	Wear protective gloves.		
Skin protection			
Other	Wear appropriate chemical resistant clothing.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
9. Physical and chemical properties			
Appearance			
Physical state	Liquid.		
Form	Liquid Gel		
Color	Amber.		
Odor	Characteristic hydrocarbon.		
Odor threshold	Not available.		
pH	Not available.		
Melting point/freezing point	Not available.		
Initial boiling point and boiling range	318 - 390 °F (158.89 - 198.89 °C)		
Flash point	> 158.0 °F (> 70.0 °C) Pensky-Martens Closed Cup		
Evaporation rate	0.2		
Flammability (solid, gas)	Not applicable.		
Upper/lower flammability or explosive limits			
Flammability limit - lower (%)	Not available.		
Flammability limit - upper (%)	Not available.		
Explosive limit - lower (%)	Not available.		
Explosive limit - upper (%)	Not available.		
Vapor pressure	< 0.1 kPa @ 68°F (20°C)		
Vapor density	5		
Relative density	Not available.		
Solubility(ies)			
Solubility (water)	Negligible.		
Partition coefficient (n-octanol/water)	Not available.		
Auto-ignition temperature	446 °F (230 °C)		
Decomposition temperature	Not available.		
Viscosity	Thixotropic gel.		

Other information

Explosive properties Not explosive.
Oxidizing properties Not oxidizing.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability Material is stable under normal conditions.
Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.
Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials Chlorine. Fluorine. Strong oxidizers.
Hazardous decomposition products No hazardous decomposition products are known.

11. Toxicological information**Information on likely routes of exposure**

Inhalation Prolonged inhalation may be harmful.
Skin contact Prolonged skin contact may cause temporary irritation.
Eye contact Direct contact with eyes may cause temporary irritation.
Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Exposure may cause temporary irritation, redness, or discomfort.

Information on toxicological effects**Acute toxicity**

Components	Species	Test Results
------------	---------	--------------

Petroleum Naptha (CAS 64742-48-9)

Acute**Dermal***Liquid*

LD50

Rabbit

> 5000 mg/kg

Inhalation*Vapor*

LC50

Rat

> 5000 mg/m³, 4 hr**Oral***Liquid*

LD50

Rat

> 5000 mg/kg

Propylene Glycol (CAS 57-55-6)

Acute**Dermal**

LD50

Rabbit

20800 mg/kg

Oral

LD50

Rat

22000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Petroleum Naptha (CAS 64742-48-9) 3 Not classifiable as to carcinogenicity to humans.
 Silica, amorphous, fumed, cryst.-free (CAS 112945-52-5) 3 Not classifiable as to carcinogenicity to humans.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test Results
Petroleum Naptha (CAS 64742-48-9)		
Aquatic		
<i>Acute</i>		
Algae	ELO	Pseudokirchnerella subcapitata 1000 mg/l, 72 hr
	NOELR	Pseudokirchnerella subcapitata 1000 mg/l, 72 hr
Crustacea	ELO	Daphnia magna 1000 mg/l, 48 hr
Fish	LL0	Oncorhynchus mykiss 1000 mg/l, 96 hr
<i>Chronic</i>		
Crustacea	NOELR	Daphnia magna 1 mg/l, 21 d
Propylene Glycol (CAS 57-55-6)		
Aquatic		
<i>Acute</i>		
Algae	EC50	Selenastrum capricornutum 19000 mg/l, 72 hours
Crustacea	LC50	Ceriodaphnia 18340 mg/l, 48 hours
Fish	LC50	Pimephales promelas 46500 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Mobility in soil The product is insoluble in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Dispose in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information**DOT**

Not regulated as dangerous goods.

Galkyd Gel, Neo Megilp

SDS US

953395 Version #: 04 Revision date: 03-May-2023 Issue date: 22-September-2020
 Item Numbers: 00456-1504, 00456-1605, 00456-1606

Page 5 of 7

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Toxic Substances Control Act (TSCA)

All components of the mixture on the TSCA 8(b) inventory are designated "active".

Superfund Amendments and Reauthorization Act of 1986 (SARA)**SARA 302 Extremely hazardous substance**

Not listed.

SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations**US. Massachusetts RTK - Substance List**

Silica, amorphous, fumed, cryst.-free (CAS 112945-52-5)

US. New Jersey Worker and Community Right-to-Know Act

Propylene Glycol (CAS 57-55-6)

US. Pennsylvania Worker and Community Right-to-Know Law

Petroleum Naptha (CAS 64742-48-9)

Propylene Glycol (CAS 57-55-6)

Silica, amorphous, fumed, cryst.-free (CAS 112945-52-5)

US. Rhode Island RTK

Propylene Glycol (CAS 57-55-6)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Petroleum Naptha (CAS 64742-48-9)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	22-September-2020
Revision date	03-May-2023
Version #	04
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 0

NFPA ratings**List of abbreviations**

EC50: Effective Concentration, 50%.
 LC50: Lethal Concentration, 50%.
 LD50: Lethal Dose, 50%.
 STEL: Short-Term Exposure Limit.
 TWA: Time Weighted Average Value.
 EL0: Effective level, 0%.
 IC50: Inhibitory concentration, 50%.
 LL0: Lethal level, 0%.
 NOELR: No Observed Effect Loading Rate

Disclaimer

The information in this Safety Data Sheet has been obtained from current and reliable sources. However, the data is provided without warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility to determine safe conditions for use of this product and to assume liability for loss injury, damage, or expense resulting from improper use of this product.