

**SAFETY DATA SHEET**  
**WINSOR & NEWTON ARTISAN COULEUR A L'HUILE DILUABLE A L'EAU BLANC DE**  
**TITANE / WATER MIXABLE OIL COLOUR TITANIUM WHITE**

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

**1. Identification**

**Product identifier**

**Product name** WINSOR & NEWTON ARTISAN COULEUR A L'HUILE DILUABLE A L'EAU BLANC DE  
 TITANE / WATER MIXABLE OIL COLOUR TITANIUM WHITE

**Product number** 63736

**Recommended use of the chemical and restrictions on use**

**Application** Fine Art Painting

**Uses advised against** No specific uses advised against are identified.

**Details of the supplier of the safety data sheet**

**Supplier** ColArt Americas Inc.  
 11 Constitution Avenue  
 Piscataway  
 New Jersey 08855 - 1396  
 USA  
 1-732-562-0770  
 R.Enquiries@colart.co.uk

**Contact Person** Regulatory Manager

**Manufacturer** ColArt International SA  
 5 Rue Rene Panhard  
 Z.I .Nord  
 72021 Le Mans Cedex 2  
 +33 2 43 83 83 00

**Emergency telephone number**

**Emergency telephone** For health information only call 1-800-628-3385 Piscataway NJ 08855.

**2. Hazard(s) identification**

**Classification of the substance or mixture**

**Physical hazards** Not Classified

**Health hazards** Not Classified

**Environmental hazards** Aquatic Chronic 2 - H411

**Label elements**

**Pictogram**



**Hazard statements** H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements** P273 Avoid release to the environment.  
 P391 Collect spillage.  
 P501 Dispose of contents/container in accordance with national regulations.

**Other hazards**

**WINSOR & NEWTON ARTISAN COULEUR A L'HUILE DILUABLE A L'EAU BLANC DE TITANE / WATER MIXABLE OIL COLOUR TITANIUM WHITE**

This product does not contain any substances classified as PBT or vPvB.

**3. Composition/information on ingredients**

Mixtures	
<b>ZINC OXIDE</b>	<b>5-10%</b>
CAS number: 1314-13-2	
M factor (Acute) = 1	M factor (Chronic) = 1
<b>Classification</b>	
Not Classified	

The Full Text for all Hazard Statements are Displayed in Section 16.

**4. First-aid measures**

**Description of first aid measures**

<b>General information</b>	If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical personnel.
<b>Inhalation</b>	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not induce vomiting unless under the direction of medical personnel.
<b>Skin Contact</b>	Rinse with water.
<b>Eye contact</b>	Rinse with water. Get medical attention if any discomfort continues.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue.

**Most important symptoms and effects, both acute and delayed**

<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	No specific symptoms known.
<b>Ingestion</b>	No specific symptoms known.
<b>Skin contact</b>	No specific symptoms known.
<b>Eye contact</b>	No specific symptoms known. May be slightly irritating to eyes.

**Indication of immediate medical attention and special treatment needed**

<b>Notes for the doctor</b>	Treat symptomatically.
<b>Specific treatments</b>	Treat symptomatically.

**5. Fire-fighting measures**

**Extinguishing media**

<b>Suitable extinguishing media</b>	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

**WINSOR & NEWTON ARTISAN COULEUR A L'HUILE DILUABLE A L'EAU BLANC DE  
TITANE / WATER MIXABLE OIL COLOUR TITANIUM WHITE****Special hazards arising from the substance or mixture**

<b>Specific hazards</b>	Containers can burst violently or explode when heated, due to excessive pressure build-up.
<b>Hazardous combustion products</b>	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.
<b><u>Advice for firefighters</u></b>	
<b>Protective actions during firefighting</b>	Avoid breathing fire gases or vapors. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.

**6. Accidental release measures****Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk.

**Environmental precautions**

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.

**Methods and material for containment and cleaning up**

**Methods for cleaning up** Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. The contaminated absorbent may pose the same hazard as the spilled material. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

**7. Handling and storage****Precautions for safe handling**

**Usage precautions** Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Avoid discharge to the aquatic environment.

**Advice on general occupational hygiene** Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.

**Conditions for safe storage, including any incompatibilities**

**WINSOR & NEWTON ARTISAN COULEUR A L'HUILE DILUABLE A L'EAU BLANC DE  
 TITANE / WATER MIXABLE OIL COLOUR TITANIUM WHITE**

**Storage precautions** Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.

**Storage class** Miscellaneous hazardous material storage.

**Specific end uses(s)**

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

**8. Exposure Controls/personal protection**

**Control parameters**

**Occupational exposure limits**

**ZINC OXIDE**

Long-term exposure limit (8-hour TWA): OSHA 15 mg/m<sup>3</sup> total dust  
 Long-term exposure limit (8-hour TWA): ACGIH 2 mg/m<sup>3</sup> respirable fraction  
 Short-term exposure limit (15-minute): ACGIH 10 mg/m<sup>3</sup> respirable fraction  
 Long-term exposure limit (8-hour TWA): OSHA 5 mg/m<sup>3</sup> fume  
 Long-term exposure limit (8-hour TWA): OSHA 5 mg/m<sup>3</sup> respirable fraction  
 OSHA = Occupational Safety and Health Administration.  
 ACGIH = American Conference of Governmental Industrial Hygienists.

**Exposure controls**

**Appropriate engineering controls** Provide adequate ventilation.

**Eye/face protection** Avoid contact with eyes. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

**Hand protection** No specific hand protection recommended. Avoid contact with skin.

**Other skin and body protection** Use barrier creams to prevent skin contact.

**Hygiene measures** Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

**Respiratory protection** No specific recommendations. Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.

**Environmental exposure controls** Keep container tightly sealed when not in use. Avoid release to the environment.

**9. Physical and Chemical Properties**

**Information on basic physical and chemical properties**

**Appearance** Paste  
**Color** White.  
**Odor** Characteristic.  
**Initial boiling point and range** >300°C @ 760 mm Hg  
**Flash point** >230°C CC (Closed cup).  
**Relative density** 1.5 @ 20°C  
**Solubility(ies)** Miscible with water  
**Auto-ignition temperature** >300°C

**WINSOR & NEWTON ARTISAN COULEUR A L'HUILE DILUABLE A L'EAU BLANC DE  
 TITANE / WATER MIXABLE OIL COLOUR TITANIUM WHITE**

**Other information** Not available.

**10. Stability and reactivity**

**Reactivity** There are no known reactivity hazards associated with this product.

**Stability** Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

**Possibility of hazardous reactions** No potentially hazardous reactions known.

**Conditions to avoid** There are no known conditions that are likely to result in a hazardous situation.

**Materials to avoid** No specific material or group of materials is likely to react with the product to produce a hazardous situation.

**Hazardous decomposition products** Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.

**11. Toxicological information**

**Information on toxicological effects**

**Toxicological effects** No information available.

**Acute toxicity - oral**  
**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met.

**Acute toxicity - dermal**  
**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

**Acute toxicity - inhalation**  
**Notes (inhalation LC<sub>50</sub>)** Based on available data the classification criteria are not met.

**Skin corrosion/irritation**  
**Animal data** Based on available data the classification criteria are not met.

**Serious eye damage/irritation**  
**Serious eye damage/irritation** Based on available data the classification criteria are not met.

**Respiratory sensitization**  
**Respiratory sensitisation** Based on available data the classification criteria are not met.

**Skin sensitization**  
**Skin sensitisation** Based on available data the classification criteria are not met.

**Germ cell mutagenicity**  
**Genotoxicity - in vitro** Based on available data the classification criteria are not met.

**Carcinogenicity**  
**Carcinogenicity** Based on available data the classification criteria are not met.

**IARC carcinogenicity** None of the ingredients are listed or exempt.

**Reproductive toxicity**  
**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

**WINSOR & NEWTON ARTISAN COULEUR A L'HUILE DILUABLE A L'EAU BLANC DE TITANE / WATER MIXABLE OIL COLOUR TITANIUM WHITE**

<b>Reproductive toxicity - development</b>	Based on available data the classification criteria are not met.
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	Not classified as a specific target organ toxicant after a single exposure.
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	Not classified as a specific target organ toxicant after repeated exposure.
<b>Aspiration hazard</b>	
<b>Aspiration hazard</b>	Based on available data the classification criteria are not met.
<b>General information</b>	
	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	No specific symptoms known.
<b>Ingestion</b>	No specific symptoms known.
<b>Skin Contact</b>	No specific symptoms known.
<b>Eye contact</b>	No specific symptoms known.
<b>Acute and chronic health hazards</b>	No specific health hazards known.
<b>Route of entry</b>	Ingestion Inhalation Skin and/or eye contact
<b>Target Organs</b>	No specific target organs known.

**12. Ecological Information**

<b>Ecotoxicity</b>	Not considered to be a significant hazard due to the small quantities used.
<b><u>Toxicity</u></b>	
<b>Toxicity</b>	Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.
<b>Acute toxicity - fish</b>	Not determined.
<b>Acute toxicity - aquatic invertebrates</b>	Not determined.
<b>Acute toxicity - aquatic plants</b>	Not determined.
<b>Acute toxicity - microorganisms</b>	Not determined.
<b><u>Persistence and degradability</u></b>	
<b>Persistence and degradability</b>	The degradability of the product is not known.
<b><u>Bioaccumulative potential</u></b>	
<b>Bio-Accumulative Potential</b>	No data available on bioaccumulation.
<b><u>Mobility in soil</u></b>	
<b>Mobility</b>	No data available.
<b>Adsorption/desorption coefficient</b>	Not determined.

**WINSOR & NEWTON ARTISAN COULEUR A L'HUILE DILUABLE A L'EAU BLANC DE  
 TITANE / WATER MIXABLE OIL COLOUR TITANIUM WHITE**

**Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

**Other adverse effects**

**Other adverse effects** None known.

**13. Disposal considerations**

**Waste treatment methods**

**General information** The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**Waste class** 08 01 11\* - waste paint and varnish containing organic solvents or other dangerous substances

**14. Transport information**

**UN Number**

**UN No. (DOT)** 3082

**UN No. (IMDG)** 3082

**UN No. (ICAO)** 3082

**UN proper shipping name**

**Proper shipping name (DOT)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ZINC OXIDE)

**Proper shipping name (IMDG)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ZINC OXIDE)


**Proper shipping name (ICAO)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ZINC OXIDE)

**Transport hazard class(es)**

**IMDG Class** 9

**ICAO class/division** 9

**Transport labels**



**Packing group**

**DOT pack group** III

**IMDG packing group** III

**ICAO packing group** III

**WINSOR & NEWTON ARTISAN COULEUR A L'HUILE DILUABLE A L'EAU BLANC DE  
TITANE / WATER MIXABLE OIL COLOUR TITANIUM WHITE**

**Environmental hazards**

**Environmentally Hazardous Substance**



**Special precautions for user**

**EmS** F-A, S-F

**15. Regulatory information**

**Regulatory Status**

This product has been evaluated by a toxicologist and labelled for acute and chronic health hazards in accordance with the Labelling of Hazardous Art Materials Regulation and Federal Regulation 16 CFR 1500.14 of the Federal Hazardous Substances Act. This product conforms to ASTM D-4236 Standard Practice for Labelling Art Materials for Chronic Adverse health effects.

This product has been certified by ACMI (Artists Craft Material Institute, Inc.) to carry the AP (Approved Product) Seal, meaning this product bears no chronic or acute human health hazards.

**US Federal Regulations**

**SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are listed or exempt.

**CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

None of the ingredients are listed or exempt.

**SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are listed or exempt.

**SARA 313 Emission Reporting**

The following ingredients are listed or exempt:

**ZINC OXIDE**

1.0 %

**CAA Accidental Release Prevention**

None of the ingredients are listed or exempt.

**FDA - Essential Chemical**

None of the ingredients are listed or exempt.

**FDA - Precursor Chemical**

None of the ingredients are listed or exempt.

**SARA (311/312) Hazard Categories**

None of the ingredients are listed or exempt.

**OSHA Highly Hazardous Chemicals**

None of the ingredients are listed or exempt.

**US State Regulations**



---

**WINSOR & NEWTON ARTISAN COULEUR A L'HUILE DILUABLE A L'EAU BLANC DE  
TITANE / WATER MIXABLE OIL COLOUR TITANIUM WHITE**

**California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed or exempt.

**California Air Toxics "Hot Spots" (A-I)**

The following ingredients are listed or exempt:

**ZINC OXIDE**

Present.

**California Air Toxics "Hot Spots" (A-II)**

None of the ingredients are listed or exempt.

**California Directors List of Hazardous Substances**

The following ingredients are listed or exempt:

**ZINC OXIDE**

Present.

**Massachusetts "Right To Know" List**

The following ingredients are listed or exempt:

**ZINC OXIDE**

Present.

**Rhode Island "Right To Know" List**

The following ingredients are listed or exempt:

**ZINC OXIDE**

Present.

**Minnesota "Right To Know" List**

The following ingredients are listed or exempt:

**ZINC OXIDE**

Present.

**New Jersey "Right To Know" List**

The following ingredients are listed or exempt:

**ZINC OXIDE**

Present.

**Pennsylvania "Right To Know" List**

The following ingredients are listed or exempt:

**ZINC OXIDE**

Present.

**Inventories**

**US - TSCA**

The following ingredients are listed or exempt:

**ZINC OXIDE**

Present.

**US - TSCA 12(b) Export Notification**

None of the ingredients are listed or exempt.

**WINSOR & NEWTON ARTISAN COULEUR A L'HUILE DILUABLE A L'EAU BLANC DE  
TITANE / WATER MIXABLE OIL COLOUR TITANIUM WHITE**

**16. Other information**

<b>General information</b>	This product is considered to be a small package and is labeled according to the relevant provisions of the legislation.
<b>Training advice</b>	Read and follow manufacturer's recommendations.
<b>Revision date</b>	9/23/2015
<b>Revision</b>	5
<b>Supersedes date</b>	6/10/2015
<b>SDS No.</b>	12984
<b>Hazard statements in full</b>	H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.