



Mene for #00495 - OLD HOLLAND OIL COLORS

White lead oilpaint

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Date of issue: 5-7-2022 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : White lead oilpaint
Product code : X.RO003/004

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use
Use of the substance/mixture : Paint & Art restoration

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Old Holland Classic Colours Since 1664
Nijendal 36
3972 KC Driebergen Rijnsburg - Nederland
T 0031 343 518 224 - F 0031 343 516 342
info@oldholland.com - www.oldholland.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	Only for the purpose of informing medical personnel in cases of acute intoxications
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for the purpose of informing medical personnel in cases of acute intoxications

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Acute toxicity (inhalation:dust,mist) Category 4 H332
Reproductive toxicity, Category 1A H360
Specific target organ toxicity — Repeated exposure, Category 2 H373
Hazardous to the aquatic environment — Chronic Hazard, Category 1 H410
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

May damage fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. Harmful if inhaled. Harmful if swallowed. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) : Danger
Hazardous ingredients : Trilead bis(carbonate) dihydroxide
Hazard statements (CLP) : H302+H332 - Harmful if swallowed or if inhaled
H360 - May damage fertility or the unborn child

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

- Precautionary statements (CLP) :
- H373 - May cause damage to organs through prolonged or repeated exposure
 - H410 - Very toxic to aquatic life with long lasting effects
 - P201 - Obtain special instructions before use
 - P273 - Avoid release to the environment
 - P280 - Wear protective clothing, protective gloves, Breathing equipment, In case of dust production: protective goggles
 - P308+P313 - IF exposed or concerned: Get medical advice
 - P312 - Call a doctor if you feel unwell
 - P391 - Collect spillage

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Trilead bis(carbonate) dihydroxide substance listed as REACH Candidate (Trilead bis(carbonate)dihydroxide)	(CAS-No.) 1319-46-6 (EC-No.) 215-290-6 (REACH-no) 01-2119555280-45	< 90	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Repr. 1A, H360 STOT RE 2, H373 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
- First-aid measures after skin contact : Take off contaminated clothing. Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth. Do not induce vomiting without medical advice. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : May damage the unborn child. Suspected of damaging fertility.
- Symptoms/effects after ingestion : May be harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Sand. Carbon dioxide.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Presents no particular fire or explosion hazard.
- Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
- Other information : Prevent fire fighting water from entering the environment.

MSDS for #00495 - OLD HOLLAND OIL COLORS
White lead oilpaint

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust, fume.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
 Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.
 Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8 : " Exposure-controls/personal protection". Concerning disposal elimination after cleaning, see item 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust, fume. Use only outdoors or in a well-ventilated area.

Hygiene measures : Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.
 Heat and ignition sources : Keep away from heat and direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Protective clothing. In case of dust production: protective goggles.

Hand protection:

In case of repeated or prolonged contact wear gloves. Chemical resistant gloves (according to European standard NF EN 374 or equivalent)

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves, Disposable gloves	Nitrile rubber (NBR), Polyvinylchloride (PVC)	6 (> 480 minutes)	≥0,11		EN 374

Eye protection:

In case of dust production: protective goggles. EN 166

Skin and body protection:

Wear suitable protective clothing. CEN : EN 340; EN 369; EN 465

Respiratory protection:

Wear respiratory protection. EN 143

MSDS for #00495 - OLD HOLLAND OIL COLORS
White lead oilpaint

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Device	Filter type	Condition	Standard
Wear respiratory protection	Type P3	Protection for Solid particles, Dust protection	EN 143



Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Colour	: white.
Odour	: odourless.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	:

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May liberate toxic gases.

MSDS for #00495 - OLD HOLLAND OIL COLORS
White lead oilpaint

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Oral: Harmful if swallowed.
 Acute toxicity (dermal) : Not classified
 Acute toxicity (inhalation) : Inhalation:dust,mist: Harmful if inhaled.

ATE CLP (oral)	627,0378730875 mg/kg bodyweight
ATE CLP (dust,mist)	1,8811136193 mg/l/4h

Skin corrosion/irritation : Not classified
 Serious eye damage/irritation : Not classified
 Respiratory or skin sensitisation : Not classified
 Germ cell mutagenicity : Not classified
 Carcinogenicity : Not classified
 Reproductive toxicity : May damage fertility or the unborn child.
 STOT-single exposure : Not classified
 STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.
 Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.
 Acute aquatic toxicity : Not classified
 Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component	
Trilead bis(carbonate) dihydroxide (1319-46-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
 Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
3077	3077	3077	3077	3077
14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS ; Trilead bis(carbonate) dihydroxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS ; Trilead bis(carbonate) dihydroxide)	Environmentally hazardous substance, solid, n.o.s. (CONTAINS ; TRILEAD BIS(CARBONATE) DIHYDROXIDE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS ; Trilead bis(carbonate) dihydroxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS ; Trilead bis(carbonate) dihydroxide)
Transport document description				
UN 3077 ENVIRONMENTALLY	UN 3077 ENVIRONMENTALLY	UN 3077 Environmentally hazardous substance,	UN 3077 ENVIRONMENTALLY	UN 3077 ENVIRONMENTALLY

5-7-2017






EN (English)

5/8

MSDS for #00495 - OLD HOLLAND OIL COLORS
White lead oilpaint

Safety Data Sheet


according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA	ADN	RID
HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS ; Trilead bis(carbonate) dihydroxide), 9, III, (E)	HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS ; Trilead bis(carbonate) dihydroxide), 9, III, MARINE POLLUTANT	solid, n.o.s. (CONTAINS ; TRILEAD BIS(CARBONATE) DIHYDROXIDE), 9, III	HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS ; Trilead bis(carbonate) dihydroxide), 9, III	HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS ; Trilead bis(carbonate) dihydroxide), 9, III
14.3. Transport hazard class(es)				
9	9	9	9	9
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : M7
 Special provisions (ADR) : 274, 335, 601, 375
 Limited quantities (ADR) : 5kg
 Excepted quantities (ADR) : E1
 Packing instructions (ADR) : P002, IBC08, LP02, R001
 Mixed packing provisions (ADR) : MP10
 Portable tank and bulk container instructions (ADR) : T1, BK1, BK2
 Portable tank and bulk container special provisions (ADR) : TP33
 Tank code (ADR) : SGAV, LGBV
 Vehicle for tank carriage : AT
 Transport category (ADR) : 3
 Special provisions for carriage - Packages (ADR) : V13
 Special provisions for carriage - Bulk (ADR) : VC1, VC2
 Special provisions for carriage - Loading, unloading and handling (ADR) : CV13
 Hazard identification number (Kemler No.) : 90
 Orange plates :



Tunnel restriction code (ADR) : E
 EAC code : Z2

- Transport by sea

Special provisions (IMDG) : 274, 335, 966, 967, 969
 Limited quantities (IMDG) : 5 kg
 Excepted quantities (IMDG) : E1
 Packing instructions (IMDG) : P002, LP02
 Special packing provisions (IMDG) : PP12
 IBC packing instructions (IMDG) : IBC08
 IBC special provisions (IMDG) : B3
 Tank instructions (IMDG) : T1, BK1, BK2, BK3
 Tank special provisions (IMDG) : TP33
 EmS-No. (Fire) : F-A

5-7-2017

EN (English)

6/8

Item Numbers: 00495-1250, 00495-1262

Page 6 of 8

MSDS for #00495 - OLD HOLLAND OIL COLORS
White lead oilpaint

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EmS-No. (Spillage) : S-F
 Stowage category (IMDG) : A
 Stowage and handling (IMDG) : SW23
 MFAG-No : 171

- Air transport

PCA Excepted quantities (IATA) : E1
 PCA Limited quantities (IATA) : Y956
 PCA limited quantity max net quantity (IATA) : 30kgG
 PCA packing instructions (IATA) : 956
 PCA max net quantity (IATA) : 400kg
 CAO packing instructions (IATA) : 956
 CAO max net quantity (IATA) : 400kg
 Special provisions (IATA) : A97, A158, A179, A197
 ERG code (IATA) : 9L

- Inland waterway transport

Classification code (ADN) : M7
 Special provisions (ADN) : 274, 335, 375, 601
 Limited quantities (ADN) : 5 kg
 Excepted quantities (ADN) : E1
 Carriage permitted (ADN) : T* B**
 Equipment required (ADN) : PP, A
 Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : M7
 Special provisions (RID) : 274, 335, 375, 601
 Limited quantities (RID) : 5kg
 Excepted quantities (RID) : E1
 Packing instructions (RID) : P002, IBC08, LP02, R001
 Special packing provisions (RID) : PP12, B3
 Mixed packing provisions (RID) : MP10
 Portable tank and bulk container instructions (RID) : T1, BK1, BK2
 Portable tank and bulk container special provisions (RID) : TP33
 Tank codes for RID tanks (RID) : SGAV, LGBV
 Transport category (RID) : 3
 Special provisions for carriage – Packages (RID) : W13
 Special provisions for carriage – Bulk (RID) : VC1, VC2
 Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW31
 Colis express (express parcels) (RID) : CE11
 Hazard identification number (RID) : 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

16(b) Lead carbonates: Trilead-bis(carbonate)-dihydroxide 2Pb CO₃-Pb(OH)₂ | Trilead bis(carbonate) dihydroxide

Contains a substance on the REACH candidate list in concentration ≥ 0.1% or with a lower specific limit: Trilead bis(carbonate)dihydroxide (EC 215-290-6, CAS 1319-46-6)

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

5-7-2017

EN (English)

7/8

Item Numbers: 00495-1250, 00495-1262

MSDS for #00495 - OLD HOLLAND OIL COLORS
White lead oilpaint

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

SDS	Safety Data Sheet
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
PBT	Persistent Bioaccumulative Toxic
vPvB	Very Persistent and Very Bioaccumulative
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
LC50	Median lethal concentration
LD50	Median lethal dose
	EG-nr.: EINECS- en ELINCS-number
	EINECS: European Inventory of Existing Commercial Substances
	OEL: Occupational Exposure Limit

Data sources : according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830.

Other information : REACH Disclaimer:
 This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Repr. 1A	Reproductive toxicity, Category 1A
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H302	Harmful if swallowed
H332	Harmful if inhaled
H360	May damage fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Acute Tox. 4 (Oral)	H302	Calculation method
Acute Tox. 4 (Inhalation:dust,mist)	H332	Calculation method
Repr. 1A	H360	Calculation method
STOT RE 2	H373	Calculation method
Aquatic Chronic 1	H410	Calculation method

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product